

LANDSCAPE PRODUCTS

www.brickstopedge.com 1 800-565-2599





MISSION STATEMENT

At Brickstop Corporation our goal is to manufacture, distribute and supply our dealer network with the finest quality Paver Edgings and Landscape Accessories, serving the professional landscape contractors' specific needs and requirements.

We strive to provide the best tools possible so you can do the best job possible!

Our customers' needs are our priority. If you can't find a product you require, we are happy to source it for you. Thank you for your interest in our fine line of superior products.

We're the "good guys to deal with!"

Paver Edging: B.E.A.S.T. 02

Paver Edging: Edge-All 03

Paver Edging: Simflex Plastic 03

Paver Edging: Aluminum 04-05

Landscape Edging: Edgestar 06-07

Drains 08

Shims + Marking Paints + Tarps 09

Adhesives 10

Grabo 11

Block and Paver Splitters 12-13

Lifting Equipment 14-15

Geogrid 15

Hand Tools + Mallets 16

Paver Tools + Screeds 17

LEDeze Retaining Wall & Stair Lights 18-19

LEDeze Recessed Lighting 20-23

LEDeze Spot and Path Lighting 24

Wire, Transformers, Controllers 25-27

Dekor Lighting 28-29



B.E.A.S.T. PLASTIC PAVER EDGING #350

Over twenty-nine years of experience and millions of feet of paver installations have gone into the development of the B.E.A.S.T.


NORTH AMERICA'S
#1 BEST SELLING
PAVER EDGING

B.E.A.S.T. #350

- Just one piece does both straight lines and curves
- Allows installation of pavers on either side of edging
- Staggered lattice nailing to ensure maximum hold
- Extra wide base for increased stability
- Easy to install with 10" or 12" nails
- Allows natural vegetation growth
- 100% recycled plastic

Wall: 1.75"
Foot: 3"
Width: 2.5"
Available in 8 ft lengths










EDGE-ALL LOW PROFILE PAVER EDGING #370

EDGE-ALL #370

- Ideal for thin pavers, wetcast stone, and flagstones
- Super strength
- · Super flexibility
- Amazing straight lines
- Perfect curves

Wall: 1.5" Foot: 2.25" Available in convenient 6 ft lengths





SIMFLEX PLASTIC PAVER EDGING #250

SIMPLE, FLEXIBLE, AFFORDABLE

SIMFLEX #250

- · Installs easily
- Requires no cutting for curves; suitable for both straight and radius installations
- Ideal for driveways, walkways and patios
- Thick profile manufactured from recycled plastic

Wall: 1.625" Foot: 2.75" Thickness: 0.31" Convenient 7'6" sections





SIMFLEX XS
EXTRA STRONG
PLASTIC
PAVER EDGING #255

SIMFLEX XS #255



- Installs easily
- Requires no cutting for curves; suitable for both straight and radius installations
- Ideal for driveways, walkways and patios
- Thick profile manufactured from recycled plastic

Wall: 1.75" Foot: 2.75" Thickness: 0.31" Convenient 8' sections





ALUMINUM PAVER EDGING #150

Brickstop Advantages:

THE ORIGINAL L-SHAPED PAVER EDGING

Because your reputation is at stake.

BrickStop Aluminum Edging bends to your needs no matter how complex your interlocking brick and paving stone design. Made of aluminum, it's strong enough for straight lines, yet flexible enough to follow the most intricate curved patterns, with optional installation of pavers on either side of the edging.

BrickStop Aluminum Edging prevents the shifting and movement of pavers that could turn your project into an eyesore. BrickStop comes through with a patented design that lets you form 90 degree angles without cutting. Its quick "either side" installation helps bring labour costs down and creates the long lasting results that will keep customer referrals coming year after year.

Spiral spikes #400
Sold in individual 50lb. boxes or by the pallet (50 cases)
10" Bright Steel Spiral: approx.
235 pcs.

- Convenient 8'4" lengths
- Made of non-rusting recycled aluminum
- Allows installation of pavers on either side of edging
- Completely hidden from view
- One piece for straight or curved patterns

90 degree angles without cuttingWill not warp in heat or crack in cold

 No loss of material due to overlap at joints

Includes plastic joiner tab



Length: 8'4" (2.54m) Height: 1.5" (35mm)

Thickness: 0.125" (3.2mm)

Flange: 1.5" x 4" (35mm x 102mm)

Alloy: 6063 aluminum

T-5 hardness US Patent



#170 - THE ECONOMY L-SHAPED PAVER EDGING

An economical option to our original #150 Paver Edging, with all the same attributes that aluminum paver edging offers.

Length: 8'4" (2.54m) Height: 1.5" (35mm)

Thickness: 0.105" (2.67mm)

Flange: 1.45" x 4" (34mm x 102mm)

Alloy 6063 Aluminum

t-5 Hardness



LOW PROFILE ALUMINUM EDGING #120

Brickstop's Lowest Profile Aluminum Edging is ideal for use with 20mm porcelain pavers, flagstone, wetcast shapes and bluestone. Our aluminum edging bends to your needs no matter how complex your design requirements. Made of aluminum, it's strong enough for straight lines, yet flexible enough to follow the most intricate curved patterns.

LOW-PROFILE ALUMINUM EDGING #120

- · Convenient 8' lengths
- Made of non-rusting recycled aluminum
- Completely hidden from view
- One piece for straight or curved patterns
- 90 degree angles without cutting
- Will not warp in heat or crack in cold
- No loss of material due to overlap at joints

Length: 8' (2.44m) Height: 5/8" (17mm)

Thickness: 0.125" (3.2mm)

Flange: 1.5" x 4" (35mm x 102mm)

Alloy: 6063 aluminum

T-5 hardness









ORIGINAL #210

Sizes: 1/8" by 4" (3.2mm by 100mm) residential/commercial

Finishes: Mill finish; natural aluminum or black anodized

Length: 8'0" (2.44M) sections – nail every

Nails: 10" by 3/8" spiral steel nails (not included)

Convenient 8' Sections

EDGESTAR LANDSCAPE EDGING #210


EDGESTAR ADVANTAGES:

- Keyhole Interlocking System: Lengths are easily and quickly connected.
- Superior Reinforcement 8' lengths: Rigid enough to provide perfectly straight lines; flexible enough for the most demanding curves.
- No need to use heavier gauge or more costly material to maintain straight runs.
- Heavy duty 11/8" nail loops located every 23": allows for more frequent nailing positions, providing superior anchoring where required.
- Steel Nail Anchoring: Spiral 10" nails readily available.

EDGESTAR is produced in 1/8" thickness. Our product's design will maintain straight lines even for the heaviest commercial applications. EDGESTAR is ideally suited for use as a planting bed edging in both residential and commercial applications. Other uses include edging for walkways, jogging trails, running tracks, asphalt borders and maintenance strips.

Available in black anodized.

KEEPS GARDEN BEDS CLEAN AND NEAT!



ORIGINAL #210
WITH SNAP-IN
INTERLOCKING TABS

Spiral spikes #400
Sold in individual 50lb. boxes or by the pallet (50 cases)
10" Bright Steel Spiral: approx.
235 pcs.





ECONO #200

Sizes: 1/8" by 4" (3.2mm by 100mm) residential/commercial

Finishes: Mill finish; natural aluminum or black anodized

Length: 8'0" (2.44M) sections – nail every 23"

Nails: 10" by 3/8" spiral steel nails (not included)

Convenient 8' Sections


EDGESTAR LANDSCAPE EDGING #200

EDGESTAR ADVANTAGES:

- Keyhole Interlocking System: Lengths are easily and quickly connected.
- Superior Reinforcement 8' lengths: Rigid enough to provide perfectly straight lines; flexible enough for the most demanding curves.
- No need to use heavier gauge or more costly material to maintain straight runs.
- Steel Nail Anchoring: Spiral 10" nails readily available.

EDGESTAR is produced in 1/8" thickness. Our product's design will maintain straight lines even for the heaviest commercial applications. EDGESTAR is ideally suited for use as a planting bed edging in both residential and commercial applications. Other uses include edging for walkways, jogging trails, running tracks, asphalt borders and maintenance strips.

Available in black anodized.



ECONO #200

Spiral spikes #400
Sold in individual 50lb. boxes or by the pallet (50 cases)
10" Bright Steel Spiral: approx.
235 pcs.

KEEPS GARDEN BEDS CLEAN AND NEAT!

GREENLINE LAWN/LANDSCAPE EDGING



PRO-T #240



PRO-V

#260



- · Corrugated side wall construction
- · Rigid yet flexible, will easily follow the contours of your design
- "T"-shaped base resists frost heave
- Convenient, easy-to-handle 8 foot lengths
- 10 strips per bundle (anchoring stakes, straight or corner connectors sold separately)
 - · Clean lines provide for ease of installation
 - "V"-shaped base resists frost heave
 - Convenient, easy-to-handle 8 foot lengths
 - Eonomically priced
 - 10 strips per bundle (anchoring stakes, straight or corner connectors sold separately)

ACCESSORIES

#261 9" Galvanized Steel Anchoring Stakes

#262 6" Straight Connector

#263 90 Degree Corner Connector



DRAINS



CHOOSE YOUR COLOUR



47" neck extension available

1-3/8

UNIVERSAL WALL DRAIN PRO

#WDP03/WDP04

- designed for all 3"-8" block easy installation
- · aesthetically pleasing
- · reduced labour costs
- · height easily modified for use with any size block or timber

#WDP03

#WDP04

· male end snaps into 3" piping

• male end snaps into 4" piping



DRAINAGE KIT #PC100A

This is ideal for below grade driveways.

DRAINAGE KIT INCLUDES:

- 3 drains (39" each)
- 3 stainless steel grates
- 1 solid end cap (#DN75)







REPLACEMENT CLIP #PC100C

(FOR #PC100A)

SOLID END CAP **#DN75** (FOR #PC100A)



EZ-SHIM™ #512

THE ALL PLASTIC LOAD BEARING SHIM

FEATURES AND BENEFITS:

- LOAD BEARING up to 8,000 psi WEATHERPROOF
- · Easy break off points · Handles big nails and screws
- Injection molded into sheets of ten / 36 sheets per case





LOAD TESTED Compression (downward force) until deflection. Results measured in psi (avg.) HEEL MID TOE EZ-SHIM 8,029 psi 7,993 psi 7,947 psi **CEDAR** 1,367 psi 1,711 psi 5,370 psi 4,215 psi PINE 1,848 psi 2,288 psi

PROFESSIONAL'S CHOICE FOR:

- appliances bathrooms
- construction
- · decks · fountains · glass block
- · heavy load applications
- jacuzzis + spas
- landscape architecture
- · marine · paving stone systems
- · precast concrete & columns
- stone & masonry
- · vinyl decking systems

BRICKSTOP INVERTED MARKING PAINT #550

FEATURES AND BENEFITS:

- · Ultra bright
- · Inverted tip
- Fast dry non clogging
- Water based safe on grass and plants
- Lead free VOC Compliant
- Colors Fluorescent Orange, Fluorescent Red, Hot Pink, White
- 12 482 gr. cans/cas
- 17 oz.







TARPS

ALL-SEASON CONSTRUCTION QUALITY, MULTIPURPOSE TARPS

- 8x8 weave
- 4 spare ropes
- double reinforced corners
- waterproof + rot-proof
- · rope reinforced hems
- grommets every 3 ft
- 90 grams/sq meter

#701 6FT X 8FT #702 **8FT X 10FT** 9FT X 12FT #703 #704 10FT X 15FT 12FT X 18FT #705 15FT X 20FT #706 18FT X 24FT #707 #708 20FT X 30FT #709 24FT X 40FT 30FT X 50 FT #710

40FT X 60FT







CONCRETE AND STONE

Brickstop Brickstik is a one-component premium polyurethane adhesive. Specially formulated to adhere to wet or frozen surfaces. Brickstik is specifically engineered for the Concrete and Paver/ Retaining wall industry.

Brickstik is designed to resist water and frost to permanently bond stone, brick, and concrete. Brickstik can be applied in a wide installation temperature span and will not freeze.

FEATURES AND BENEFITS:

- VOC Compliant
- Environmentally sensitive
- Easy gunning user friendly
- Fast curing quicker adhesion

	Brice	STRENGTH
SORO.	Service S	Heavy Duty Premium Porty ADHESIVE For Contrete & Stone STRUCT INTENSITY AND THE PORTY OF THE P
	A A	

EXTRA

SUBSTRATE BOND	24	7	
STRENGTH	HOURS	DAYS:	
Concrete to Concrete	300	350	
DEAD SIZE IN LINE	AI EEET	LINEAL EEL	

BEAD SIZE IN	LINEAL FEET	LINEAL FEET
INCHES (MM)	PER 313 ML	PER 858 ML
1/8 (3)	129	353
3/16 (5)	57	156
1/4 (6)	32	87
5/16 (8)	20	54
3/8 (10)	14	38

#1010 10.5 OZ (313ml), 24/CASE #1028 29 OZ (858ml), 12/CASE



"Heavy Lifting Made Easy" PORTABLE ELECTRIC VACUUM LIFTER



14.8 Volt Li-lon Battery Powered Working Time 1.5 hrs

Can lift up to 375lbs.

(certain materials)

Net weight (with battery) 3.3 lbs. /1.5 kg Dimensions 297 x 181 x 115 mm 11.67" x 7.125" x 4.53"

Kit Includes

2 - rechargeable battery packs

Charger

Canvas bag

Extra foam rubber seal

Filter



• concrete tiles • ribbed glass

• natural stone • marble • checker plate

• texture plates • concrete • wood • drywall • metal







BLOCK & PAVER SPLITTER #FBS40

Designed for splitting: • Retaining Wall • Cap Stone • Rough Cut Face Stone • Paving Stones • Granite and most other flat stone materials on the market today

Spring loaded tray for angled "undercuts" when cutting pavers

Easy one dial system: (unlike two dials) for perfect cuts every time (No need to set screw every time when cutting same size stone)

Great cutting range: Cutting Width: 16" Cutting Height: 8.3" Weight: 135 LBS.

HYDRAULIC BLOCK AND BRICK SPLITTER #FBS60

Designed for splitting: • Retaining Wall • Cap Stone • Rough Cut Face Stone • Granite • Paving Stones - and most other flat stone materials on the market today

Over 20 ton cutting force

Spring loaded tray for angled "undercuts" when cutting pavers

Adjustable blade height: for all 'flat faced' products up to 235 mm

Heavy weight construction: takes a lot of abuse

Reversible blades: with 3 cutting edges















Cutting Width: 25.6" Cutting Height: 9.25" Length: 28.74" Width: 32.28" Height: 40.95" Weight: 218.26 lbs





BLOCK AND PAVER SPLITTER #BK43

Blade cutting length 13" Cuts from 0" - 4.33" Weight 62 lbs.





PAVER CUTTER #6L

Designed and constructed specifically for splitting pavers. This lightweight paving stone cutter easily transports.

The 6L is quick, efficient and will cut up to 3.9 paving stone.

Cutting width: 12.2"
Cutting height: 0"-3.9"
Weight: 66 lbs.

PAVER CART #2002





Lifts a complete band of pavers at one time. Saves time, money and labour. Less handling reduces chipping and breaking of materials and speeds up installation.

FEATURES:

- large pneumatic turf-profile tires solid steel pallet roller
- handle assembly detaches for easy transport
- reinforced cross-braced handles prevent twisting
- foot bar for increased leverage
- can be used for both palletized/unpalletized materials
- Shipping weight: 165 lbs.
 Overall dimensions: 40" x 21" x 69"
- Safe Lifting Load: 600 Width adjusts from 34"-40"



Our clamps are made by BSV in Denmark. They have been making clamps for 110 years and your operators will fight for the truck that's equipped with the BSV.

All clamps protect the product with rubber contact pads for safe and easy loading

and offloading. All clamps are gravity controlled - they open when rested and close when lifted.

We can supply custom clamp solutions if you require a clamp or grab not shown. Many other sizes and configurations are available by special order. Be sure to describe your needs to your salesman as not all clamps are suitable for fork-truck use.



CLAMP #BSV 32/38

For moving the heavier stuff. The 32/38 will safely lift loads from 32" to 38" and up to 4070 lbs. This clamp will perform.



SCISSOR CLAMP MODEL #10-38

A lightweight clamp suitable for lifting curbs and other narrow stones. Lifts from 4" to 15" at a maximum safe working load of 1540 lbs.



JED CLAMP IT / TREAD/CURB CLAMP

J900 4"-22" max width 900lbs J2400 8"-32" max width 2400lbs J3000 12"-42" max width 3000lbs



SECTIONS CLAMP #1002

With the versatile lifting range of 9"-42" and a safe working load of 1600 lbs., this clamp is capable of picking up 1-2 sections of pavers at a time. The 1002 is perfect for separating cubes of pavers and handling materials on site. Fork Yoke Attachment available. Made in Canada.

SCISSOR CLAMP #BSV MULTI 760/50Z



The width of this clamp can be adjusted from 15.75" to 42".

A maximum safe working load of 3,300 lbs, the scissor clamp is extremely versatile and ideal for heavy-duty multi-purpose use. Pictured with optional fork yoke.



PALLET FORK MODE **PG 100 / 2-SSB-SBL** SELF-BALANCING

This model has a spring-loaded head so that the fork always remains horizontal, loaded or unloaded. Also available with 'bow' for deliveries on uneven ground.



MONTOLIT CURB CLAMP

#**A016** (R)

Mechanical or handlifter. 3.15"-7" 440lb capacity



PAVER-PRY #504

The ideal tool for positioning pavers and checking joints.



CURB LIFTER #CL424

Adjustable: 1/2" - 10" Weight: 10 lbs

TREADSETTER #600T/1200T

Eliminate finger smashing, back breaking, time consuming and workrelated injuries using the new TREADSETTER. The Treadsetter is designed to handle various step treads from 12"-35" in depth - up to 4" in width and with a 6"-8" rise.

This new product is easily adjusted to tread width and balance. The tool has pivot-style urethane ends to reduce slippage and protect the stone, as well as servicing other applications in various weather conditions. Ideal for Rosetta Stone.

TWO SIZE AND WEIGHT CAPACITIES

1200T: 1200 lb Treadsetter, 20"–35" in depth





2 MAN CURB LIFTER #2CL425

GEOGRID







GEOGRID RETAINING WALL SYSTEM

- 4' X 50' DEALER DISPLAY, 22 SQ.YDS **BG100**
- **BG150** 6' X 150', 100 SQ.YDS.
- **BG200** 6' X 300', 200 SQ.YDS.
- 6' X 300', 200 SQ.YDS. **BG350**
- OTHER SIZES AVAILABLE UPON REQUEST

12 rolls/case, unidirectional


Geogrid provides advanced options for dealing with common civil engineering problems and difficult soils. The highest quality for retaining walls, reinforced steep slopes and embankments over soft soils.

Geogrid is constructed of high molecular weight and high tenacity polyester yarns utilizing a complex knitting process and low temperature coating technology to provide superior engineering properties. UV stabilized coating provides further chemical and mechanical benefits.

GEOGRID BY BRICKSTOP IS USED FOR:

- Retaining Walls
- Landscape Repair
- Timber Walls Steep Slopes
- · Paver Reinforcement







RUBBER MALLET #603

32 oz, Case of 24



MASON HAMMER #607

24 oz. with fiberglass handle, case of 6



CLUB HAMMER #602

2.5 lbs. with fiberglass handle, case of 6



Galvanized Steel 15" Handle Flat Head, weight: 5.5 lbs



GUMMY MALLET #601

32 oz, made in Italy



TORPEDO LEVELS #612

12"



CAULKING GUN # 413

9" - 24/case 13" - 12/case



3" CHISEL #613 4" CHISEL #614

Brick bolster, case of 25.



25' TAPE #609

Case of 6.



LANDSCAPE/GRADING **RAKE**

The strongest aluminum rake money can buy! All-aluminum construction lightweight, 5.5 lbs. (30" 36" 42" 48")

Extra thick tines, up to 50% more material and an extended striking edge to reduce dirt buildup. 66" aluminum alloy handle is powder-coated to eliminate blackened hands. Head connection is secured with a solid aluminum plug for maximum strength. Wrap-around bracing.





Stiff bristle, heavy sweep exterior use.

18" heavy duty broom #801 24" heavy duty broom #802



BRICK WASHING BRUSH #806

6" x 2.5". Natural fiber for cleaning brick, stone, etc. Case pack of 12.



SQUEEGEE + POLE #805

Case pack of 12.



PAVER

handle, 8 lbs.

PERSUADER #503 New galvanized steel 36"

ECONOMY KNIT WITH COATED PALM

Form knitted shell with latex coating offers an excellent grip. Flexible, comfortable and durable. Sold by the dozen pair.

One size fits all.

#LC2009



DRIVEWAY APPLICATOR + POLE #804

Case pack of 12.







PAVER MALLET #602-6

13" Handle - 2³/8" Head 3.5lbs.

This mallet is made of a iron and has replaceat inserts. It's perfect for wall projects. Comes life-time warranty.

INSERTS INCLUDE

- Black Composite I medium hard
- 2. Red Plastic/hard



WALL MALLET #602-8

19" Handle - 3¹/8" Head 6.6 lbs.

Ideal for retaining wall cap stones. Comes with a life-time warranty.

INSERTS INCLUDED:

- Black Composite Rubber/ medium hard
- 2. White Nylon/hard



BP PAVER MALLET

#696-8

9.5" Handle - 2" Head 3.2 lbs.

This is a soft-face mallet. It is designed with two different inserts of varied hardness. This is a great mallet to use for small adjustments without damaging your products. Comes with a life-time warranty.

INSERTS INCLUDED:

- 1. White Nylon/hard
- 2. Red Plastic/hard



SLEDGE MALLET #602-7

31" Handle - 3½" Head 7.4 lbs.

This sledge mallet is the perfect tool for damage-free, major adjustments. Comes with a life-time warranty.

INSERTS INCLUDED:

- Black Composite Rubber / medium hard
- 2. White Superplastic/medium hard

INSERTS INCLUDED: 1. White Nylon / hard

REPLACEMENT INSERTS

Comes with a life-time warranty.



WHITE NYLON

For item #602-8 use insert #620-88 For item #636-4 use insert #650-84 For item #636-7 use insert #650-87 For item #696-8 use insert #698-85



DEAD BLOW (40MM) #636-4 14" Handle - 4" Head, 1.6 lbs.

DEAD BLOW (70MM) #636-7 14¹/₂" Handle - 4¹/₂" Head, 5 lbs.

This dead-blow mallet has a steel head with replaceable nylon inserts. A sealed

container, within the insert, is filled with a steel shot for a rebound-free strike.

RED PLASTIC

For item #602-6 use insert #620-66 For item #696-8 use insert #696-65



WHITE SUPERPLASTIC

For item #602-7 use insert #620-78



BLACK OMPOSITE RUBBER

For item #602-6 use insert #620-28 For item #602-7 use insert #620-28 For item #602-8 use insert #620-28



ADJUSTABLE (FINISHING) ALUMINUM SAND SCREED #507

- adjusts from 3" to 5"
- built-in bubble level
- removable handle for easy transport



- to screed sand or concrete
- two screeds in one with a fully reversible clamp and handle set-up
- bend resistant made from high tensile aluminum
- handle makes it easier to screed large loads

ITEM #	SIZE
506-4	1.2 M - 3'11"
506-6	1.8 M - 5'10"
506-8	2.4 M - 7'10



#509-6 - 6FT

#509-8 - 8FT

ALUMINUM SCREED BAR

Lightweight, hollow. 1" x 4". Lengths: 4', 6', 8'.

ALUMINUM SCREED RAIL #508

Helps set levels. Lightweight. 1" x 8'.



RETAINING WALL AND STAIR LIGHTS



The easiest way to buy wall lights is by shopping for one of our many lighting kits. They come with everything you need like transformers, timers, wires and more. All our kits can be expanded to add more lights. You can add additional lights up to the wattage supported by the transformer or power supply. If you need to add more lights you can upgrade the transformer to a higher wattage. All our lights must be used with a Transformer.

ALL KITS

Voltage: 12V AC/DC Beam Degree: 120

Housing: Stainless Steel 6-7/8" x 3-3/4" x 1/2" **Dimensions:** 54"

Pigtail Length:

- · Outdoor Lighting
- Plug and Play Wiring ends can be clipped off to use with a HARDWIRE system
- Excellent for hardscape applications
- · Ideal for adding light to any outdoor application
- Low power consumption 2W

Wattage: 2W Color Temp: Warm White -2700K

180 Lumens Lumen Output: Number of LEDs: 6 SMD











- · High Brightness SMD chip technology
- cETLus Listed
- With waterproof connector/plug IP67
- Dimmable (when used with a dimmable transformer)
- LED light strip is detachable and replaceable
- Available Trim Colors: Black and Grey

LIMITED WARRANTY

All LEDeze products come with a warranty. Our warranty applies against all defects in workmanship, assembly and materials used in the products. We'll repair or replace, at our sole discretion, any product that fails to operate due to a defect within the following time frames: 3 years for lights and 2 years for transformers.

The warranty does not cover:

- . Items which have become damaged due to mishandling, improper installation or use, or resulting from extreme acts of nature.
- · Product finish which has faded, rusted, or pitted due to environmental factors.
- Service, installation, or other third party fees incurred due to the defect.

Hardscape Retaining Wall Light LED #EZWL2 PLUG&







Hardscape Retaining Wall Lights KIT

4 LED Wall Lights with Wire-Harness Splitter

#EZKITWL4

Kit Includes:

- 4 Wall Lights
- 1 Wire Harness Splitter to connect lights to transformer (transformer sold separately)









Hardscape Retaining Wall Lights KIT

4 LED Wall Lights with Transformer and Wire **Splitter**

#EZKITWL4TW

Kit Includes:

- 4 Wall Lights
- 1 Transformer 36W (non-dimmable)
- 1 Wire Harness Splitter to connect lights to transformer







Retaining Wall Light KIT

4 LED Wall Lights with 36-Watt Transformer, Photocell Timer, Wire-Harness and 10-foot **Extension Cable**

#EZKITWL4SET

Kit Includes:

- 4 Wall Lights
- 1 Transformer 36 Watts
- 1 Photocell Timer
- 1 Wire Harness to connect lights to transformer
- 1 Extension Cable 10ft





RETAINING WALL AND STAIR LIGHTS





HARDWIRE

THE FOLLOWING ARE ALL HARDWIRE

- · Outdoor Lighting
- Excellent for hardscape applications
- Ideal for adding light to any outdoor application including rock walls and retaining walls
- Low power consumption 1.8W
- Color Temperature: Warm White 3200K
- Length: 6.9"
- · Wiring: Hardwire*

*Please note this is for use with a Hardwire system NOT Plug and Play. It can be used with a plug and play system if connected with our wire splicer EZWS1.

Hardscape Retaining Wall Light

6.9" Brown Trim - 3200K Warm White (Hardwire)

#EZWL845

HARDWIRE





Hardscape Retaining Wall Light

6.9" Grey Trim - 3200K Warm White (Hardwire)

#EZWL836

HARDWIRE



Hardscape Retaining Wall Light LED

13.2" Brown Trim (Hardwire) - 3200K Warm White

#EZWL855

HARDWIRE

Hardscape Retaining Wall Light LED

13.2" Grey Trim (Hardwire) - 3200K Warm White

#EZWL866

HARDWIRE







LED Railing Light Strip 4" with Plug and Play Connector 2 Watts #EZLS2

This LED light strip can be screwed directly into your wall or steps. It's also the replacement strip for our retaining wall light #EZWL2.



- Outdoor Lighting
- Plug and Play Wiring ends can be clipped off to use with a HARDWIRE system
- Ideal for adding light to any outdoor application
- Low power consumption
 2W
- High Brightness SMD chip technology
- cETLus Listed
- With waterproof connector/plug - IP67

Voltage: 12V AC/DC Beam Degree: 120° Pigtail Length: 54" Wattage: 2W

Color Temp: Warm White - 2700K Lumen Output: 180 Lumens Number of LEDs: 6 SMD



The easiest way to buy recessed lights is by shopping for one of our many lighting kits. They come with everything you need like transformers, timers, wires and more. All our kits can be expanded to add more lights. You can add additional lights up to the wattage supported by the transformer or power supply. If you need to add more lights you can upgrade the transformer to a higher wattage. All our lights must be used with a Transformer.

ALL KITS & LIGHTS

12V AC/DC Voltage: Frosted Lens: 67 IP Rating: Mounting Hole Diameter: 1-1/4"

Pigtail Length: Wattage: 0.5W Lumen Output: 44 Number of LEDs: 6



(f)). ·□- c∈ (f)



- · Plug and Play Wiring ends can be clipped off to use with a HARDWIRE system
- Recessed Step and deck light
- · Accent Light
- Display and cabinet light

Width of Bezel: 1-1/2"

- · Spring clips allow simple pressure fit installation
- · Fully sealed for outdoor use
- · Dimmable (when used with a dimmable transformer)



LED Outdoor Recessed Lights KIT

4 Mini Deck/Patio Lights (Spring Fit) with Transformer and Wire Splitter - Small Round Metal Trim

#EZKITRT-TW

Color Temp: Warmer White 2700K (Available in Warm White 3000K)

Kit includes:

- · 4 Recessed Lights
- 1 Transformer 36W (non-dimmable)
- · 1 Wire-Harness Splitter to connect lights to transformer





LED Outdoor Recessed Lights KIT - 4 Mini

Deck/Patio Lights (Spring Fit) with Wire Harness Splitter - Small Round Metal Trim

#EZKITRT4

(Available in Warm White 3000K)

Kit includes:

- · 4 Recessed Lights
- 1 Transformer 36W (non-dimmable)
- 1 Wire-Harness Splitter to connect lights to transformer

Color Temp: Warmer White 2700K





LED Outdoor Recessed Lights Kit - 8 Mini

Deck Lights (Spring Fit) with Transformer, Timer, Wires and Cables, Forstner Drill -**Small Round Trim**

#EZKITRT8

Color Temp: Warmer White 2700K (Available in Warm White 3000K)

Kit includes:

- 8 Recessed Lights
- 1 Transformer 36 Watts (non-dimmable)
- 1 Photocell Timer
- 2 Wire-Harness Splitters to connect lights to transformer
- 1 Extension Cable 10ft
- 1 Forstner Drill Bit





LED Outdoor Recessed Mini Deck/Patio Light

(Spring Fit) - Small Round Metal Trim

#EZDLR12

Color Temp: Warmer White 2700K (Available in Warm White 3000K)







RECESSED LIGHTS

ALL KITS & LIGHTS

Voltage: 12V AC/DC Lens: Frosted IP Rating: 67 Mounting Hole Diameter: 1-1/4" Pigtail Length: 11-3/4" Wattage: 0.5W Lumen Output: 44 Number of LEDs: 6





- Width of Bezel:

 Outdoor Lighting
- Plug and Play Wiring ends can be clipped off to use with a HARDWIRE system

1-1/2"

- Scoop trim for angled beam
- Recessed Step and deck light
- Accent Light

- · Display and cabinet light
- Spring clips allow simple pressure fit installation
- · Fully sealed for outdoor use
- Dimmable (when used with a dimmable transformer

LED Outdoor Recessed Lights KIT 4 Mini Deck/Patio Lights (Spring Fit

4 Mini Deck/Patio Lights (Spring Fit) with Wire Harness Splitter - Small Round Metal SCOOP Trim

#EZKITSC4

Color Temp: Warmer White 2700K (Available in Warm White 3000K)

Kit includes:

- · 4 Recessed Lights
- 1 Wire-Harness Splitter to connect lights to transformer (transformer sold separately)





LED Outdoor Recessed Lights KIT

4 Mini Deck/Patio Lights (Spring Fit) with Transformer and Wire Splitter Small Round Metal SCOOP Trim

#EZKITSC-TW

Color Temp: Warm White 2700K (Available in Warm White 3000K)

Kit includes:

- 4 Recessed Lights
- 1 Transformer 36W (non-dimmable)
- 1 Wire-Harness Splitter to connect lights to transformer





LED Outdoor Recessed Lights Kit

8 Mini Deck Lights with Transformer, Timer, Wires, Forstner Drill Small Round Metal SCOOP Trim

#EZKITSC8

Color Temp: Warmer White 2700K (Available in Warm White 3000K)

Kit includes:

- 8 Recessed Lights
- 1 Transformer 36 Watts (non-dimmable)
- 1 Photocell Timer
- 2 Wire-Harness Splitters to connect lights to transformer
- 1 Extension Cable 10ft
- 1 Forstner Drill Bit



LED Outdoor Recessed Mini Deck/Patio Light (Spring Fit)

Small Round Metal SCOOP Trim

#EZSC12

Color Temp: Warmer White 2700K (Available in Warm White 3000K)





ALL KITS

Width of Bezel:

Voltage: 12V AC/DC Lens: Frosted IP Rating: 67 Mounting Hole Diameter: 1-1/4" Pigtail Length: 11-3/4'
Wattage: 0.5W
Lumen Output: 44
Number of LEDs: 6

- Outdoor Lighting
- Plug and Play Wiring ends can be clipped off to use with a HARDWIRE system
- Recessed Step and deck light
- Accent Light
- Display and cabinet light
- Spring clips allow simple pressure fit installation
- · Fully sealed for outdoor use
- Dimmable (when used with a dimmable transformer)





LED Outdoor Recessed Lights KIT

4 Mini Deck/Patio Lights (Spring Fit) with Wire Harness Splitter - Plastic Square Trim

1-1/2"

#EZKITST4

Color Temp: Warm White 2700K (Available in Warm White 3000K)

Kit includes:

- 4 Recessed Lights
- 1 Wire-Harness Splitter to connect lights to transformer (transformer sold separately)

LED Outdoor Recessed Lights KIT

4 Mini Deck Lights (Spring Fit) with Transformer & Wire Harness Splitter -Plastic Square Trim

#EZKITST-TW

Color Temp: Warmer White 2700K (Available in Warm White 3000K)

Kit includes:

- 4 Recessed Lights
- 1 Transformer 36 Watts (non-dimmable)
- · 1 Wire-Harness Splitter to connect lights to transformer









LED Outdoor Recessed Lights KIT

8 Mini Deck Lights with Transformer, Timer, Wires, Forstner Drill Bit - Plastic Square Trim

#EZKITST8

Color Temp: Warm White 2700K (Available in Warm White 3000K)

Kit includes:

- 8 Recessed Lights
- 1 Transformer 36 Watts (non-dimmable)
- 1 Photocell Timer
- 2 Wire-Harness Splitters to connect lights to transformer
- 1 Extension Cable 10-ft
- 1 Forstner Drill Bit





LED Outdoor Recessed Mini Deck/Patio Light (Spring Fit) - Plastic Square Trim #EZDLS12

Color Temp: Warm White 2700K (Available in Warm White 3000K)



LED Outdoor Recessed Lights KIT

4 Mini Deck Lights (Spring Fit) with Transformer, Wire Splitter - Big Round Metal Trim

#EZKITBRT-TW

Color Temp: Warmer White 2700K (Available in Warm White 3000K)

Kit includes:

- 4 Recessed Light
- 1 Transformer 36 Watts (non-dimmable)
- 1 Wire Harness Splitter to connect lights to transformer
- Width of Bezel: 2-3/4"





LED Outdoor Recessed Lights KIT

4 Mini Deck/Patio Lights (Spring Fit) with Wire Harness Splitter - Big Round Metal Trim

#EZKITBRT4

Color Temp: Warmer White 2700K (Available in Warm White 3000K)

Kit includes:

- · 4 Recessed Lights
- 1 Wire Harness Splitter to connect lights to transformer (transformer sold separately)
- Width of Bezel: 2-3/4"



8 Mini Deck Lights (Spring Fit) with Transformer, Timer, Wires & Cables, Forstner Bit - Big Round Trim

#EZKITBRT8

Color Temp: Warmer White 2700K (Available in Warm White 3000K)

Kit includes:

- · 8 Recessed Light
- 1 Transformer 36 Watts (non-dimmable)
- 1 Photocell Timer
- 2 Wire Harnesse Splitters to connect lights to transformer
- 1 Extension Cable 10ft
- 1 Forstner Bit Drill
- · Width of Bezel: 2-3/4"

LED Outdoor Recessed Mini Deck/Patio Light (Spring Fit)

Big Round Metal Trim

#EZDLB12

Color Temp: Warmer White 2700K (Available in Warm White 3000K)

• Width of Bezel: 2-3/4"









LED Outdoor Step, **Deck and Inground Light** 1Watt #EZIL9-NKL

Color Temp:

Warmer White 2700K

- Outdoor Lighting
- · Plug and Play Wiring ends can be clipped off to use with a HARDWIRE system
- Deck and step light
- Inground landscape light
- · With waterproof connector/plug
- Dimmable (when used with a dimmable transformer)
- · Width of Bezel: 2-3/4"

12V AC/DC Voltage: IP Rating: 67 Mounting Hole Diameter 1-3/4" Width of Bezel: 2-3/4" 11-3/4" Pigtail Length: Wattage: 1W Warm White 2700K Color Temp:

Lumen Output: 260 Number of LEDs: 1 Power



LED Outdoor Recessed Lights KIT

4 Recessed Lights 1Watt with Wire Harness Splitter

#EZIL9KIT-NKL

Color Temp: Warmer White 2700K

Kit includes:

- · 4 Inground Lights
- 1 Wire Harness Splitter to connect lights to transformer (transformer sold separately)
- **Outdoor Lighting**
- Plug and Play Wiring ends can be clipped off to use with a HARDWIRE system
- · Deck and step light
- Inground landscape light
- · With waterproof connector/plug Dimmable (when used with a
- · Width of Bezel: 2-3/4"

Voltage: 12V AC/DC IP Rating: Mounting Hole Diameter 1-3/4" Width of Bezel: 2-3/4" 11-3/4" Pigtail Length: Wattage: 1W Warm White 2700K Color Temp:

260 dimmable transformer) Lumen Output: Number of LEDs:



Outdoor LED L-Shaped Path Light including Stake - 3W -#EZL3

- · Stake Included
- Outdoor Lighting
- · Applications: Path, Garden and Landscape
- Simple to install
- Low power consumption

12V AC/DC Voltage: 59" Pigtail Length: IP Rating: 67 **Dimensions:** 16" tall

- Waterproof
- Plug and Play Wiring (can be used with a hardwire system simply by clipping off the connector)
- Dimmable (when used with a dimmable transformer)

3W Wattage: Color Temp: 3000K Warm White Housing: Stainless Steel Housing Color: Powder Coated Black





Outdoor LED Garden Spotlight/Uplight including Stake - 6W -#EZUL6

- · Outdoor Lighting
- Applications: Architectural, Landscape, Accent, Signage
- Innovative solid state COB LED technology

12V AC/DC Voltage: 36"

IP Rating: 67 Dimensions: 3.54 x 2.36"

Pigtail Length:

Replaces halogen

- Simple to install
- Low power consumption
- HARDWIRE Wiring
- · Non-Dimmable

Wattage: 6W

Color Temp: 3000K Warm White

Raw Lumen Output: 480 Beam Degree 45°



Outdoor LED Flood Light Wall Wash 30W -#EZFL20

- · Outdoor Lighting
- Applications: Wall Washer, Garden & Entertainment Lighting •
- Simple to install
- Low power consumption
- Waterproof
 - Voltage: 12V DC

45" Pigtail Length: IP Rating: Number of LEDs:1 COB

- Plug and Play Wiring (can be used with a hardwire system simply by clipping off the connector)
- Non-Dimmable
- +50,000 hour lifespan
- 120° Beam
- Size: 7" x 5.5" x 3.5"

Wattage:

3000K Warm White Color Temp: Housing: Stainless Steel Housing Color: Powder Coated Black



Outdoor LED Mini Brass Flood Light with Stake - 2.5W -#EZMFL

- · Outdoor Lighting
- Applications: Architectural, Landscape, Accent, Signage
- · Replaces halogen
- · Simple to install
- Low power consumption
- HARDWIRE Wiring
- · Stake Included
- Voltage: 12V AC/DC Pigtail Length: 33"

IP Rating: 67 **Dimensions:** 3.75 x 2" 2.5W Wattage:

Color Temp: Warm White 3000K

Socket: G4

Bi-pin LED already Bulb installed in fixture










WIRE SPLICER - HARDWIRE TO PLUG AND PLAY (2-PACK)

#EZWS1

- One wire with a female connector to be connected to our plug and play lights and a hardwire end to be connected to a hardwire transformer.
- One wire with a male connector to be connected to our plug and play transformer and a hardwire end to be used with hardwire lights.






SPLITTER 4-WAY WIRE HARNESS #EZWHS4

SPLITTER 5-WAY WIRE HARNESS

#EZWHS5

Harness splitter for use with our transformers. All cables are direct-buried cables. This splitter provides 4 outputs from 1 single input.



Outdoor wire harness system with 1 male connector and 4 female connectors for use with our lights and transformers. Total length: 3.3 meters. All cables are direct-buried cables. This splitter provides 4 outputs from 1 single input and allows you to run your wires in many directions.

*Transformer sold separately

DAISY CHAIN WIRE SPLITTER 8 OUTPUTS #EZOWS8

Outdoor wire harness system with 1 male connector and 8 female connectors for use with our lights and transformers. Total length: 6.6 meters. All cables are direct-buried cables. This splitter provides 8 outputs from 1 single input and allows you to run your wires in many directions.

*Transformer sold separately



Extension Cable - 5ft #EZC5

5 foot extension cable

Extension Cable - 10ft #EZC10

10 foot extension cable

Extension Cable - 20ft #EZC20

20 foot extension cable.

Extension Cable - 40ft #EZC40

40 foot extension cable

Extension Cable - 60ft #EZC60

60 foot extension cable



PLUG &

PLAY >

Y-SHAPE WIRE SPLITTER

#EZYOWS

EZYOWS – Y-shaped wire splitter. One male connector with 2 female connectors. Wire with male connector is 12" in length. Both wires with female connectors measure 36" each – Price: \$8.95



FORSTNER DRILL BIT 1-1/4"

#EZFB1

1-1/4" Forstner Drill Bit to drill the perfect hole for your recessed lights.



16 Gauge Low Voltage Wire - 100 ft Spool #EZWG16

16 gauge low voltage wire for all your lighting needs.

18 Gauge Low Voltage Wire - 100 ft Spool #EZWG18

18 gauge low voltage wire for all your lighting needs



WATERPROOF WIRE END CAPS 4 PACK #EZEC04

use with our connectors. The wire cap allows you to seal unused outlets and protect them from water damage.

36-WATT OUTDOOR DRIVER PLUG + PLAY









Constant voltage LED Power Supply to be used for low voltage outdoor LED Light Systems. • Class 2 listed • cULus listed

• 3 prong plug

Input: 100-240V AC • Output: 12V DC Input cord 1.8M • Wattage: 36W

60-WATT OUTDOOR DRIVER PLUG + PLAY





EZD60

Constant voltage LED Power Supply to be used for low voltage outdoor LED Light Systems. \bullet Class 2 listed \bullet cULus listed \bullet 3 prong plug

Input: 100-240V AC Output: 12V DC Input cord: 1.8M Wattage: 60W



MAGNETIC TRANSFORMER – HARDWIRE

LEDEZE

EZMT60

with Photocell Timer 60W

HARDWIRE

MAGNETIC TRANSFORMER - HARDWIRE



EZMT100

with Photocell Timer 100W

HARDWIRE



WOOD'S PHOTOCELL TIMER -





EZPT1

24-hour outdoor lighting timer by Wood's, used to automate landscape, security and holiday lighting. Turns on at dusk for 2, 4, 6 or 8 hours, or until dawn.

125Vac 60Hz

Tungsten: 8A/1,000W

General Purpose: 10A/1,250W Resistive: 10A/1,250W Electronic Ballast: 500 VA

Ballast: 120Vac 60Hz 8.3A

Cable length: 15cm



EZ 36 WATT 12V LED POWER SUPPLY



Indoor or outdoor use • waterproof (IP66) and impervious to the elements • our "workhorse" - suitable for most project's power needs • 3 year warranty when used with Dekor products • designed to be used with DEKOR's remote dimmer or remote switch, or both • 2.5 amp • UL, CSUL, CE, RoHS, ETL.





indoor or outdoor use • waterproof (IP66) and impervious to the elements • offers more power for larger projects or substantial wire runs • 3 year warranty when used with Dekor products • designed to be used with DEKOR's remote dimmer or remote switch

• 5 amp • UL, CSUL, CE, RoHS, ETL.

TRANSFORMERS + LED CONTROLLERS



EZMAXC 100 WATT 12V LED TRANSFORMER



contractor-grade waterproof LED transformer, LED power driver \cdot for indoor or outdoor hard wire applications \cdot simple installation \cdot designed to be used with DEKOR's remote dimer or remote switch, or both \cdot 8.3 amp \cdot 3 year warranty when used with Dekor products \cdot CE, RoHS



EZDIMMER WATERPROOF LED DIMMER & REMOTE



waterproof housing and input/output connectors for outdoor use • adjust light intensity from base unit or using remote • full control of light intensity • 70 foot range with remote control • teachable base unit in case of remote loss • higher input current can be used with any DEKOR transformer • on/off switch at base + at remote • UL, CSUL, CE, RoHS • 1 year warranty

ALL TRANSFORMERS FEATURE PLUG & PLAY CONNECTIONS

LIGHTING ACCESSORIES



EZ ENCLOSURE

housing for transformers, timers, etc. • keep electrical components dry and clean up your installation • designed for outdoor use • watertight design



CUSTOM FORSTNER BIT

This bit is custom ground to the specific diameter of .900/23mm to allow a snug fit for our balusters, end caps, recessed lights, DEK dots and petite directional lights.



OUTDOOR GEL-FILLED WIRE NUTS

UL approved • packaged in quantities of 10

WARRANTY POLICY: PLEASE NOTE

Using a Dekor LED transformer allows us to provide you with our industry leading warranty on our LED lights. DEKOR lights are designed to be used with DEKOR LED transformers and when another transformer is used in its place, this voids the LED warranty in its entirety.

OUTDOOR LIGHTING PRODUCTS



THE 'BIG MAX' LED **RETAINING WALL LIGHT**





The only curved LED retaining wall light on the market capable of projecting a high output 120 degree swath of light at an unparallelled energy efficient performance of 1.9 watts per unit. This means you use fewer fixtures and consume less power.

As with all our outdoor lighting, these units are completely waterproof and housed in sturdily built robust die cast aluminum fixtures that are corrosion-resistant and come with a 30-year powder-coating warranty. The LEDs are protected by an extremely strong polycarbonate UV stable lens guaranteed not to yellow with time or environment. The light has a 6' allweather electrical pigtail which allows for easy installation and wire termination.

Achieve entirely different looks by pointing the light downwards for walkways or shrubbery, or straight into the air for lighting the side of a house.



Die Cast Aluminum • Polycarbonate Lens • 1.9 watts @ 12 volt DC. • Light output: 250 lumens Pigtail length: 6' • Radiance angle light disbursement: 120°



* please see page 25 for warranty policy



THE 'MINI MAX' **LED RETAINING WALL LIGHT**

1 piece design for easy installation. Mini and powerful!

Die Cast Aluminum • Polycarbonate Lens • 1.9 watts @ 12 volt DC. Kelvin temperature: 3200 degrees • Pigtail length: 6' Light Dimensions: Width: 4.5" Height: 1.5" Depth: 1.0"







ALL DEKOR LIGHTS FEATURE "WARM WHITE" COLOUR TEMPERATURE/SPECTRUM

* please see page 25 for warranty policy

PUCK LIGHT







Use as a pathway light in mulch, flowerbeds, rock gardens, etc. Highlight shrubs and light small trees from the ground up. Waterproof design allows for direct placement on ground surface. Made of powder-coated cast aluminum.

Light Dimensions: 2.9" diameter x 1" H • Power efficiency: 1.32 watts

Lumen output: 560 lumens • Kelvin temperature: 3200°

Life expectancy: > 60,000 hours • **IP rating**: 66

Regulatory compliance: ETL (US and Canada), RoHS • powder coating finish

BIGMAXBLOCKLIGHTKIT (xx) - 3 x Big Max LED lights, 36 watt transformer, Photocell timer, 6 waterproof Gel Nuts BIGMAXBLOCKLIGHT (xx) - Big Max Retaining wall LED Light

BIGMAXBLOCKLIGHTKIT60 (xx) - 3 x Big Max LED lights,60 watt transformer, Photocell timer, 6 waterproof Gel Nuts MINIMAXBLOCKLIGHT - Mini Max LED Retaining Wall Light

OUTDOOR LIGHTING PRODUCTS









RECESSED LED PAVER / DEK DOTS

"LIGHT THE NIGHT" - Introducing PAVER DOTS & DEK DOTS, the smallest, brightest and easiest LED paver light to install you will ever come across.

Waterproof and totally submersible, PAVER DOTS are suitable for ponds, docks, stairs, steps, driveways, walkways, and more. Use in fountains, around hot tubs and water features or as marine lights.

PAVER DOTS & DEK DOTS differ from other LED recessed

SPECS Housing diameter: 1"

PAVER DOT

Housing height: 5/8" Mounting hole diameter: 1" Draws: 1.2 watts Housing material: Polycarbonate ength of wire pigtail: 5

1" Masonry drill bit required for installation of paver dots in stone

in that they have transparent polycarbonate covers that are nearly indestructible. They install totally flush with the surface, making them virtually unseen - and "unfelt" underfoot.

DEK DOT SPECS

Housing diameter: 0.91" Housing height: 5/8" Mounting hole diameter: 0.9" Draws: 1.2 watts Housing material: Polycarbonate Length of wire pigtail: 6'

24 watt (indoor) transformer powers up to 18 dots 36 watt transformer powers up to 28 dots 60 watt transformer powers up to 48 dots



AVAILABLE IN 8 PACK KITS OR 4 PACK (LIGHTS ONLY)

FEATURES OF OUR INNOVATIVE LED LIGHT TECHNOLOGY

- 10 Year Warranty 100,000 hour rated LEDs
- (34 years of 8 hours a day, year round use)
- Warm white LEDs with the ambience of incandescent lighting -- 3200 Kelvin
- Green, energy efficient Dimmable, expandable
- Waterproof, weatherproof and salt air resistant

DEKDOTKITOUT - 8 Deck Dot LED Lights, 36 watt transformer, Photocell timer, 2 x 6 port splitters, connector cables 23mm Forstner drill bit (7/8 Diameter, for Wood Composite wood, etc)

DEKDOT4 - 4 x LED Dots with plug and play splitter

PAVERDOTKITOUT - 8 Paver Dot LED Lights, 36 watt transformer,

Photocell timer, 2 x 6 port splitters, connector cables, 1" masonry drill bit not included (1" Diameter for Pavers)

PAVERDOT4 - 4 x 1" Paver Dots with plug and play splitter PAVERDKITOUT (Concrete Dots) - 8 Concrete LED Dots in Sleeves, 36 watt transformer, Photocell timer, 2 x 6 port splitters, w 5 ft wires (1" Diameter with 3" Conduit Sleeve attachment for Concrete)

PAVERD410 (Concrete Dots) - 4 x 1" Concrete LED Dots with Conduit Sleeve with 10 foot wires

RECESSED DOWN + STAIR LIGHTS

Small yet powerful low-voltage LED lights offer function and style. Perfect for landscape lighting, decks, docks, steps, patios, and gardens. Embed them in concrete walkways or steps, or to safely light stairs and under rails. Compact enough to fit just about anywhere. 40% brighter than ever

SPECS **Mounting hole** diameter: 0.900' Mounting hold depth: 1' ength of wire pigtail: 5' Wattage: 1.2

24 watt (indoor) transformer powers up to 18 lights

36 watt transformer powers up to 28 lights 60 watt transformer powers up to 48 lights

and featuring an LED technology designed to last for decades.









- No bulbs to change ever Cool to the touch
- · Adds safety and security to your home
- · Easy to install, virtually flush with surface, hardly visible
- Available in PLUG 'N PLAY format

8 PACKS INCLUDE:

- Plug N Play 5' cables
- · 6 port plug n play splitters
- 20' transformer to splitter connector





RDLKITOUT(xx) - 8 Recessed Down light LED, 7/8 diameter, 36 watt transformer, Photocell timer, 2 x 6 port splitters, connector cables, Forstner Drill Bit

RDL4(xx) - 4 x Recessed Down Lights LED with plug and play splitter

RSLKITOUT(xx) - 8 x Recessed Stair Light LED, 7/8 diameter, 36 watt transformer, Photocell timer, 2 x 6 port splitters, connector cables, Forstner Drill Bit

RSL4(xx) - 4 x Recessed Stair Light LED with plug and play splitter RDLKIT(xx) Indoor - 8 x Recessed Down light LED, 7/8 diameter, 24 watt transformer, 2 x 6 port splitters, connector cables, Forstner Drill Bit

RSLKITIN(xx) Indoor - 8 x Recessed Stair Light LED, 7/8 diameter, 24 watt transformer, 2 x 6 port splitters, connector cables, Forstner Drill Bit





BRICKSTOP PAVER EDGINGS HAVE BEEN SPECIFIED AND **INSTALLED IN MANY PRESTIGIOUS** LOCATIONS, **INCLUDING:**

The Korean War Memorial Riverbanks Zoo, Columbia, SC Wyeth-Ayerst Pharmaceuticals City of Stockton, CA University of Toronto The Aquarium of Bermuda University of California, Davis Campus American General Insurance Stanford University Paramount Canada's Wonderland Gillette Stadium, Foxboro, MA HQ: Make a Wish Foundation of N. TX Top-of-the-World-Way, Greenbrook, NJ The Offical Residence of the archbishop of the Czech Republic Essex County 911 Memorial, Eagle Rock Reservation, NJ

...and thousands more.

WWW.BRICKSTOPEDGE.COM