PAVING STONES • RETAINING WALLS • OUTDOOR LIVING paver-shield

Sale Sale

mmu

Live Life Better

((CYTA)

Carl .



TEAR-OUT **Color Swatch** Guide Inside

Oceanic Blue

1

Stone Ridge Contemporary

WHERE DO I START?

Welcome to Nicolock4
Warranty5
Financing6
paver- shield ™7
Designing with Borders & Inlays9
START WITH COLOR10
Nicolock's Top Selling Colors11
NEW! Hudson Valley Blend11
IMAGES BY PROJECT TYPE
Pools & Patios14
Driveways, Walkways & Stoops24
Fire Pits, Fireplaces & Outdoor Dining34

PAVING STONES

paver- shield ™ pavers	44
Stone Ridge	45
Stone Ridge Contemporary	46
Stone Ridge Contemporary 18x18	46
Stone Ridge XL	47
Alpine Ridge	48
NEW! Alpine Ridge 24x24	
AlpineContemporary	
Plank Paver	
Ridge Brick	51
Rustico 6x6 & Rustico 6x9	52
Rustico 4 Pc Combo	54
BlueRidge	
Holland Stone	
Colonial Cobble 1.5 Normal	56
Heritage Slab	57
Inlays, Borders & Circle Kits	60
NEW! The Mosaic	61
Environmental Pavers	
Nicostone Pavers	72

RETAINING WALLS

WALL SYSTEMS Landscape Walls	78
Belvedere Wall	81
6" Colonial Wall	
5" Colonial Wall	83
Mini Colonial Wall	
Verona Wall	85
Stonegate [®] Contemporary Wall	
Claremont Wall	
Kodah Wall	88
Retaining Walls	
Alta Wall	89
Alta Pro Wall	
Firma Wall	91
NEW! Redi-Rock Retaining Wall [®]	92
Outcropping	
Keystone [®] Compac III Straight Split	95
Garden Walls	
Mountain Block	96
Serafina Wall	
Garden Wall	

PIERS, CAPS & STEPS

Pier Kits	100
Pier Caps	103
Coping & Caps	104
NEW! Coastal Cap	
Steps	111



FIRE PITS & FIREPLACES

FIRE PITS	114
Fire Pit Accessories	121
Sanctuary Series	122
NEW! Cowboy Cauldron	123
FIREPLACES	124

OUTDOOR DINING

OUTDOOR DINING	128
Appliance Kitchen Packages	133
NEW! Segmental Kitchen Systems	134
NEW! Dimplex Outdoor Heaters	135
NEW! Essenze di Luce	136
Stainless Steel Appliances	138
Pergolas	140
NATURAL STONE VENEERS	141

PRODUCT SPECIFICATIONS

paver- shield™ Color Swatches	.142
Textured Wall Swatches	146
Smooth Wall Swatches	148
Nicostone Swatches	150
Paver Installation Guide	152
Retaining Wall Installation Guide	154

FAQ & MORE

Stain Removal	.156
Frequently Asked Questions	.157
Paving Stone Patterns	.159



WELCOME

TO NICOLOCK PAVING STONES

Roberto Micolia CEO/President, Nicolock Paving Stones

If the last couple of years taught me anything, it's to make more time and memories with my family and close friends. To gather, relax, laugh, and de-stress more often with those that matter most. Not "someday". Today.

Maybe you feel the same way.

Whatever brought you here, we're excited to help bring your outdoor living dreams to life.

Investing in your home-- and in your relationships –always yields a great return in the short or long term. A custom backyard by Nicolock holds its value—riding the waves of a fluctuating economy over time. So, moving ahead with your hardscape plans now will add value and joy to your home and let you start banking new memories sooner than you think.

What do you envision your outdoor living space to be? Have you pictured hosting a special upcoming event there—maybe a shower, graduation party, or even a wedding? All of life's biggest and smallest celebrations can happen in your own stunning backyard by Nicolock.

Three generations of my family have been building homeowners' outdoor dreams for over 60 years. We'd be honored to build yours next.

WHY HOMEOWNERS CHOOSE NICOLOCK

Color. While there are many factors that draw homeowners to Nicolock... Color is King!

None of our competitors even comes close when it comes to color choices. Our stunning color palettes offer virtually limitless options for your hardscape vision. Will your outdoor dream project complement the color of your siding or brick face? Want a park-like look in earthy, natural tones? How about picking a bold accent color for a focal feature that really pops?

Tons of color options are only the beginning. You're entitled to color that lasts, too. With Nicolock, it's always going to look as good as it does on the day we install it. Our exclusive paver shield[™] technology ensures that each stone is not only durable, but is infused from top to bottom with rich, vibrant, and fade-resistant color that lasts. We guarantee it.

Easy Shopping Experience. Planning your dream backyard is a big deal. In fact, it can be a bit overwhelming. But not when you're with us. Whether you know exactly what you want or need some help deciding, we are committed to making your project planning enjoyable from start to finish. Many of our territory managers are former contractors who are eager to share their knowledge and experience during your decisionmaking process and none of them are pushy salespeople. Besides, our beautiful pictures of prior projects tend to sell themselves.

Imagine the excitement in your neighborhood when our gigantic 10 x 20' Mobile Design Center rolls right up to your house! Let us pamper you as we design your dream project in our spacious and well-lit showroom on wheels. See all the colors, touch the textures, and get up close and personal with our most popular outdoor living elements such as pavers, walls, fire features, grills and more.

Prefer wandering around yourself for inspiration? Another great way to take in all that Nicolock has to offer is to visit an outdoor design center. Nicolock and several of our dealers offer spacious outdoor showrooms with countless samples of paving stones, retaining walls, and outdoor living features. Your dream outdoor living design could be waiting for you right now!

Lifetime Transferable Warranty. For over six decades, my family has been building dreams for families just like yours. And we've always proudly stood behind our work. In fact, we are so confident in the quality of our product that we back it with a *lifetime transferable warranty*. That means that generations of your family can enjoy the space we build for you today. And if the time should come that you do sell your beautiful home, the warranty transfers to the next homeowner. Affordability and Financing. Home purchases—and the indoor home improvement projects and repairs that frequently follow them-- are often funded through some form of financing. So why not approach expanding your *outdoor* living project in the same way? Giving your family-- and yourself --a beautiful, custom outdoor sanctuary will not only add to your home's overall value, but will outlast any indoor home improvements.

At Nicolock, we work hard to turn your outdoor living dream into a beautiful reality regardless of the size of your budget. We offer multiple financing options that can work for you whether your project will be completed all at once-- or in phases over time. So, with creative financing and design planning, you can likely afford that special design feature or product you have your heart set on after all.

Since the pandemic, we've seen some homeowners decide against booking traditional wedding venues and exotic vacation destinations Instead, they're choosing to invest that money into a dream backyard that will be the beautiful backdrop for a lifetime of special events and memories-instead of one 4-hour party. Maybe you've already got a few parties planned for your dream space, too?


No Supply Chain Worries. We respect your time and show up with the goods when expected. No lame excuses that the product you chose is stuck on a cargo boat in the Pacific. That's because we are the only company *making paving stones on Long Island*. Not only that, but we cranked up production before and during the pandemic—by building three additional manufacturing plants in the northeast—to meet the anticipated demand. And we're still expanding—while a competitor is limiting its customer's choices to only its most popular products. Why settle for less than the project you're dreaming of?

We're ready to deliver exactly what you want. Let's roll. Not "someday". Today.

🚹 paver-**shield**[™] 📃 ркоц

COME HOME TO NICOLOCK!

Nicolock pavers have a full, structural lifetime warranty* and are transferable to the next owner should you sell. Register your products at **NICOLOCK.COM** and follow the 3 easy steps below.



LIFETIME WARRANTY*

Nicolock provides a limited lifetime warranty on the structural integrity of its manufactured product used in residential applications. Nicolock pavers are warrantied for as long as you own your home and are transferable to the next owner should you sell. Nicolock products installed in accordance with our guidelines and industry standards that are deemed to be structurally defective will be replaced with products of equal value. Removal and replacement labor cost is not the responsibility of Nicolock. Regarding de-icing products, Nicolock recommends sand for slip resistance as it is the most environmentally friendly option for use on concrete products. If a de-icing product is used, Nicolock recommends using only NaCl (rock salt) which should be used sparingly, following the manufacturer's instructions. Once ice is loosened, remove immediately to avoid buildup of the de-icing agent. **NOTE:** De-icing agents of any kind are not recommended for our Nicostone line.

Color matching and product availability are not guaranteed. Proof of purchase and/or installation contract must be made available prior to or at the time of inspection by an authorized Nicolock representative. Other exclusions apply.

Nicolock / Nicolia Concrete Products is the owner or authorized user of all patents and trademarks for products and designs illustrated herein. Firma®, Checker Block®, Sante-Euro® & paver-shield® are examples of registered trademarks of Nicolia Concrete Products. SF-Rima® is a trademark of SF Concrete Technology, Inc. Trinity® is a trademark of Earth Reinforcement Technologies. • US Patent # : Firma® 6,082,933.



DEFER PAYMENT, NOT YOUR DREAMS!

Introducing **Nicolock Financing** powered by Service Finance, a nationwide consumer finance program. Our exclusive financing plans make it possible for homeowners to complete their dream outdoor living spaces now with the help of multiple financing options, including true no interest payment (SAC), low monthly payments, or a combination of both plans.

Increase your home's value with the peace of mind of **Nicolock Financing**. Ask your Territory Manager for more information.



LOW MONTHLY PAYMENTS Avoid high credit card interest rates. Choose the best payment option for you.




FAST, EASY AND SAFE Easy application for nearinstant approvals via phone, online or mobile app, 24/7




UNSECURED FINANCING 100% unsecured financing up to **\$100,000** on approved credit.



PEACE OF MIND The application is free, there are no closing costs and no prepayment penalties





Before you start planning...

A key aspect to consider when choosing your product is your landscaping. Keep in mind the change of seasons and the way the colors around your home project will change. Different times of day may cast shadows in different areas of your pavers. It's important to plan how the environment affects your aesthetic. The color illustrations in this catalog are as accurate as photography and printing processes allow. **Final selection of colors should be made from several physical samples.**

Images below were photographed minutes apart in the same location. Image on the left is with cloud cover, image on the right is in full sun.



Shade variations are inherent in colored concrete products using natural materials. Delivered product can vary slightly from physical samples.

Using advanced design fundamentals to CREATE A STRIKING VISUAL OUTDOOR SPACE

Nicolock has everything you need to create the **"WOW"** factor when you're designing your outdoor space. Whether it's a new patio, poolscape, driveway, or any other outdoor project, our design fundamentals make it easy to create a customized look that complements your particular style and taste. It all begins with color. Choose from our vast collection of rich, artisan colors. Then, get creative with our different-shaped paving stones and paver laying pattern options. Check out a few examples of popular laying patterns on the next few pages-- or mix and match to create your own unique design.




90°traditional

PAVER DIRECTION

Go from a traditional installation to an exceptional look by laying pavers at a 45 degree angle to create the illusion of space.





BORDERS

Borders define edges and softly combine large areas that would otherwise be toneless. Monochromatic or contrasting colors help define your style.





INLAYS

Inlays allow you to define an area within your outdoor space. Often created with contrasting colors and textures, inlays add visual interest to make your space pop.

first, select your GOLOR

Nicolock's rich, artisan colors--in blends of tans, browns, grays, and blues--are where your outdoor living dreams begin. Create your perfect space from our virtually limitless palettes of warm and cool neutral tones.

Overwhelmed by color options? Consider building a hardscape that complements your home's exterior design elements. Draw color inspiration from your siding, shutters, roof, and fence!

paver-shield



CAPPUCCINO BLEND*

A blend of earthy Browns and vibrant tans



CHESAPEAKE BLEND*

A blended mix of Travertina and Pewter



TOP

SELLING

COLORS

GRANITE CITY BLEND

A two color blend of Pewter and Charcoal



GRAPHITE PEARL BLEND*

A rich mixture of white, Pewter and Raven




HUDSON VALLEY BLEND

A blended mix of earthtones containing Pewter, Charcoal and Brown



OCEANIC BLUE*





PENNSYLVANIA BLUE**

A deep blue resembling the natural color of Pennsylvania Bluestone



SOUTH BAY BLEND* A blend of gray, white and tan




TRAVERTINA* A two-tone blend of coral and white




WESTCHESTER BLEND

A three color blend containing Pewter, Charcoal and Chamois accents

> *Premium Color **Deluxe Color





your outdoor SANCTUARY **Pools & Patios**









Chesapeake Blend Stonegate® Contemporary Wall

> Stonegate[®] Contemporary Wall Alpine Contemporary 6x12 Fullnose

South Bay Blend Stone Ridge Contemporary

12 56 89






Stone Ridge XL

~

20

18 I.





Oceanic Blue Alpine Contemporary











Stone Ridge Contemporary







South Bay Blend Stone Ridge

Graphite Pearl Blend

Stone Ridge



Old Vienna

1 LOSCO

The state & Marine and

Pennsylvania Blue Stone Ridge

The state and in instant

Wind Cate State

your backyard BLISS

Fire Pits, Fireplaces & Outdoor Dining

Granite City Blend Serafina Fire Pit



Granite City Blend

Mini Fireplace with Verona Wall

J. S. Carintration and M. A. S. S. S.

WE CONCERNS ON THE REAL PROPERTY

We share

Bluestone

Belvedere Fire Pit

Pembrey Natural Ledgestone

Natural Ledgestone Sizzler Pro Kitchen Package

1 Ca



Graphite Pearl Blend Verona Wall

Adobe Blend

Jr Fireplace with Verona Wall



APRIL 191

6" Colonial Wall Serafina Fire Pit

Oceanic Blue

Custom Fire Pit with Verona Wall



6x12 Fullnose

PAVER-SHIELDTM pavers

When determining what size and texture to choose, consider the style of your home. Is your home modern? Is it traditional?

Nicolock's Top-Selling products include a combination of smooth and textured styles. Each option comes in a variety of sizes to best fulfill your outdoor vision.

Oceanic 5

Stone Ridge

Multi-sized rectangular shapes. Slightly textured riven surface. Slightly chamfered edge. Can be combined with Stone Ridge XL.

	WIDTH	LENGTH	THICKNESS	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET
ŀ	4½"	9"	23⁄8"	3.8		130	
E	9"	9"	23⁄8"	1.9	110	60	2,950
(9"	13½"	2¾"	1.3		50	
	Sizes not sold se						

С Α В



CAPPUCCINO BLEND*



PENNSYLVANIA BLUE**



CHESAPEAKE BLEND*



SOUTH BAY BLEND*



GRANITE CITY BLEND



TRAVERTINA*



**

GRAPHITE PEARL BLEND*



WESTCHESTER BLEND



HUDSON VALLEY BLEND



Travertin

OCEANIC BLUE*

Also available in the following: (color swatches on pg. 142-145)

Adobe Blend Autumn Blend* Crab Orchard Blend* Golden Brown Blend

Marble Blend* Oceanic 5* Oyster Blend* Peconic 6*



Stone Ridge Contemporary

Travertina

Multi-sized rectangular shapes with a smooth and modern finish. Slightly chamfered edge.

	WIDTH	LENGTH	THICKNESS	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET
A	4½"	9"	23⁄8"	3.8		130	
В	9"	9"	23⁄8"	1.9	110	60	2,950
С	9"	13½"	23⁄8"	1.3		50	
D	18"	18"	23⁄8"	2.25	131	60	3,537 *sold as separate pallet







CAPPUCCINO BLEND*

Oceanic Blue





GRANITE CITY BLEND



GRAPHITE PEARL BLEND*





OCEANIC BLUE*



TRAVERTINA*

Also available in the following: (color swatches on pg. 142-145)

Adobe Blend Autumn Blend* Crab Orchard Blend* Golden Brown Blend

Marble Blend* Oceanic 5*

paver-shield







SOUTH BAY BLEND*















PENNSYLVANIA BLUE**



WESTCHESTER BLEND





Multi-sized rectangular shapes. Slightly textured riven surface. Slightly chamfered edge. Can be combined with Stone Ridge. Not recommended for vehicular applications.

_	WIDTH	LENGTH	THICKNESS	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET
A	9"	9"	23⁄8"	1.9		20	
В	9"	18"	23⁄8"	.93	110	50	2,950

.46

•••••			
	18"	18"	23⁄8"

C



20

GRAPHITE PEARL BLEND*



WESTCHESTER BLEND



Α

HUDSON VALLEY BLEND



Travertina

Also available in the following: (color swatches on pg. 142-145)

Adobe Blend Autumn Blend* Crab Orchard Blend* Golden Brown Blend

Marble Blend* Oceanic 5* Oyster Blend* Peconic 6*






В





С







CHESAPEAKE BLEND*



SOUTH BAY BLEND*

GRANITE CITY BLEND



These multi-sized shapes will add a great feel to any project. Natural cleft texture with a lightly chamfered edge. Not recommended for vehicular applications. Add our NEW 24x24 to your pattern, or use alone.



CAPPUCCINO BLEND*



PENNSYLVANIA BLUE**



WIDTH

A 7¾"

B 15%"

C 15%"

D 23½"

Size D sold separately

LENGTH

15%"

15%"


231⁄2"

23½"

CHESAPEAKE BLEND*



SOUTH BAY BLEND*



THICKNESS

2%"

2%"

2%"

2%"

PCS/SF

2.55

1.7

.84

4

SF/PALLET

127

80

GRANITE CITY BLEND



TRAVERTINA*



30

30

20

20

PCS/PALLET LBS/PALLET

3,500

2,260

GRAPHITE PEARL BLEND*



WESTCHESTER BLEND



В

Α

HUDSON VALLEY BLEND



OCEANIC BLUE*

Also available in the following: (color swatches on pg. 142-145) Adobe Blend Golden Brown Blend Marble Blend* Oyster Blend*



Granite City Blend

D

NFW

SOLD SEPARATELY

С

Oceanic Bl



Multi-sized rectangular shapes with a smooth texture and slightly chamfered edges. Not recommended for vehicular applications.



Α	7¾"	15%"	23⁄8"	2.55		30	
В	15%"	15%"	23⁄8"	1.7	127	30	3,500
С	15%"	231⁄2"	23⁄8"	.84		20	
D	15%"	231⁄2"	23⁄8"	.84	107	40	2,889
	ize D sold separa						

C D Sold Separately

NEW!

SNOW* (available in size D only)



CAPPUCCINO BLEND*



PENNSYLVANIA BLUE**



CHESAPEAKE BLEND*



SOUTH BAY BLEND*



GRANITE CITY BLEND



TRAVERTINA*



GRAPHITE PEARL BLEND*



WESTCHESTER BLEND



NEW!

Α

DOVE GRAY (available in size D only)

В

NEW!

SAHARA* (available in size D only)

HUDSON VALLEY BLEND



OCEANIC BLUE*

Also available in the following: (color swatches on pg. 142-145)

Adobe Blend Golden Brown Blend Marble Blend* Oyster Blend*



Plank Paver

The long and narrow design of this Nicolock favorite gives a finished and sleek appearance to complement modern design trends.

۱	WIDTH	LENGTH	THICKNESS	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET
A	6"	9"	2¾"	2.66		54	
В	6"	13"	2¾"	1.85	103	81	3,122
С	6"	17"	2¾"	1.41		54	
D	6"	13"	2¾"	1.85	103	189	3,122





Α

GRANITE CITY BLEND



GRAPHITE PEARL BLEND*



PEWTER



SOUTH BAY BLEND*



MARBLE BLEND*



RAVEN*



Raven

Ridge Brick

A universal, oversized brick shape with a textured riven surface. Slightly chamfered edges. Use as a field paver or as a border.

WIDT	TH LENGTH	THICKNESS	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET	. 1
A 4½	" 9"	23⁄8"	3.63	110	400	2,950	



Also available in the following: (color swatches on pg. 138-141)

South B

Adobe Blend Autumn Blend* Crab Orchard Blend*

Golden Brown Blend Marble Blend* Oyster Blend*



BROWN



OCEANIC BLUE*



CAPPUCCINO BLEND*

PENNSYLVANIA BLUE**



CHARCOAL

RAVEN*





CHESAPEAKE BLEND*



SOUTH BAY BLEND*



GRANITE CITY BLEND



TRAVERTINA*



GRAPHITE PEARL BLEND*



WESTCHESTER BLEND



Rustico 6x6

Rustico 6x9

SOLAR LIGHT PAVERS BY

Easy to install • DIY, No wiring Up to 8 hours of light White & Colored lights available On/Off Switch on bottom

Comparable to 6x9 in size A

Granite City Blend

Single-sized square and rectangular shapes with a slightly dimpled surface. Chamfered edges and square corners make these perfect for inlays and borders.

	WIDTH	LENGTH	THICKNESS	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET	
A	6"	6"	2¾"	4	120	480	3,027	Α
В	6"	9"	23⁄8"	3	113	300	2,982	
	Sizes sold separ	ately						

(_____) paver-**shield**™

B



ADOBE BLEND (6x9 only)



AUTUMN BLEND* (6x9 only)



BROWN




CAPPUCCINO BLEND*



CHARCOAL



CHESAPEAKE BLEND*



CRAB ORCHARD BLEND (6x9 only)



FIRE ISLAND BLEND (6x9 only)



GOLDEN BROWN BLEND (6x9 only)




GRANITE CITY BLEND



GRAPHITE PEARL BLEND* (6x9 only)



HUDSON VALLEY BLEND (6x9 only)



MARBLE BLEND* (6x9 only)



OCEANIC BLUE* (6x9 only)



OYSTER BLEND*



PENNSYLVANIA BLUE** (6x9 only)



RAVEN*



SOUTH BAY BLEND*



TRAVERTINA*



WESTCHESTER BLEND



Stylish multi-sized rectangular shapes with a slightly dimpled surface. Chamfered edges with square corners.

	WIDTH	LENGTH	THICKNESS	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET
Α	3"	6"	2¾"	8		100	
В	6"	6"	23⁄8"	4		100	
С	6"	9"	23⁄8"	2.7	117	160	3,050
D	9"	9"	23%"	1.8		40	
	izes not sold se						





ADOBE BLEND



GRANITE CITY BLEND







PENNSYLVANIA BLUE**



WESTCHESTER BLEND

Also available in the following: (color swatches on pg. 142-145)

TRAVERTINA*

Autumn Blend* Crab Orchard Blend* Fire Island Blend

Golden Brown Blend Oyster Blend*



Multi-sized rectangular shapes with a textured riven surface and slightly chamfered edges give this paver a sleek look. Not recommended for vehicular applications.

	6½"	13"	23⁄8"	3.8		40	
}	13"	13"	2¾"	1.9	106	40	2,761
	13"	19½"	23⁄8"	1.3	-	20	









Blue Ridge

ADOBE BLEND

CHESAPEAKE BLEND*



GRANITE CITY BLEND







PENNSYLVANIA BLUE**

Pennsylvania Blue



WESTCHESTER BLEND

paver-shield



A classic brick shape with a flat surface and chamfered edges. Versatile for many residential and commercial projects. Available in 31/8" thickness for special order.



🕜 paver-shield

Single-sized paver with a flat, smooth surface. Chamfered edges and pillowed corners make this paver perfect for driveways, walkways and more.

	WIDTH	LENGTH	THICKNESS	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET		
A	6¾"	93⁄8"	23⁄8"	2.4	124	300	3,223	Α	







WESTCHESTER BLEND

Also available in the following: (color swatches on pg. 142-145)

Adobe Blend Golden Brown Blend Oyster Blend*



Colonial Cobble 1.5 Normal




Heritage Slab

Heritage Slab is a great stone for various architectural applications including rooftops and plazas. Suitable for overlays and at-grade applications.

WIDTH	LENGTH	THICKNESS	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET
-------	--------	-----------	--------	-----------	------------	------------

	Α	8"	16"	2"	1.13	80	90	1,783	
	В	12"	12"	2"	1	120	120	2,654	Α
S	С	18"	18"	2"	.44	135	60	2,990	- 4
	D	24"	24"	2"	.25	80	20	1,776	
	Ε	18" Round		2"	n/a	n/a	40	1,562	





Pewter



	WIDTH	LENGTH	THICKNESS	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET	
A	3¾"	6¾"	23⁄8"	7.1		100		
B	6¾"	6¾"	23⁄8"	3.6		100	- 3,454	
С	6¾"	9¾"	23⁄8"	2.4	133	160		
D	9¾"	9¾"	23⁄8"	1.6		40		
	Sizes B & C can be purchased separately				0	D		

SPECIAL ORDER PRODUCT

Color availability varies by location. Please contact your local dealer to confirm pricing and availability.

Roma I & II Vestchester Blend

_	WIDTH	LENGTH	THICKNESS	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET	
A	4.6"	7"	2¾"	4.27	131	560	3,519	
	4.6"	4.6"	2¾"			740		
В	2.33"	4.6"	23⁄8"	N/A	126	120	3,278	
Sizes A & B sold separately								



SPECIAL ORDER PRODUCT

Color availability varies by location. Please contact your local dealer to confirm pricing and availability.



paver-shield



_	WIDTH	LENGTH	THICKNESS	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLE
	7¾"	15%"	2¾"	.84		30	
	15%"	15%"	23⁄8"	1.7	127	30	3,500
	15%"	23½"	23%"	2.56	-	20	•

SPECIAL ORDER PRODUCT

Color availability varies by location. Please contact your local dealer to confirm pricing and availability.






	WIDTH	LENGTH	THICKNESS	PCS/SF SF	PALLET	PCS/PALLET	LBS/PALLET
A	6¼"	81⁄8"	23⁄8"	3.6	111	400	2,823
B	4¾"	81⁄8"	2¾"	4.5	111	500	2,877
	Sizes sold separa	ately					
			A	B			
				- U			
				Cobb	elestone Edger		
			CHARCOAL	FIRE ISLAND BLEND	GRANITE C	TY BLEND	RED
		N BLEND BLE IN EDGER)	CHARCOAL	FIRE ISLAND BLEND	GRANITE C	TY BLEND	RED

Color availability varies by location. Please contact your local dealer to confirm pricing and availability.

() paver-shield

WIDTH	LENGTH	THICKNESS	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET
 51⁄16"	131⁄8"	2¾"	2.48	96	192 full pcs 32 half pcs	2,750
			A			
	State .	State Street				
					Latel I	
CHAR	COAL F	IRE ISLAND BLEND	GRANITE CITY BL	END MARBLE	BLEND*	RED





SPECIAL ORDER PRODUCT

Color availability varies by location. Please contact your local dealer to confirm pricing and availability.


paver-shield

8x8 rite City Blend

tie in an ACCENT

Consider adding an accent to your project. Choose from a variety of Inlay & Border styles, or make one of our Circle Kits your focal point. These products make the perfect finishing touch for driveways, seating areas and much more.

Granite City Blend





Rustic antique clay brick surface. Borders come to life with this aesthetic inlay.


WIDTH	LENGTH	THICKNESS	SF/PALLET	PCS/PALLET	LBS/PALLET	A
23⁄8"	7½"	2¾"	55	425	1,554	
		AUTUMN BL	END*	BR	ROWN	
		FIRE ISLAND R	BLEND	RA	VEN*	
						paver-shield

Like the artwork it's named after, these multi-sized, irregular shapes of textured stone create a whimsical, striking border, path, or accent.



The Montauk

Multi-sized, irregular shapes with a textured surface and textured edges. Makes a stunning accent and is just as beautiful on its own. No spacer lugs.





CHARCOAL



GRANITE CITY BLEND



OYSTER BLEND*

Granite City Blend



RAVEN*







Add an artistic touch to your hardscape design that has a classic old European look.



Golden Brown Blend Edgestone

Euro Cobble

Decorative solution for use around walkways, patios and gardens.

	WIDTH	LENGTH	THICKNESS	LF/PALLET	PCS/PALLET	LBS/PALLET	A
A	4"	10"	7½"	100	120	2,695	-



Raven





GRANITE CITY BLEND

63

Rustico Circle

You can mix in a Rustico Circle with other paver styles or use it with Rustico pavers to create incredible designs. This 10-ring with center circle kit makes a beautiful 10'4" circle with a dimpled surface texture

_	PCS/PALLET	SIZE	SF/PALLET	LAYERS/PALLET	LBS/PALLE	
Α	10					
В	20				2,842	
С	20	Kit Makes	06.5	10		
D	220	10'4" Circle	86.5	10		
E	320					
F	10					













WESTCHESTER BLEND

rface texture.	E 320	
	F 10	
	Sizes not sold separate	ly
and the second s	7 10 9 9 10 9 10 9 10	RANGE COLOR
AND AREA	DEL RECK	a second
THE OWNER ADDRESS OF TAXABLE PARTY.	Name of Concession, Name of Street, or other	State of the second sec





GRANITE CITY BLEND

OYSTER BLEND*



Also available in the following: (color swatches on pg. 142-145)

Adobe Blend Autumn Blend* Crab Orchard Blend*


Fire Island Blend Golden Brown Blend Marble Blend*



Ridge Circle

LESS

Graceful curves and a stone texture make this circle kit a favorite for patios and driveways. Large oversized pieces, with 6 rings plus a center stone, all with a ridge, to complement any of our Ridge products.











GRANITE CITY BLEND







PENNSYLVANIA BLUE**







Also available in the following: (color swatches on pg. 142-145)



Golden Brown Blend Marble Blend* Oyster Blend*



WESTCHESTER BLEND

Granite City Blend

TRAVERTINA*





Circle designs with sweeping curves are all possible with the stunning Sante-Euro® Circle Kit. A beautiful way to enhance your walkway, patio or driveway.

_	PCS/PALLET	SIZE	SF/PALLET	LAYERS/PALLET	LBS/PALLET
Α	9				
B	27	Kit Creates	76	9	2,126



С D





Charcoal

GRANITE CITY BLEND

OYSTER BLEND*

WESTCHESTER BLEND

<image>

A complete circle pack on a pallet! Naturally aged and textured surface with an authentic character of reclaimed flagstone, in circular design with stone cut edges.



Old Town Flagstone Quartered Square

Ecologiese Brustione

This classic design features a series of rectangular bands of slabs running out from a single central unit and radial lines that provide a quartered effect.




ENVIRONMENTAL pavers

Granite City Blend

Going green was never so easy or cost-efficient. Nicolock's environmental pavers work with nature to provide visually appealing pavement options, plus the bonus of storm water management.

Available in a range of attractive colors, textures and styles, our environmental paver collection comes with ADA-compliant joint openings and is designed to filter rainwater safely back into the ground.



Eco-Tre

Textured, chamfered edges give these pavers an authentic, stone feel yet provide a 10% open surface area and joint opening that is compliant with the Americans with Disabilities Act. (ADA)





GRANITE CITY BLEND

WIDTH LENGTH THICKNESS SF/PALLET PCS/PALLET LBS/PALLET

Α	81⁄2"	5½"	31⁄8"			
В	8½"	81⁄2"	31⁄8"	96	160	
С	81⁄2"	14¼"	31⁄8"			

Sizes not sold separately







3,284

WESTCHESTER BLEND





Granite City Blend

PALLET LBS/PALLET

Α



Checker Block®

Gives you the strength of concrete with steel reinforcement in areas where you wish to maintain a grassy look including overflow parking, service roads, tree pits and fire lanes. It is also ideal for stabilizing embankments along streams, rivers and lakes. 75% surface open area for excellent drainage.

	WIDTH	LENGTH	THICKNESS	SF/PALLET	PCS/PALLET	LBS/PALLET	Α
A		24"	4"	80	20	2,000	- 8


Natural



NATURAL

Lattice concrete grid in rectangular pieces allows rainwater to gradually filter back into the soil. 40% flat, open surface area.

WIDTH	LENGTH	THICKNESS	SF/PALLET	PCS/PALLET	LBS/PALLET	
A 16"	24"	31⁄8"	93	35	2,100	1885
						-0-
			100000000000000000000000000000000000000	100 1 100 100 100 100 100 100 100 100 1		
			1.55			
			an and	el al care		
			NA	FURAL		
						-3



NICOSTONE pavers

Love the look and feel of real stone? Look no further than Nicostone. Offered in either free-form Grand Flagstone or an array of rectangular and square options, the look, durability and color-blending make Nicostone pavers a wildly-popular choice.

> Nicostone pavers come with Cool Touch™ technology that reflects solar heat. Bye-bye burning feet!



York Brown

Natural stone appearance with a thermal, smooth finish and consistent texture. Sold as a patio pack or purchase sizes individually.





GIRONDE*



Bluestone

мосна



YORK BROWN



Thermal Finish Flagstone

	WIDTH	LENGTH	THICKNESS	SF/PALLET	PCS/PALLET	LBS/PALLET
Α	12"	12"	1½"	6	6	
В	12"	18"	1½"	18	12	
С	12"	24"	1½"	18	9	
D	18"	18"	1½"	5	2	1,175
Ε	18"	24"	1½"	9	3	
F	24"	24"	1½"	12	3	

Α

Patio Pack Specifications 68 sq. ft.

	WIDTH	LENGTH	THICKNESS	SF/PALLET	PCS/PALLET	LBS/PALLET
A	12"	12"	1½"	40	40	700
В	1 2" 18"		1½"	60	40	1,100
С	12"	24"	1½"	80	40	1,400
D	18"	18"	1½"	45	20	800
E	18"	24"	1½"	60	20	1,000
F	24"	24"	1½"	80	20	1,400
, i		pecifications				

8 1 8 0 0 0 8 8 8





YORK BROWN





	WIDTH	LENGTH	THICKNESS	SF/PALLET	PCS/PALLET	LBS/PALLET
A	12"	12"	1½"	6	6	
В	12"	18"	1½"	18	12	
С	12"	24"	1½"	18	9	
D	18"	18"	1½"	5	2	1,175
Ε	18"	24"	1½"	9	3	
F	24"	24"	11/2"	12	3	

Patio Pack Specifications 68 sq. ft.

	WIDTH	LENGTH	THICKNESS	SF/PALLET	PCS/PALLET	LBS/PALLET
A	12"	12"	1½"	40	40	700
В	12"	18"	1½"	60	40	1,100
С	12"	24"	1½"	80	40	1,400
D	18"	18"	1½"	45	20	800
Ε	18"	24"	1½"	60	20	1,000
F	24"	24"	1½"	80	20	1,400
	ndividual Sizo S					



мосна





GIRONDE*

BLUESTONE



A uniquely attractive natural cleft texture with an Old World charm. Sold as a patio pack or purchase sizes individually.



Marble Blend

Versailles Travertine

Sleek multi-sized rectangular shapes with a flat surface and natural travertine markings.



GIRONDE*



WIDTH	LENGTH	THICKNESS	SF/PALLET	PCS/PALLET	LBS/PALLET
			<i></i>		

8"	16"	1½"		18	
16"	16"	1½"	64	8	1,051
16"	24"	1½"		8	
12"	24"	1½"	N/A	15	493
12"	12"	1½"	N/A	N/A	12
18"	18"	1½"	N/A	N/A	18





York Brown

Grand Flagstone

Stunning natural stone texture and 15 unique shapes that replicate large, irregular flagstone. Fast installation with easy-to-install pattern. Uniform thickness with a comfortable end result. Multiple natural color blends are available.



LENGTH

42"

THICKNESS

1¾"

SF/PALLET

90

WIDTH

A 38"



SF/LAYER

11.25

LBS/PALLET

2,000





BLUESTONE

мосна

YORK BROWN

Old Town Flagstone

A complete patio on a pallet! Naturally aged and textured surface with stone cut edges.

	WIDTH	LENGTH	THICKNESS	SF/PALLET	PCS/PALLET	LBS/PALLET
A	12"	12"	1½"	6	6	
B	12"	18"	1½"	18	12	
C	12"	2" 24"	1½"	18	9	. 1 200
D	18"	18"	1½"	5	2	1,200
E	18"	24"	1½"	9	3	
F	24"	24"	1½"	12	3	
	Sizes not sold se	parately, Patio Pacl	< 68 sg. ft.			



BLUESTONE





мосна

YORK BROWN



York Brown

structural WALLS

Today, walls are not only functional but are distinctive focal points in numerous outdoor living and design projects. Whether it's a commercial or residential installation, you'll find the perfect wall in The Nicolock Wall Collection.

> Get inspired by our endless color and style options to create an exceptionally attractive and functional wall system that will stand the test of time.


Oceanic Blue

Landscape Walls




Ideal for retaining, free-standing seat walls and many other outdoor living features

Retaining Walls



Walls built for earth retention-- suitable for residential or commercial installations

Garden Walls



Perfect for tree rings, edgings, garden borders and low retaining wall installations Nicolock Walls are available in a variety of styles and include features designed for multiple applications. To help you select the best wall for your installation, please review the chart below. Additional information is included on each product page.

				WALL	HEIGHTS*					OUTDOOR
WALL STYLE	SYSTEM	Engineered Retaining Wall System	CORNERS	GRAVITY (+/-)	REINFORCED (+/-)	ALIGNMENT	SETBACK	CORE	FEATURES	LIVING KITS
LANDSCAP	E WALLS									
Mini Colonial	4-Piece	N/A	Yes/Split	1.5'	N/A	Concrete Adhesive	Vertical	Solid	Double Sided	N/A
5" Colonial	4-Piece	Yes	Yes/Split	2.5'	6'	Tongue & Groove	Vertical or 1.5"	Solid	Double Sided	N/A
6" Colonial	4-Piece	N/A	Yes/Split	1.5'	N/A	Concrete Adhesive	Vertical	Solid	Double Sided	N/A
Verona	1-Piece	N/A	Yes	1.5'	N/A	Concrete Adhesive	Vertical	Solid	Double Sided	Yes
Stonegate®	3-Piece	Yes	Yes	2.5'	6'	Pin	Vertical or 1"	Solid	Double Sided	Yes
Claremont	2-Piece	N/A	Yes	1.5'	N/A	Concrete Adhesive	Vertical	Solid	Double Sided	N/A
Belvedere	6-Piece	Yes	Yes	2.0'	6'	Concrete Adhesive	1/2"	Solid	Double Sided	Yes
Kodah	4-Piece	Yes	Yes	2.5'	6'	Concrete Adhesive	3/4"	Solid	Double Sided	N/A
RETAININ	G WALLS									
Firma®	1-Piece	Yes	Yes	3.0'	12'	Tongue & Groove	3/4"	Solid	Single Sided	N/A
Alta	1-Piece	Yes	Yes	3.0'	12'	Rear Lip	1"	Hollow	Single Sided	N/A
Alta Pro	1-Piece	Yes	Yes	3.0'	40'	Rear Lip	1"	Hollow	Single Sided	N/A

GARDEN WALLS										
Serafina	1-Piece	N/A	N/A	1.5'	N/A	Concrete Adhesive	Vertical	Solid	Double Sided	Yes
Mountain Block	2-Piece	N/A	N/A	1.5'	N/A	Concrete Adhesive	Vertical or 1"	Solid	Single Sided	N/A
Garden Wall	1-Piece	N/A	N/A	1.5'	N/A	Rear Lip	1"	Solid	Single Sided	N/A

40'

15'

60'

3.0'

6'

25'

*Wall heights shown are intended as a guide and not for construction purposes. **Note:** Gravity walls rely on unit weight and unit set-back to retain soils. Reinforced walls rely on unit weight, unit set-back and geogrid to retain and stabilize soils.

Yes

Yes

Yes



Pin

Shear Heel Lugs

Knob & Groove

Near Vertical or 1"

14 Degrees

0, 1, 5, 27½ & 43

Degree options

The symbol signifies that this product is suitable for building elevated wall heights using geogrid reinforcement or other design methods. Consult a licensed engineer for design assistance.

Single Sided

Single Sided

Single, Double

or Triple Sided

Hollow

Solid

Solid &

Hollow

N/A

N/A

N/A

Compac III

Outcropping

Redi-Rock[®]

1-Piece

12-Piece

Multi-Piece

Yes

Yes

Yes

Belvedere Wall

A Belvedere Wall provides the rich texture of quarried stone for an organic finish without the expense. Create warm, rustic silhouettes with our Belvedere wall.

No.




BLUESTONE





ROSETTA By Nicolock



A	3"	18"	9"		12	
B	6"	18"	9"		12	
C	3"	12"	9"		12	
D	6"	12"	9"	27	12	2,475
2	3"	6"	9"		12	
3	6"	6"	9"		12	

D

E



YORK BROWN

Mocha

6" Colonial Wall

The Colonial Wall System features a distinctive double-sided face, hard-split finish. You can build the 3" or 6" wall individually or combine them for added dimension. There is also a prepackaged Colonial Pier to add the finishing touch to your wall.



Sizes not sold separately

HEIGHT WIDTH DEPTH SF/PALLET PCS/PALLET LBS/PALLET ۹" 6" 16" 15

	_					
:	6"	12"	9"		25	
C	6"	9"	9"	33	25	
D	6"	16"	9"		10	
	C					





CAPPUCCINO BLEND



SOUTH BAY BLEND



CHESAPEAKE BLEND*



TRAVERTINA*



GRANITE CITY BLEND



WESTCHESTER BLEND



GRAPHITE PEARL BLEND*



more - E

1000

INT DIE HET DIE STATE BER

Granite City Blend

HUDSON VALLEY BLEND


Also available in the following: (color swatches on pg. 146-147)

Adobe Blend Bluestone* Crab Orchard Blend Fire Island Blend Golden Brown Blend Oyster Blend

Golden Brown Blend

5" Colonial Wall

The Colonial Wall System features a distinctive double-sided face, hard-split finish. The tongue and groove locking mechanism will ensure a solid connection and helps facilitate rapid installation. There is also a prepackaged Colonial Pier to add the finishing touch to your wall.





CHESAPEAKE BLEND*



GRANITE CITY BLEND



TRAVERTINA*



WESTCHESTER BLEND

Also available in the following: (color swatches on pg. 146-147)

Adobe Blend F Bluestone* C Crab Orchard Blend C



CORNER PIECE

D






Mini Colonial Wall

The Colonial Wall System features a distinctive double-sided face, hard-split finish. You can build the 3" or 6" wall individually or combine them for added dimension. There is also a prepackaged Colonial Pier to add the finishing touch to your wall.

	HEIGHT	WIDTH	DEPTH	SF/PALLET	PCS/PALLET	LBS/PALLET		
A	3"	16"	16" 9"		30			
В	3"	12"	9"	25	50	2 021		
С	3"	9" 9"		20	50	5,921		
D	3"	16"	9"		20			
Sizes not sold separately								





CAPPUCCINO BLEND



TRAVERTINA*



CHESAPEAKE BLEND*



WESTCHESTER BLEND



GRANITE CITY BLEND



GRAPHITE PEARL BLEND*



Graphite Pearl Blend

SOUTH BAY BLEND

Also available in the following: (color swatches on pg. 146-147)

Adobe Blend Bluestone* Crab Orchard Blend Fire Island Blend Golden Brown Blend Oyster Blend

Verona Wall

1

The Verona Wall's antiqued, double-sided finish mirrors the look of natural stone. It's a versatile wall to construct almost any outdoor feature including free-standing walls, steps, outdoor kitchens and fireplaces. You can also build Verona Piers to complement your wall.

	HEIGHT	WIDTH	DEPTH	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET
A	4"	12"	8"	3	32	96	2,650



Chesapeake Blend



CHESAPEAKE BLEND*



TRAVERTINA*



GRANITE CITY BLEND



WESTCHESTER BLEND



GRAPHITE PEARL BLEND*

Verona Wall Contemporary also available with **smooth edges**. *See image above.



OCEANIC BLUE*



SOUTH BAY BLEND

Also available in the following: (color swatches on pg. 148-149)

Adobe Blend
Bluestone*
Charcoal

Crab Orchard Blend Golden Brown Blend Oyster Blend

Stonegate[®] Contemporary Wall

GRANITE CITY BLEND

WESTCHESTER BLEND

Statement of the

VS AVE BUT


The 3-piece Stonegate® Contemporary Wall System features a unique, modern contemporary finish on three sides. It's offered in three face lengths and has a matching cap. Specialized pin system allows vertical to 1" setback.



CHESAPEAKE BLEND*



TRAVERTINA*





GRAPHITE PEARL BLEND*



OCEANIC BLUE*

SOUTH BAY BLEND

Also available in the following: (color swatches on pg. 148-149)

Adobe Blend
Bluestone*
Charcoal

Crab Orchard Blend Golden Brown Blend Oyster Blend



STONE[®]

Made in New York, additional

freight rates may apply.




D

CAP SOLD SEPARATELY

Graphite Pearl Blend

Claremont Wall


Linear, horizontal proportions evoke a contemporary yet classic stone appearance. Each unit is finished on both the front and back surfaces, allowing for both freestanding and retaining walls. Crisp, chiseled stone texture is indistinguishable from natural-shaped, limestone drywall.



40

8"





Size C sold separately

22"



мосна

40

2,200



YORK BROWN

Mocha

Kodah Wall

Kodah Wall is a one-of-a kind kodan Wall Is a one-of-a kind large scale retaining wall system. Its modern, linear proportions combined with its rough, quarried stone texture make it perfect for a variety of applications. The Kodah Wall also makes it easier than ever to provide you with the big block look without the over-the-top installation costs.

HEIGHT	WIDTH	DEPTH	SF/PALLET	PCS/PALLET	LBS/PALLET
A 6"	42"	10½"		6	
B 6"	30"			3	2 400
C 6"	21"	10½"	21	6	2,400
6"	12"	10½"		3	
6"	21"	10½"	31½	24	2,400
Size E sold separ	rately				







*** (1821)28


Bluestone

anite City Blend

Alta Wall

Alta Wall is a versatile wall for everyday landscape applications. Its tapered design simplifies installation of inside and outside curves so you can design with freedom. The hollow core design and rear lip connection make this wall system a go-to system for professionals.

	HEIGHT	WIDTH	DEPTH	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET
A	6"	16"	12"	1.5	26.6	40	1,962
В	6"	8"	12"	2	24	48	2,164
	Sizes sold separa						









FIRE ISLAND BLEND

GOLDEN BROWN BLEND

GRANITE CITY BLEND




WESTCHESTER BLEND

Alta Pro Wall

A taller version of our beautiful Alta Wall, this system helps landscape and hardscape professionals create stunning outdoor living spaces with structural integrity.

HEIGHT	WIDTH	DEPTH	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET
8"	18"	12"	1	40	40	2,404
8"	18"	9"	1	32	32	2,509







ADOBE BLEND




FIRE ISLAND BLEND



GOLDEN BROWN BLEND



GRANITE CITY BLEND



GRAPHITE PEARL BLEND*



TRAVERTINA*



HUDSON VALLEY BLEND



WESTCHESTER BLEND





Firma Wall


The Firma® Wall is a segmental retaining wall with a natural split-face texture. Its classic line complements any natural or architectural landscape. A solid block with tapered sides, this wall system combines rich color, form and function into your project.



ADOBE BLEND



CRAB ORCHARD BLEND



GOLDEN BROWN BLEND



GRANITE CITY BLEND

OYSTER BLEND

NEW! REDI+ROCK[®] WALL SOLUTIONS

Gravity, reinforced, hybrid, and freestanding walls come together to create optimized solutions.

GRAVITY RETAINING WALLS

- Build walls over 20 feet tall
- Reduce excavation and use a smaller footprint without geogrid
- Install quickly with a machine and small crew

REINFORCED RETAINING WALLS

- Build walls over 50 feet tall
- Eliminate geogrid connection failures with positive connection blocks
- Support heavy live loads


HYBRID WALLS


- Blend gravity and reinforced sections
- Combine precast modular blocks with cast-in-place
- Maintain seamless appearance


FREESTANDING WALLS

- Integrate parapets with other walls seamlessly
- Build stand-alone structures
- Create great looking results with texture on multiple sides










REDI-ROCK TEXTURE: EDGESTONE

Redi-Rock Ledgestone blocks, available in four natural colors, give projects a random, stacked stone look. Because they're made using architectural-grade precast concrete, the depth and level of detail in the texture is outstanding.



Ledgestone Block Specifications

- Trapezoidal shape allows convex and concave radii
- 5.5 inch deep texture
- Rich formulated colors to mimic the look of natural stone
- Ten individual face molds offer up to 115 square feet of non-repeating patterns
- Wet-cast concrete gives a greater level of detail and durability












YORK BROWN







BLUESTONE





YORK BROWN

With this large rock landscaping look, your new retaining wall, stairs or poolscape will stand out among your neighbors. Get the look you want without sacrificing the structurally sound solution you need.

HEIGI	HT WIDTH	DEPTH	SF/PALLET	PCS/PALLET	LBS/PALLET
A 12"	42"	24"/20"			
B 12"	48"	24"/20"	10		4 000
C 12"	60"	24"/20"	18	4	4,000
D 12"	66"	24"/20"			
Sizes not s	sold separately	B	C	D	
Pallet HEIG		DEPTH	SF/PALLET	PCS/PALLET	LBS/PALLE
A 6"	24"	24"/20"			
B 6"	36"	24"/20"			
C 6"	48"	24"/20"		ć	
D 12	" 36"	24"/20"	18	6	4,000
E 12	" 54"	24"/20"			
F 12	" 72"	24"/20"			
	sold separately				
		C			6
the second	100	100	1.156		1 mm

Pallet C		
HEIGHT	WIDTH	DEPTH
A 6"	24"	24"/20"
6"	36"	24"/20"

A		B	•		11.7
zes not sold se					
24"	48"	24"/20"			
18"	60"	24"/20"	10	4	4,000
6"	36"	24"/20"	18	4	4 000
6"	24"	24" 24"/20"			

SF/PALLET PCS/PALLET LBS/PALLET

Corners

Α B

C D Siz

CORNERS	HEIGHT	WIDTH	DEPTH	PCS/PALLET	LBS/PALLET
A 6" CORNER	6"	39"	27"	1-6	489
B 12" CORNER	12"	48"	30"	1-4	1,222
Sizes sold separately	A	-	B	E	







Keystone[®] Compac III Straight Split

The Compac III's shape allows for tight radius curves and vertical core alignments. This wall can do it all with vertical or battered setback construction options. With triangular-shaped receiving holes, construction adjustments are simplified. Natural stone appearance and rich colors complement any setting.

	HEIGHT	WIDTH	DEPTH	PCS/SF	SF/PALLET	PCS/PALLET	LBS/PALLET	A
A	8"	18"	12"	1	40	40	2,417	100





FIRE ISLAND BLEND



GOLDEN BROWN BLEND



GRANITE CITY BLEND




Made in New York, additional freight rates may apply.



Mountain Block

Mountain Block's single-sided face provides a unique stone texture with its 4" x 12" wall face. Solid block makes this system structurally sound for walls with a maximum height of 36". Its organic design stylishly connects your home to its natural surroundings. Nicolock's Rockface Multi-Cap can be used to add the finishing touch to a great outdoor setting.







Α



By Nicolock

BLUESTONE

мосна

YORK BROWN



Serafina Wall

The Serafina Wall's trapezoid shape and split face on two sides makes it a multifaceted solution for many hardscape applications. From straight and curved walls, single or two-sided borders for your garden, Serafina is a great option where walls less than three feet high are required. Available in colors for every home.

A. P. C. M. L. C.	2 10 · 10	Carlos Martin	47	a surger
and the second of the	ALC: NO.	122.73	2	The Part of the
and the party of the	No. of Concession, Name	States -	6 3 W & 4	10000
ALC: NOT A	12.223	200.20		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1992 - 198	10-15-2	CREWE	Contraction of the	and the second s
10 5 A 18	194950	and the second		1000 000
And States and the	and the second second	1000	and the second	A SCHOOL ST
The state and the	CONTRACTOR OF	Contraction of the	and an other diversion of the	S and a state of the state of t
MALE AND ADDRESS	and sheets	10000	100 100	Contraction of
STRA - TO	A DOWN	al willing the	Contraction of the	Con the
2020/2012/2012	1 Million 415	1000	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	100 C
Sector Sector	A DESCRIPTION OF	1000	2.00	CONC.
and the second second	1.00	1	Mary San	Construction of the local division of the lo
10 20 CM - 14	Market Street	27 2 2 2 1	- max -	Sec. And Sec.
a service and the service of the	dates to	200 200	manute	and the second
The second second	100 3000	CARL NO.	and the second second	The second
Carl S. The	a fater in	Centra	20000	Same -
Street Street	- And Startes	- 1 - V C.A.	Con the	and the second
COLUMN TALL TYPE	- There are	AND FUL	MALL LEAD	P. 1. Pres.
Contraction of the local distance	1 200 0	242410	CIPERO	10.57
Concerns of the second	THE STORES	R. Com	Kin Brin	THEY !!
and Tangate Long	THE R. P. LEWIS CO., No. 7	ALC: NO	AT LEAST AND	a contraction

GRANITE CITY BLEND



GRAPHITE PEARL BLEND*



SOUTH BAY BLEND



WIDTH

10"/6"

DEPTH

9"

PCS/SF

3.5

HEIGHT

A 4"





SF/PALLET

17

WESTCHESTER BLEND

Also available in the following: (color swatches on pg. 146-147)

Δ

Adobe Blend Bluestone* Crab Orchard Blend Fire Island Blend Golden Brown Blend Oyster Blend

PCS/PALLET LBS/PALLET

1,519



A pleasing 4"x12" garden wall with straight lines and a rear lip connection. This single-sided wall has tapered lines and is perfect for small applications in straight or serpentine walls.





TRAVERTINA*



WESTCHESTER BLEND

IN	Α	4"	12"	8"	3.5	36
10.00	1. 2100	12.76	1			
Hours.	and and	Ste				Also a
100	1 2121	Section of				Also a (color

DEPTH

PCS/SF

WIDTH


HEIGHT

Also available in the following: (color swatches on pg. 146-147) Adobe Blend

Charcoal Fire Island Blend Golden Brown Blend



SF/PALLET



PIERS, COPING, CAPS & STEPS

Nicolock's Piers and Caps provide a decorative finishing touch to any wall system. Choose from a variety of styles and vivid colors to complement your outdoor project.





Mini Colonial Pier

Builds Per Pallet:

One: 24" x 24" x 60" high pier Two: 24" x 24" x 30" high piers



HEIGHT	WIDTH	DEPTH	SF/PALLET	PCS/PALLET	LBS/PALLET
3"	14¾"	9"	40	80	2,620

Also available in the following: (color swatches on pg. 146-147)

Adobe Blend Bluestone* Crab Orchard Blend Fire Island Blend Golden Brown Blend Oyster Blend



CAPPUCCINO BLEND (Mini & 6" only)



CHESAPEAKE BLEND*

GRANITE CITY BLEND



GRAPHITE PEARL BLEND* (Mini & 6" only)



(Mini & 6" only)





WESTCHESTER BLEND

5" Colonial Pier

SF/PALLET

46.6

Builds Per Pallet:

HEIGHT

5"

One: 24" x 24" x 70" high pier Two: 24" x 24" x 35" high piers

WIDTH

14¾"

DEPTH

9"



PCS/PALLET LBS/PALLET

2,849

56

You can also use our 6" and 8" corners to create piers. **Builds Per Pallet:** One: 20" x 20" x 72" H pier

6" Pier



Granite City Blend

HEIGHT	WIDTH	DEPTH	SF/PALLET	PCS/PALLET	LBS/PALLET
6"	8"	12"	24	48	2,164

8" Corner

Builds Per Pallet: One: 27" x 27" x 64" H pier Two: 27" x 27" x 32" H piers

Two: 20" x 20" x 36" H piers



HEIGHT SF/PALLET PCS/PALLET LBS/PALLET WIDTH DEPTH 8" 9" 18" 32 32 2,509

100

Verona Pier

Stonegate[®] Contemporary Pier



Builds Per Pallet:

One: 20" x 20" x 60" high pier or One: 30" x 30" x 30" high pier or Two: 20" x 20" x 30" high piers

ŀ	IEIGHT	WIDTH	DEPTH	SF/PALLET	PCS/PALLET	LBS/PALLET	
Α	6"	16"/14"	10"				
В	6"	12"/10"	10"	30	60	2,800	
С	6"	6"/4"	10"				
D	3"	12"/10"	11"	66 LF	72	2,033	
	A	-	8	۵ 🌍	CAP S SEPAR		
-		Tores					



WESTCHESTER BLEND

	2
Builds Per Pallet:	
Two: 20" x 20" x 48" high piers	

HEIGHT	WIDTH	DEPTH	SF/PALLET	PCS/PALLET	LBS/PALLET
4"	12"	8"	32	96	2,739

Also available in the following: (color swatches on pg. 148-149)


Adobe Blend Bluestone* Charcoal

Crab Orchard Blend Golden Brown Blend Oyster Blend













		1 Acres	4	
	See.	and the second se		Sten 3
A COMPANY	All to	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	1	and and

GRANITE CITY BLEND

GRAPHITE PEARL BLEND*

OCEANIC BLUE*

SOUTH BAY BLEND


York Brown

Belvedere Pier

Corner blocks are used to build the pier; multiple textures provide a random look for your finished project. The matching cap provides the finishing touch as well as additional landscape lighting possibilities. Pier Cap sold separately.

Builds Per Pallet (corner units): One: 24" x 24" x 36" high pier

ŀ	HEIGHT	WIDTH	DEPTH	SF/PALLET	PCS/PALLET	LBS/PALLET
A	3"	15"	9"	24	16	- 1,520
B	6"	15"	9"	27	16	1,520
	0		Cap: 2	2½" x 27" x 2	27"	
					Ros By Nic	
10 11	- Co	2 line	and the second			
	BLUE	STONE		мосна	YORK	BROWN



Claremont Pier

Chiseled, finished corner blocks are used to build the pier. The matching cap provides the finishing touch as well as additional lighting possibilities. Pier Cap sold separately.

Builds Per Pallet (corner units):


One: 30" x 30" x 40" high pier

BLUESTONE

PCS/PALLET LBS/	SF/PALLET	DEPTH	WIDTH	HEIGHT
40 2	33	8"	22"	4"
4"	3" x 34" x 34	🗊 Cap:	State of the	Provide State
Ros				
By Nic				
NYX AND	Constants.	a mile	M. R.	and the second
		1 Alexandre		B David
14	S. S. S. S.	e s		1010
CARL AND AND ADDRESS IN THE OWNER.	R. 1995 M. 10 M. 187	12.50		A STATE OF THE OWNER

мосна

YORK BROWN



Corner blocks are used to build the pier. The cap provides the finishing touch as well as additional landscape lighting possibilities. Pier Cap sold separately.

Builds Per Pallet (corner units):

One: 32" x 32" x 36" high pier

HEIGHT	WIDTH	DEPTH	SF/PALLET	PCS/PALLET	LBS/PALLET
6"	21"	10½"	31.5	24	2,400

Cap: 3" x 34" x 34"

ROSETTA By Nicolock





YORK BROWN

BLUESTONE

МОСНА

Nantucket **Pre Built** Pier



Easy to install, makes one pier. Pier Cap sold separately.

QTY	HEIGHT	WIDTH	DEPTH	LBS/PALLET
1 Pier	35"	24"	24"	250
1 Pier	35"	30"	30"	350

CHOOSE YOUR COLOR:







MOUNTAIN SLATE

NY BLUESTONE

Pier Caps Bluestone

A clean, chiseled stone edge providing a sturdy platform for additional landscape lighting.

HEIGHT	WIDTH	DEPTH
21⁄2"	18"	18"
21⁄2"	20"	20"
3"	24"	24"
3"	26"	26"
3"	27"	27"
3"	28"	28"
3"	30"	30"



BLUESTONE



BROWN



GIRONDE*



YORK BROWN





Contemporary double-sided wall cap with clean lines and a slight chamfer. Perfect for pools, steps, or walls.




Double-sided rustic wall cap with natural stone texture and a slight chamfer. Perfect for pools, steps, or walls.

	HEIGHT	WIDTH	DEPTH	PCS/PALLET	LF/PALLET	LBS/PALLET	
A	2¾"	18"	12"	42	63	1,800	

	1 Dave Party	
BROWN	CHARCOAL	









TRAVERTINA*

(f) paver-shield


Charcoal



Charcoal



Features a hard-split face design on one edge. Suitable for single-sided walls but also compatible with all Nicolock Walls.



Also available in the following: (color swatches on pg. 146-147)

Adobe Blend Charcoal Crab Orchard Blend Fire Island Blend

CAPPUCCINO BLEND

SOUTH BAY BLEND

Golden Brown Blend Hudson Valley Blend Oyster Blend

Offered in a hard-split rock face finish on two sides. Corners can be split into trapezoid shapes suitable for Colonial Wall Systems, but also compatible with any Nicolock Wall.

3"	9"	12½"		40	
3"	12"	12½"		40	
3"	15"	12½"	100	20	5,700
3"	15"	12½"		20	[





GRANITE CITY BLEND GRAPHITE PEARL BLEND*



TRAVERTINA*


CHESAPEAKE BLEND*

re city blend graphi

Also available in the following: (color swatches on pg. 146-147)

Adobe Blend Bluestone* Crab Orchard Blend Fire Island Blend Golden Brown Blend Hudson Valley Blend Oyster Blend





Coastal Cap



Features a smooth texture on two sides with a rounded front. Rectangular shapes and available in two depths. Can be cut for corners. Perfect for walls, steps and pool coping.

Coastal Cap

	HEIGHT	WIDTH	DEPTH	LF/PALLET	PCS/PALLET	LBS/PALLET
A	23⁄8"	24"	12"	96	48	2,700

Coastal Cap Plus

	HEIGHT	WIDTH	DEPTH	LF/PALLET	PCS/PALLET	LBS/PALLET	A
A	2¾"	24"	14"	64	32	2,115	





Granite City Blend

BROWN



CAPPUCCINO BLEND*


CHARCOAL



CHESAPEAKE BLEND*









OCEANIC BLUE*

Also available in the following: (color swatches on pg. 148-149)

Adobe Blend Autumn Blend* Crab Orchard Blend*

Golden Brown Blend Marble Blend* Oyster Blend*



PENNSYLVANIA BLUE**

RAVEN*

SOUTH BAY BLEND*

TRAVERTINA*

WESTCHESTER BLEND

Rockface Multi Cap

Features cast stone texture on two sides. Trapezoid shapes and available in two depths. Compatible with all Nicolock walls.


HEIGHT	WIDTH	DEPTH	LF/PALLET	PCS/PALLET	LBS/PALLE
2"	9"	11½"	11	14	
2"	12"	11½"	14	14	1 0 0 0
2"	15"	11½"	18	14	1,200
2"	15"	11½"	5	4	



Rockface Multi Cap Grande

	HEIGHT	WIDTH	DEPTH	LF/PALLET	PCS/PALLET	LBS/PALLET
Α	2"	9"	14"	11	14	
В	2"	12"	14"	14	14	1 400
С	2"	15"	14"	18	14	1,400
D	2"	15"	14"	5	4	

Sizes not sold separately. Combined 42 LF





GIRONDE*

мосна



Features chiseled stone texture on two sides. Compatible with all Nicolock walls.

	HEIGHT	WIDTH	DEPTH	LF/PALLET	PCS/PALLET	LBS/PALLET
A	2½"	24"	12½"		18	
B	21⁄2"	18"	12½"	61	12	500
С	2½"	19"	12½"		4	
	A	B	Sallar C	END UNIT		SETTA Nicolock
	A	B		and the second s		




Bluestone





Creates the rustic appearance of natural stone and complements our Belvedere Wall.



Rectangular shapes and a dimpled surface give this coping a unique look. Textured edges add a special charm. No spacer lugs needed.

ŀ	IEIGHT	WIDTH	DEPTH	LF/PALLET	PCS/PALLET	LBS/PC	LBS/PALLET	
Α	1½"	18"	12"	30	20	30	600	
В	1½"	19 "	12"	30	20	30	600	
С	1½"	12"	12"	N/A	N/A	12	N/A	
D	1½"	18"	18"	N/A	N/A	18	N/A	
Size	es sold separate	ły					······	
	A		B) C <	OUTSIDE	INSIDE CORNER		
					CORNER	INDIDE CONNER		
			and the second	the second				
AUTUMN COTS	WOLD	BLUEST	ONE	GIRONDE	*	мосна	YORK BR	OWN

Flat surface with natural travertine markings. Fullnose on one side. Inside and outside corners available .

	HEIGHT	WIDTH	DEPTH	SF/PALLET	PCS/PALLET	LBS/PC	LBS/PALLET
A	1½"	24"	12"	30	15	-	493
В	1½"	12"	12"	N/A	N/A	12	N/A
С	1½"	18"	18"	N/A	N/A	18	N/A
ŝ	izes sold separat	tely					





Old Town Coping



Gironde



Thermal & Fullnose Treads



These treads have a chiseled stone edge treatment on three sides making them the perfect finishing touch to any wall, step or pool coping. A Thermal finish top surface gives them a smooth texture.

HEIGHT	WIDTH	DEPTH	PCS/PALLET	LBS/PC	LBS/PALLET
A 2"	51"	14"	13	118	1,810
B 2"	64"	14"	13	147	2,245
C 2"	74"	14"	13	165	2,515

Sizes sold separately







BLUESTONE

BROWN

GIRONDE*

These classic treads offer a flamed or rounded stone edge treatment with a thermal finish top surface. Six sizes make it easy to fit your design. Perfect for walls, steps and pool coping.

	HEIGHT	WIDTH	DEPTH	PCS/PALLET	LBS/PC	LBS/PALLET
A	2"	48"	12"	15	96	1,490
B	2"	60"	12"	15	120	1,850
С	2"	72"	12"	15	143	2,200
D	2"	48"	14"	15	118	1,815
E	2"	60"	14"	15	147	2,250
F	2"	72"	14"	15	165	2,515

Sizes sold separately

Fullnose Treads offered **ONLY** in 14" depth



BLUESTONE





BROWN

GIRONDE*



6x12 Fullnose


Surround your pool or create sturdy steps. 6x12 Fullnose p avers come in a wide variety of colors. Rectangular in shape and a smooth surface gives this coping a unique look. Rounded edges add a special charm. No spacer lugs needed.

	HEIGHT	WIDTH	DEPTH	PCS/LF	LF/PALLET	PCS/PALLET	LBS/PALLET	Α
A	23⁄8"	6"	12"	2	104	208	2,566	

*8x12 Fullnose available for special order in Charcoal & Granite City Blend

Also available in the following:	
(color swatches on pg. 142-145)	

Adobe Blend Autumn Blend* Crab Orchard Blend* Fire Island Blend Golden Brown Blend Oyster Blend* Red



BROWN



OCEANIC BLUE*



CAPPUCCINO BLEND*



PENNSYLVANIA BLUE**



CHARCOAL



CHESAPEAKE BLEND*



SOUTH BAY BLEND*



GRANITE CITY BLEND



TRAVERTINA*





WESTCHESTER BLEND

PIERS, COPING, CAPS & STEPS

Irregular Steps

Our Irregular Steps will give a magnificent appearance that's indistinguishable from natural stone. They have a uniform rise that is both safe and comfortable. Irregular sizes lend a rustic sophistication to your landscape.

ł	HEIGHT	WIDTH	DEPTH	UNITS/BUNDLE	LBS/PC	LBS/PALLE
A	7"	54"	24"		458	
B	7"	60"	24"		600	
С	7"	42"	17"		349	
D	7"	48"	28"	6	567	2,962
Ε	7"	42"	26"		476	
F	7"	48"	24"		512	

Sizes not sold separately

OSETTA

By Nicolock





OYSTER BLEND*





Smooth top with a textured finish, the Roma Step provides transition and functionality to your hardscape design.

	HEIGHT	WIDTH	DEPTH	PCS/PALLET	LF/LAYER	LBS/PALLET		
A	6"	48"	18"	6	8	2,250	A	








TRAVERTINA*



GRANITE CITY BLEND WESTCHESTER BLEND



Rockface Steps

Makes a 6" change in elevation with a single unit. Thermal finish top surface with chiseled stone edge treatment on three sides.



20

WERE STO



BLUESTONE

BROWN

	HEIGHT	WIDTH	DEPTH	PCS/PALLET	LBS/PC	LBS/PALLET	
Α	6"	51"	16"	6	365	4,745	
В	6"	64"	16"	6	455	5,915	6
С	6"	74"	16"	6	545	7,085	-
	zes sold separa					••••••	




Bluestone

GIRONDE*

Stepping Stones





Effective in protecting lawns from traffic. Create winding paths across gravel	,
mulch or grass.	

HEIGHT	WIDTH	DEPTH	PCS/PALLET	LBS/PC	LBS/PALLET	
A 1½"	22"	16½"	20	37	777	A
		2				
				1000	1	and the
100			A STAL	38		
AUTUMN	COTSWOL		BLUEST			GIRONDE*
AUTOMIN			BLUESI		8.	GIRONDE
				Real Providence		
			Contraction of the second			
LIL	.AC*		YORK BR	OWN		

Create an authentic, rustic feel with a cut-log look. Create winding paths across gravel, mulch or grass.

	HEIGHT	WIDTH	DEPTH	PCS/PALLET	LBS/PC	LBS/PALLET	
A	1½"	24"	10"	20	23	483	A



RUSTIC BROWN

Stay warm year-round with our FIRE PITS & FIREPLACES

WOOD

The Standard Wood option is for fire lovers who appreciate the full aesthetics of burning wood. Choose your coping option for added height.

SMOKE-LESS WOOD

A unique double-wall design results in smoke reduction. When a fire is burning, the walls heat up, hot air rises and exits the wall cavity through the line of holes around the rim. This pressurized, heated oxygen mixes with the smoke and causes it to reburn, reducing smoke.



Granite City Blend

Whether you prefer propane or natural gas, each ignition type includes everything you need to experience season-round enjoyment day or night. Packages include the vent kit for all ignition systems and control panels for MT, TPSI and AWS options.

AND THE TRUMPLING






	OUTSIDE DIAMETER	HEIGHT	LBS/PALLET	
A WITHOUT COPING	48"	16"	1,350	
B WITH COPING	51½"	19"	1,714	







SOUTH BAY BLEND

Also available in the following: (color swatches on pg. 146-147)

Adobe Blend Bluestone* Crab Orchard Blend Fire Island Blend Golden Brown Blend Oyster Blend



WESTCHESTER BLEND

COPING **OPTIONS:**

TRAVERTINA*

BLUESTONE





GAS	Full Pallet Wall Stone & Coping	Lava Rocks ² (min qty)	Match Throw Burner Kit	TPSI Burner Spark Ignition Kit	TFS Burner w/ remote	Deluxe Brass Match Throw	Deluxe Brass AWS
*Deluxe Match Throw ¹	0	0	0				
*Deluxe Spark TPSI ¹	0	0		0			
Deluxe Remote TFS**	0	0			0		
Deluxe Brass Match Throw**	0	0				0	
Deluxe Brass AWS**	0	Ø					0

Vent kit included with all ignition systems.

*Control panel included

¹Includes NG to LP Piece

²Lava Rock supplied is minimum quantity needed. Must add additional or glass for finish

**Must be ordered with natural gas or liquid propane

Serafina Fire Pit




CHOOSE YOUR WOOD OR GAS PACKAGE:

	1				
	Full Pallet Wall Stone	Round Insert	Smoke-less Metal Insert	Smoke-less Stainless	Rockface
WOOD				Steel Insert	Coping
		\mathbf{O}		9	0
Wood Standard 1	0	0			
Wood Standard 2	Ø	0			0
SMOKE-LESS					
Smoke-Less 1	0		0		
Smoke-Less 2	0		O		0
Smoke-Less 3	0			0	
Smoke-Less 4	O			0	0

Belvedere Fire Pit


What better way to enjoy your outdoor living area than to gather together around this cozy Belvedere Fire Pit with your loved ones. The natural textures and colors of the Belvedere seamlessly fit together with every Nicolock stone.





BLUESTONE





Bluestone







WOOD	Half Pallet Wall Stone	Round Insert	Smoke-less Metal Insert	Smoke-less Stainless Steel Insert	Belvedere Coping
Wood Standard	0	0			0
SMOKE-LESS			<u></u>		
Smoke-Less 1	0		0		0
Smoke-Less 2	0			Ø	0

GAS	Half Pallet Wall Stone	Lava Rocks ² (min qty)	Match Throw Burner Kit	TPSI Burner Spark Ignition Kit	TFS Burner w/ remote	Belvedere Coping
*Deluxe Match Throw¹	0	0	0			0
*Deluxe Spark TPSI¹	0	0		0		0
Deluxe Remote TFS**	0	0			0	0

Vent kit included with all ignition systems. Control panel included. Brass options available. ¹Includes NG to LP Piece

²Lava Rock supplied is minimum quantity needed. Must add additional or glass for finish. **Must be ordered with natural gas or liquid propane

Verona Fire Pit

Complement your patio with the sleek look of the Verona Fire Pit. Add warmth to your backyard in any season! An easy fire pit to install, the Verona Fire Pit will fit in with any backyard or patio design.

	LENGTH	WIDTH	HEIGHT	LBS/PALLET	B
A WITHOUT COPING	43½"	43½"	16"	1,312	The Party of the P
B WITH COPING	48"	48"	18"	1,600	- Q. S.



OCEANIC BLUE*

WESTCHESTER BLEND

COPING **OPTIONS:**

Coping

O

6

 (\square)

Half Pallet

Wall Stone

 \square

0

Westchester Blend





GRAPHITE PEARL BLEND*





TRAVERTINA*

Also available in the following: (color swatches on pg. 148-149)

Adobe Blend Bluestone* Charcoal

BLUESTONE

Lava Rocks²

(min qty)

0

0

0

Match

Throw

Burner Kit

0



SOUTH BAY BLEND

BROWN

TPSI Burner

Spark

Ignition Kit

0



TFS

Burner

w/

remote

681

0



GIRONDE*

Vent kit included with all ignition systems. Control panel included. Brass options available. ¹Includes NG to LP Piece ²Lava Rock supplied is minimum quantity needed. Must add additional or glass for finish **Must be ordered with

natural gas or liquid propane

CHOOSE	YOUR	WOOD	OR	GAS	PACKAG	E:

WOOD	Half Pallet Wall Stone	Square Insert	Smoke-less Metal Insert	Smoke-less Stainless Steel Insert	Coping	
Wood Standard 1	0	0				
Wood Standard 2	0	0			0	GAS
SMOKE-LESS						
Smoke-Less 1	0		0			*Deluxe
Smoke-Less	0		0		0	Match Throw ¹
2	<u> </u>		<u> </u>			*Deluxe
Smoke-Less 3	O			0		Spark TPSI ¹
Smoke-Less 4	0			0	0	Deluxe Remote TFS**

117

Ovation Fire Pit

Every season is the season for the Ovation. Easily installed, the Ovation can create warmth and ambiance at your home tonight! Choosing your package is easy. Start by selecting your burn type (Wood, Smoke-Less or Gas), then select from our various options.

		BASE	TOP	HEIGHT	LBS/PALLET
A B	WITHOUT TOP WITH TOP	40" DIAMETER		18" 19½"	345

LEDGE STONE



*Barn Wood texture available in Rustic Brown (color shown in texture swatch) and Weathered Wood colors. Stone textures available in Biscotti Tan, Mountain Slate and NY Bluestone colors.

CHOOSE YOUR TEXTURE:







STACKED STONE

BARN WOOD*

CHOOSE YOUR COLOR:





BISCOTTI TAN

MOUNTAIN SLATE NY BLUESTONE

WEATHERED WOOD







Vertical Panel Technology is the smart alternative to block and stone masonry. Reinforced concrete panels and an easy installation process makes constructing outdoor living spaces quick and affordable.

This technology enables you to choose the texture, profile and color palette to fit the natural landscape of any backyard or outdoor setting. Reduce

material waste and environmental impact, while delivering the highest quality vertical masonry structures.

	Leage
-	
Smoke-less Stainless Steel	2 Panels and

WOOD	2 Panels and Connectors	Тор	Insert	Metal Insert	Stainless Steel Insert
Wood Standard	0	0	0		
SMOKE-LES	S				
Smoke- Less 1	0	0		0	
Smoke- Less 2	0	0			Ø

Round

Smoke-less



Vent kit included with all ignition systems. Control panel included. Brass options available. *Control panel included

¹Includes NG to LP Piece

²Lava Rock supplied is minimum quantity needed. Must add additional or glass for finish **Must be ordered with natural gas or liquid propane





CHOOSE YOUR WOOD OR GAS PACKAGE:

Stone-Face

Celebrate every season year after year with the Encore Fire Pit! Anywhere you install it, the Encore will quickly become the favorite place for your family and friends to gather. Choosing your package is easy. Start by selecting your burn type (Wood, Smoke-less or Gas), then select from our various options.

	BASE	TOP	HEIGHT	LBS/PALLET	
A WITHOUT TOP	40" x 40"	44" x 44"	18"	. 400	E
B WITH TOP			19½"	400	臣



В

Biscotti Tan Ledge Stone

*Barn Wood texture available in Rustic Brown (color shown in texture swatch) and Weathered Wood colors. Stone textures available in Biscotti Tan, Mountain Slate and NY Bluestone colors.

CHOOSE YOUR TEXTURE:







LEDGE STONE



CHOOSE YOUR COLOR:

MOUNTAIN SLATE





NY BLUESTONE

WEATHERED WOOD







BROWN

VERTICAL PANEL TECHNOLOGY

Vertical Panel Technology is the smart alternative to block and stone masonry. Reinforced concrete panels and an easy installation process makes constructing outdoor living spaces quick and affordable. This technology enables you to choose the texture, profile and color palette to fit the natural landscape of any backyard or outdoor setting. Reduce

material waste and environmental impact, while delivering the highest quality vertical masonry structures.



Encore Fire Pit



CHOOSE YOUR WOOD OR GAS PACKAGE:


WOOD	4 Panels and Connectors	Stone-Face Top	Square Insert	Smoke-less Metal Insert	Smoke-less Stainless Steel Insert
Wood Standard	0	0	0		
SMOKE-LESS					
Smoke-Less 1	0	0		0	
Smoke-Less 2	0	0			0

Stone-Face **TFS Burner** 4 Panels **TPSI Burner** Match Throw Lava and Тор Spark Ignition Kit w/ remote Rocks² Burner Kit Connectors Kit (min qty) GAS 181 *Deluxe 10 Match Throw¹ *Deluxe 1 Spark TPSI¹ Deluxe 0 10 1 197 Remote TFS** Vent kit included with all ignition systems. Control panel included. Brass options available.

*Control panel included

¹Includes NG to LP Piece

²Lava Rock supplied is minimum quantity needed. Must add additional or glass for finish **Must be ordered with natural gas or liquid propane



SG Grande Fire Pit

Α TOP HEIGHT LBS/PALLET LENGTH WIDTH HEIGHT A 62¼' $1\frac{1}{4}$ " 3,500 40' 24"

INCLUDES:

- 30 SF Stonegate[®] Wall
- 44" x 66" Granite Top
- 1 NPS 14" x 20" Access Door w/ Vents
- 1 Paver Vent 6LNTS
- 1 TPSI-LPK #35
- 1 Paver CP-TPSI
- 1 LOF-3612HTPSI-N (12" x 36" linear burner)
- Lava Rocks



SG Linear Fire Pit

LENGTH	WIDTH	HEIGHT	TOP HEIGHT	LBS/PALLET	A
A 52¼"	30"	18"	1¼"	3,200	1

INCLUDES:

30 SF Stonegate[®] Wall 34" x 56" Granite Top 1 Paver Vent 6LNTS 1 TPSI-LPK #35 1 Paver CP-TMSI/TPSI 1 LOF-30HTPSI-N (10" x 30" linear burner) Lava Rocks





CHESAPEAKE BLEND*



SOUTH BAY BLEND



TRAVERTINA*

GRANITE TOP

Caledonia



GRAPHITE PEARL BLEND*



WESTCHESTER BLEND



OCEANIC BLUE*

Also available in the following: (color swatches on pg. 148-149)

Adobe Blend Bluestone* Charcoal Crab Orchard Blend Golden Brown Blend Oyster Blend

VERTICAL PANEL TECHNOLOGY

Biscotti Tan Brickface



Α LENGTH WIDTH HEIGHT TOP HEIGHT LBS/PALLET

Triumph Fire Pit





GRANITE TOP

Caledonia

CHOOSE YOUR TEXTURE:



BRICKFACE STACKED STONE

CHOOSE YOUR COLOR:





BISCOTTI TAN

NY BLUESTONE*

*Harbor Gray not available in Stacked Stone. NY Bluestone not available in Brickface.




LIDS | ROUND AND SQUARE

MODEL	DIMENSIONS	DESIGNED TO FIT		
Round LID-19R2*	22¾" Diameter x ‰" H - lid height 2" with handle	Ovation Gas		
Round LID-29R2*	32½" Diameter x 5%" H - lid height 2" with handle	Ovation Gos or Serafina Gas		
Square LID-20S	22¼" W x %" H - lid height 2" with handle	Encore Gas		
Square LID 26S	28¼" Diameter x 5%" H - lid height 2" with handle	Verona & Encore Wood or Gas		
LID-LUME29R	27" Diameter x 1¼" H - lid height with handle	Serafina Wood		
LID-LUME34R	32" Diameter x 1¼" H - lid height with handle	Belvedere Wood		

SPARK SCREENS

MODEL	DIMENSIONS	DESIGNED TO FIT
Square 770 Black	30" Screen (30" x 12")	Verona & Encore
Round 775 Black	30" Screen (30" x 15")	Serafina & Ovation
Round 775 Stainless Steel	30" Screen (30" x 15")	Serafina & Ovation
Round 781 Black	39" Screen (39" x 18")	Belvedere
Round 24SS	24" Screen Stainless Steel	N/A



MATCH THROW

~	Ţ

AVAILABLE IN ROUND AND SQUARE







Mined from the earth, these dark rocks contrast beautifully against a bright flame. Each rock is approximately 1" to 2" in diameter. 10lb bag / 50lb bag



LAVA STONE

Made from tumbled lava rock, these

stones lend a casual elegance. Each

stone is approximately

1" to 2" in diameter 40lb bag









FIREGEAR

Nicolock is a master Firegear distributor. Please visit Firegearoutdoors.com for a complete selection of products.



GLASS

REFLECTIVE	Mirror finish broken reflective. Approx. 1/2" to 3/4" in size	10lb jug
BROKEN	Large broken. Approx. 1/2" to 3/4" in size	10lb jug

BROKEN GLASS COLORS

CARIBBEAN

COLA

CRYSTAL

PEPPER











Sanctuary 1



Sanctuary 2



Sanctuary 3



FEATURES

FEATURES

- Ignition Systems: AWS or TPSI
- Dimensions: 56" W x 16" H x 38" D
- Outdoor GFRC Fire Table (430 lbs. Table Only)
- Choose between Natural Gas (NG) and Propane (LP)
- Natural Gas: 65,000 Btu's Includes weather cover
- Includes weather cove



ARCTIC

CHOCOLATE


AWS IGNITION











FEATURES


- Ignition Systems: MT, TPSI or AWS
- Dimensions: 30" Diameter x 14 1/4" H
- Outdoor GFRC Fire Bowl (112 lbs. Bowl Only)
- AWS & MT ship as Natural Gas (NG) or Propane (LP)
- TPSI ships as Natural Gas (NG)
- Liquid Propane (LP) conversion kits sold separately
- Natural Gas: 65,000 Btu's (MT units: 75,000 Btu's)
- Includes weather cover

. .__ __ _

- Ignition Systems: MT, TPSI or AWS
- Dimensions: 39" Diameter x 18" H
- Outdoor GFRC Fire Bowl (222 lbs. Bowl Only)
- AWS & MT ship as Natural Gas (NG) or Propane (LP)
- TPSI ships as Natural Gas (NG)
- Liquid Propane (LP) conversion kits sold separately
- Natural Gas: 65,000 Btu's (MT units: 75,000 Btu's)
- Includes weather cover



RAVEN



Cowboy Cauldron

ALSO AVAILABLE:

The Wrangler



36 IN. DIAMETER / 130 LB. BASIN



42 IN. DIAMETER / 220 LB. BASIN

Say "Howdy!" to the Cowboy Cauldron –the world's finest fire pit and grill.™ And possibly the coolest thing you ever did see. Channel your inner wrangler and treat your family and friends to endless entertainment and moments of meaningful interaction with one of these beautiful, versatile, and durable cauldrons. Each Cowboy Cauldron is painstakingly built by hand from solid plate steel and functions as a combination of fire pit, grill, and cooking vessel. It's built to outlive you and last for generations to come. Whatever your lifestyle, there is a cauldron that fits it. You can take it to campgrounds, beaches, lakeshores, ski hills, tailgate parties, in the RV, and to other places where adventure awaits. Or settle it into your backyard and let the fun begin as your favorite people gather 'round it. Be forewarned…you're gonna need more chairs! Happy trails…



COWBOY CAULDRON CO.

The $\text{Dude}^{\texttt{®}}$

This smaller cauldron is huge on adventure. It is lightweight, convenient, mobile, and affordable with segmented legs for easier transport. Its 24", 35 lb. basin brings the heat and draws the crowds wherever it goes – camping, tailgate parties, ski hills, the beach, or on your patio. Scaled to fit almost any lifestyle. You'll wonder how you ever lived without it.

FEATURES:

Solid Steel Construction Segmented, 2-Piece Legs Use as Fire Pit, Grill, or Cooking Vessel

INCLUDED:

Cauldron Basin Tripod Frame Suspension Chain Charcoal Grate Cooking Grill Rain Cover



The Urban Cowboy

The most versatile cauldron. Its 30" basin provides your crew with plenty of warmth to extend your outdoor life by weeks in the fall and spring. More than a cozy heat source, this cauldron really shines as a grill and cook pot--adding a western flair, a haunting vibe, or a touch of sophistication to any gathering at home or on the road. Though slightly larger, one person can still easily transport it, so you don't have to leave home without it.

FEATURES:

Solid Steel Construction Perfectly Proportioned Multipurpose Fire Pit, Grill, Cooking Vessel

INCLUDED:

Cauldron Basin Tripod Frame Suspension Chain Charcoal Grate Cooking Grill Rain Cover

24 IN. DIAMETER / 35 LB. BASIN



Fireplace with Verona Wall

LENGTH WIDTH HEIGHT LBS/PALLET



INCLUDES:


- 6 Pallets of Verona WallCast Concrete Fireplace opening surround
- Cast Concrete Fireplace opening surround
- Wood burning fireplace inset with single piece, brushed stainless face, stainless mesh screens with hidden pockets

Α

- Round top cap with mesh screen
- Realistic textured brick liner in natural white, EZ access damper & gas log ready feature
- 4 concrete lintels
- Double wall flue pipe
- Pre-cast concrete medallion

Gather 'round the fire day or night! Complement your patio with the sleek look of the Fireplace with Verona Wall. Add warmth to your backyard in any season! Contains everything you need to construct this stunning fireplace.







GRANITE CITY BLEND



GRAPHITE PEARL BLEND*



OCEANIC BLUE*



SOUTH BAY BLEND



WESTCHESTER BLEND



TRAVERTINA*

Also available in the following: (color swatches on pg. 148-149)

Adobe Blend Bluestone* Charcoal Crab Orchard Blend Golden Brown Blend Oyster Blend









BLUESTONE

GIRONDE*

NE BROWN



Mini Fireplace with Verona Wall



A smaller version of the Fireplace with Verona Wall but just as awesome! Enjoy the warmth all year round. Extend your outdoor living season with a toasty fire anytime!



CHESAPEAKE BLEND*



GRANITE CITY BLEND

OCEANIC BLUE*



GRAPHITE PEARL BLEND*



SOUTH BAY BLEND


WESTCHESTER BLEND



Also available in the following: (color swatches on pg. 148-149)

Adobe Blend Bluestone* Charcoal Crab Orchard Blend Golden Brown Blend Oyster Blend

125



A compact version of the Fireplace with Verona Wall with all of the fire power! Enjoy all year long!



CHESAPEAKE BLEND*



GRANITE CITY BLEND



OCEANIC BLUE*



GRAPHITE PEARL BLEND*






WESTCHESTER BLEND

Also available in the following: (color swatches on pg. 148-149)

Crab Orchard Blend Golden Brown Blend Oyster Blend

Jr Fireplace with Verona Wall



TRAVERTINA*

Adobe Blend Bluestone* Charcoal



Kalea Bay Fireplace


Perfect for entertaining or when you desire a place to retreat, relax and reconnect. Available in single-sided and see-through configurations.

SINGLE SIDED KALEA BAY INCLUDES:

- 1-42" high x 84" wide with cut out
- 1-42" high x 84" wide panel (no cut out)
- 2- 42" high x 17" wide side panel
- 4- 42" high structural corner units, smooth
- 1- Cast Stone top (24½" x 91½")
- 1- 48" Kalea Bay Fireplace insert with black crushed glass

	LENGTH	WIDTH	HEIGHT	LBS/PALLET
WITHOUT TOP	87"	19½"	42"	750
WITH TOP	91½"	24½"	43½"	750





- 2- 42" high x 84" wide with cut-out
- 2- 42" high x 17" wide side panel
- 4- 42" high structural corner units, smooth
- 1- counter top (24½" x 91½")

Α

В

1- 48" Kalea Bay Fireplace insert with black crushed glass

Non LED

*Must order burner see thru conversion part #78010 separately **Remote available, must order part #RCAF-3TX separately

CHOOSE YOUR COLOR:





BISCOTTI TAN

MOUNTAIN SLATE







BROWN

*Only offered in Ledge Stone texture

VERTICAL PANEL TECHNOLOGY

*Please order gas specific LP/NG

dine OUTDOORS

Patios and poolscapes really pop with the crowning touch of one of Nicolock's spectacular dining options. Give yourself the gift of year-round expanded living space and endless memory-making moments. No matter what size your outdoor space is, Nicolock has a package that will take it to the next level.

4.44%

Choose from our pre-designed packages or customize your dream outdoor culinary space.

Graphite Pearl Blend



Cook up a feast on the Grill Island Deluxe with Verona Wall! A granite countertop and pro grill make this the perfect addition to your backyard patio.



CHESAPEAKE BLEND*



GRAPHITE PEARL BLEND*



GRANITE CITY BLEND



OCEANIC BLUE*



SOUTH BAY BLEND

Also available in the following: (color swatches on pg. 148-149)

TRAVERTINA*

Adobe Blend Bluestone* Charcoal Crab Orchard Blend Golden Brown Blend Oyster Blend

GRANITE TOP



Caledonia

Grill Island Deluxe with Verona Wall

	LENGTH	WIDTH	HEIGHT	LBS/PALLET	
A WITHOUT TOP	79"	32"	36"	6 500	
B WITH TOP	82"	36"	37¼"	6,500	

INCLUDES:

- 2 Pallets of Verona Wall
- 32" Sizzler Pro Grill cutout dimensions: 30%" (W) x 8½" (H) x 20¾" (D)
- Double-lined roll top hood
- 740 sq in. Stainless steel cooking grates, warming rack, drip pan
- Illuminated control knobs
- 14" x 20" Single Access Door cutout dimensions: 14¼" (W) x 19¼" (H) x n/a (D)
- Granite counter top included, covers 12 sq. ft of area
- Concrete Lintels






specific LP/NG

COUNTERTOP IS 11/4" IN HEIGHT KIT ALSO AVAILABLE WITHOUT **GRANITE TOP**



WESTCHESTER BLEND





"L" Shaped Kitchen with Verona Wall

Nothing beats firing up that steak year-round with your "L" Shaped Kitchen with Verona Wall! These hardwearing units include a stainless steel grill, stainless steel refrigerator, six-piece granite countertops and lintel. Customize for maximum enjoyment with the many accessories offered!

COUNTERTOP IS 11/4" IN HEIGHT KIT ALSO AVAILABLE WITHOUT **GRANITE TOP**

*Please order gas specific LP/NG



- 4 Pallets of Verona Wall
- 6 Piece Granite Tops
- 14" x 20" Single Access Door cutout dimensions: 14¼" (W) x 19¼" (H) x n/a (D)

GRILL SIDE

B REFRIGERATOR SIDE

- 30" Double Access Door cutout dimensions: 30¼" (W) x 19¼" (H) x n/a (D)
- 38" Stainless Steel TRL Grill
- 21" Standard Refrigerator cutout dimensions: 20 ½"(W) x 33"(H) x 24"(D)
- 15" Sink cutout dimensions: 14%"(W) x n/a (H) x 14%" (D)
- Refrigerator Trim Kit cutout dimensions: 20¾" (W) x 33½" (H)

Α

Concrete Lintels





LENGTH INSIDE LENGTH OUTSIDE

128"

119"

96"

87"



WIDTH

32"

32"

GRANITE TOP

Caledonia



CHESAPEAKE BLEND*

GRANITE CITY BLEND

GRAPHITE PEARL BLEND⁴

OCEANIC BLUE*

SOUTH BAY BLEND

WESTCHESTER BLEND

Golden Brown Blend

Also available in the following:

(color swatches on pg. 148-149)

В

Adobe Blend

Oyster Blend

Crab Orchard Blend

Golden Brown Blend

Bluestone*

Charcoal

HEIGHT LBS/PALLET

12,000

36"

40"



IMPERIAL Oven Only Option Available 304 stainless steel Black top Pizza Refractory brick floor Peel Removable door with wood handles Thermostat Opening: 17%" Cleaning Fits a 16" Pizza Brush DUKE **Oven Only Option** All-Weather 304 stainless steel Cover Black top Refractory brick floor Removable door with wood handles Outside oven: 21" x 30¾" Inside oven: 18" x 271/4" Opening: 15" Fits a 12" personal pizza INCLUDES: 2 Pallets of Verona Wall 1- 30" Combo (2 drawer/1 door) enclosure cutout dimensions: 30¼"(W) x 19¼" (H) x 20 ¾" (D) 3 - 4" Wetcast Tops Pizza Peel **OPTIONAL WOOD** Cleaning Brush BOX AVAILABLE All-Weather Cover 28" W Cast Stone top Imperial Wood Fired Oven Concrete Lintel 28[']" H 24" D DIMENSIONS WITHOUT TOP **TOP OPTIONS: GIRONDE*** BLUESTONE BROWN

Wood Fired Oven with Verona Wall

Dazzle everyone with an outdoor pizza oven! Cook up delicious pizza and a whole lot more! Leave the kitchen and cook outdoors!

Also available in the following: (color swatches on pg. 148-149)

Adobe Blend Bluestone* Charcoal





Crab Orchard Blend

Golden Brown Blend

Oyster Blend





INSIDE OVEN

OUTSIDE OVEN

TOP

BASE

OVERALL HEIGHT WITHOUT TOP

OVERALL HEIGHT WITH TOP

LBS/PALLET

291/2" x 321/2"

33½' x 38¼"

49" x 49"

44" x 44"

99"

103"

7,500

ACCESSORIES INCLUDED:



TRAVERTINA*

DUTDOOR DINING

WESTCHESTER BLEND



CHESAPEAKE BLEND*

GRANITE CITY BLEND

GRAPHITE PEARL BLEND*

OCEANIC BLUE*

SOUTH BAY BLEND



CHOOSE YOUR TEXTURE:







STACKED STONE

CHOOSE YOUR COLOR:







BISCOTTI TAN

MOUNTAIN SLATE

NY BLUESTONE



*Barn Wood texture available in Rustic Brown (color shown in texture swatch) and Weathered Wood colors. Stone textures available in Biscotti Tan, Mountain Slate and NY Bluestone colors.

WEATHERED WOOD



Nantucket Kitchen Island

We are changing the way outdoor kitchens are built. Engineered stone panels make it possible to have the outdoor kitchen of your dreams in one day. This system gives you the flexibility of using our grill and door combinations or you can customize with other accessories. You can choose the design, colors and stone profile of your outdoor kitchen to perfectly fit the rest of your landscape and your home.

WITHOUT TOP	35" x 84" x 41"
WITH TOP	36½" x 86" Horizontal
LBS/PALLET	1,000





PACKAGE A INCLUDES:


- 1 Back panel 1 Front panel
- 4 Corners
- 2 End panels (sides)
- Top
- Drop cloth/sheet protector
- 32" Sizzler Pro Grill cutout dimensions: 30%" (W) x 8½" (H) x 20¾" (D) ■ 30" Double Access Door • cutout dimensions: 30¼" (W) x 19¼" (H) x n/a (D)
- 1 Strap
- 2 Tubes of adhesive
- **Package A comes with cut outs




A. 6

PACKAGE B INCLUDES:

- 2 Horizontal panels
- 4 Corners
- 2 End panels (sides) 📕 Тор
- Drop cloth/sheet protector
- 1 Strap
 - 2 Tubes of adhesive
















OUTDOOR DINING

Outdoor Dining Packages

Great cooking performance, innovative features and purposeful design allow you to enjoy more time outdoors. Each stainless steel package option provides everything you need to cook like a pro: grill, burner, refrigeration and storage. Build your kitchen using any Nicolock wall or create a kitchen using the natural stone of your choice.



305/s"(W) x 81/2"(H) x 203/4"(D) 201/2"(W) x 331/4"(H) x 20"(D) 301/4"(W) x 191/2"(H) x 203/4"(D)

*Please order gas specific LP/NG for all Kitchen Packages

10³/₄"(W) x 8"(H) x 20³/₄"(D)



Segmental Kitchen Systems

The Sierra



INCLUDES: 3 Drawer Cabinet Cold Storage Cabinet 48" Grill Cabinet

(2) End Panel Cabinets Trash Drawer / LP Cabinet

The Lexington



INCLUDES: 3 Drawer Cabinet Cold Storage Cabinet 48" Grill Cabinet (2) End Panel Cabinet 6" Filler Cabinet 12" Filler Cabinet Trash Drawer / LP Cabinet Universal Corner Cabinet

below, to create

Sink Cabinet Trash Drawer / LP Cabinet Universal Corner Cabinet

Create your customized outdoor dining area the way you envision it. Use our Segmental Kitchen Systems to create grill islands, kitchens, bar spaces and much more. Possibilities are endless when you choose from a variety of cabinet options and stainless appliances.





The Ultimate



INCLUDES: 3 Drawer Cabinet Cold Storage Cabinet 48" Grill Cabinet 48" Door / Drawer Cabinet (2) End Panel Cabinets

6" Filler Cabinet 12" Filler Cabinet Trash Drawer / LP Cabinet (2) Universal Corner Cabinets

Use one of our 3 combinations above, or choose multiple pieces below, to create your custom look: 3 Drawer Cabinet End Panel Cabinet Sink Cabinet

6" Filler Cabinet

12" Filler Cabinet

Side Burner Cabinet

Power Burner Cabinet

3 Drawer Cabinet Cold Storage Cabinet 48" Grill Cabinet 54" Grill Cabinet 48" Door / Drawer Cabinet



Dimplex Outdoor Heaters

Dimplex DLW Series Outdoor/Indoor Radiant Heater, White DLW3200W24



- Effective radiant heat that warms like the sun, heating people and objects with zero glare
- Silent, maintenance free operation
- IP 55 rated, weather-proof construction allows year-round enjoyment
- Designed for permanent hardwired installations
 on a dedicated 240V circuit

Dimplex Indoor/Outdoor Electric Infrared Heater, 240V 2000W DSH20W



- IP65 rating for indoor and outdoor applications
- 1, 2 and 3 hour delay timer
- 8 hour auto shutoff safety mechanism
- 3 second maximum heat up time

Dimplex DLW Series Outdoor/Indoor Radiant Heater, Black DLW2400B24



- Effective radiant heat that warms like the sun, heating people and objects with zero glare
- Silent, maintenance free operation IP 55 rated, weather-proof construction allows
- year-round enjoyment Designed for permanent hardwired installations on a dedicated 240V circuit

Dimplex DIRP Outdoor/Indoor Infrared Heater, Plug-in Model, 120V, 1500W DIRP15A10GR



- Nextrema® Schott glass ensures even heat distribution and minimizes light emissions Corrosion resistant anodized aluminum and 304 stainless steel makes this product suitable for
- all climates • Three temperature settings - 600W (low), 1050W (med), 1500W (high) for maximum comfort
- Produces full heat in as little as 6 second maximum

Dimplex Outdoor Portable Infrared Propane Heater, 31,500 BTU DGR32PLP



- Powerful, stylish and portable heat for outdoor areas
- Heat on demand when and where you need it
- Durable stainless steel construction
- Advanced safety features including world class wind protection up to 9.9 Mph/16 km/hr.

*Must order both DGR32PLP-HEAD & DGR32PLP-STAND

Dimplex Outdoor/Indoor Electric Infrared Heater DIR15A10GR



- Nextrema[®] Schott glass ensures even heat distribution and minimizes light emissions
- non-porous surface and attractive design
 Instant Heat: Ruby halogen bulb provides full power in under 8 seconds
- Waterproof: IP65 rated for outdoor or indoor use
- Corrosion Resistant: Anodized aluminum casing provides long life and suitable for all climates

Dimplex Outdoor Wall-mounted Natural Gas Infrared Heater, 31,500 BTU DGR32WNG



- Powerful, stylish and space-saving heat for outdoor areas
- Heat on demand when and where you need it
- Durable stainless steel construction
- Advanced safety features including world class wind protection up to 9.9 Mph/`6 Kph

Dimplex Indoor/Outdoor Electric Infrared Heater, Permanent Location Floor Stand DSHSTAND



- Ability to tilt heater(s) for optimal heat exposure Corrosion resistant anodized aluminum and 304 stainless steel makes this product suitable for
- all climates All hardware included
- Quick and easy installation

Essenze di Luce

Take your outdoor living space to the next level with stunning, multi-sized natural stone monoliths and LED lighting available with or without a high-fidelity sound diffusion system. From romantic moments to big bashes, Essenze di Luce has you covered with a variety of natural stone lighting and rock speaker options that are maintenance-free and designed to withstand the most adverse weather conditions-- from ice to the desert sun. Perfect for gardens, poolscapes, and outdoor living use.

Menhir Di Luce



A series of natural stone outdoor lamps and garden lights with LED technology, available in four different styles—Soft, Sidelong, Cross, and Stonehenge. In daylight, they function as design elements but evoke emotional light in the evening.

FEATURES

- Choose from single, double, or triple illuminated sections
- Choose from horizontal or inclined patterns
- Available in 2 standard textures
- Minimalistic and natural design complements any achitectural style
- Ice resistant
- Stainless Steel

Menhir Sound



This natural stone outdoor sound system integrating Hi-fi sound diffusion and LED lighting brings both sights and sounds to the yard. Fill your space with soft illumination and your favorite music—all effortlessly emanating from natural stone elements. Unparalleled resistance to splashes, spray, sand, and the most adverse weather conditions.

FEATURES

- Aisi 316L stainless steel audio system
- · Easy connect; user-friendly; control music from your device
- Plays/streams the most popular music services
- Choose from 3 standard textures
- Ice resistant
- Wi-fi Audio Controller

Stake



Arrange an ambience with outdoor path lighting. Sleek pillars of natural stone offer architectural and design elements by day and transform into striking and luminous scenic features by evening. Perfect for illuminating footpaths, flower beds and outdoor living areas.

FEATURES

- Natural stone floor lamp for outdoors
- Choose single or double vertical LED (only 4mm thick)
- Ice resistant
- Multiple color and texture options
- Fits modern, contemporary, and Mediterranean styles
- Chemical Resistant
- Stainless Steel

Westchester Blend Custom Verona Grill Island

SIZZLER



SUNFIRE









Single Side Burner SFSB1



Double Side Burner w/LED Illumination SFPB2



Power Burner SFPB



BARS & SINKS



15" Drop-in Sink SSNK-15D

30" Lighted Beverage & Prep Station SSBC-30L



32" Outdoor Rated Farmhouse Sink SSNK-32FH



17" 1.7C Drop-in Cooler SSIC-17



28" 2.7C Drop-in Cooler SSIC-28

mane

24" 6.6C Deluxe Outdoor Rated

Kegerator Single Tower SSRFR-24DK1

ALSO AVAILABLE IN DOUBLE TOWER: SSRFR-24DK2

REFRIGERATION



DOORS | DRAWERS | COMBOS

27" Horizontal Access Door SSDH-27M

15" 3.2C Outdoor Rated Dual Zone

Wine Cooler SSRFR-15WD ALSO AVAILABLE IN SINGLE ZONE: SSRFR-15W

21" 4.2C Compact Refrigerator SSRFR-21S ALSO AVAILABLE IN DELUXE: SSRFR-21D



24" 5.3C Deluxe Outdoor Rated Refrigerator SSRFR-24D ALSO AVAILABLE IN STANDARD: SSRFR-24S



24" 5.3C Deluxe Outdoor Rated 2-Drawer Refrigerator SSRFR-24DR2



15" Ice Maker SSIM-15

33" 2-Drawer & Vented LP Tank Pullout Drawer Combo SSDC2-33LP



32" Double Horizontal Drawer SSDR2-32H



36" Warming Drawer

SSWD-36

-

33" Double Access Door SSDD-33M

36" 2-Drawer & Access Door Combo SSDC2-36



17" Triple Drawer SSDR3-17



26" Utensil Drawer SSDR1-26U

20" Trash Recycling 2-Bin Pullout Drawer SSTD2-20



42" 2-Drawer & Access

Door Combo

45" Double Access Door SSDD-45M





-17" Vertical 2-Drawer & Paper Towel Holder Combo SSTDC-17M

33" 2-Drawer & Access Door Combo SSDC2-33M

20x27" Vertical Access Door SSDV-20M

33" 3-Drawer & Access Door Combo SSDC3-33

SSDR2-17M

17" Double Drawer



17" Paper Towel Holder SSTH-17





20" Vented Liquid Propane Tank or Trash Drawer SSDR1-20LP















Pergolas

- Constructed of vinyl
- Easy maintenance
- Customizable
- Lifetime warranty
- Two stock sizes: 13'x16' or 15'x15'

PI-PI-PADDE

Lettere,

CUSTOM SIZES AVAILABLE

Natural Ledgestone

Golden Honey



Panels are designed using a unique Z-joint design that becomes nearly invisible after installation. Panels interlock for a seamless fit. Ledgestone Corners are two pieces that seamlessly interlock to create a 90 degree corner.

STRAIGHTS								
HEIGHT	WIDTH	THICKNESS	PCS/BOX	BOX/PALLET	LBS/PALLET			
6"	24"	3/4"	6	25	1,200			
CORNERS								
HEIGHT	WIDTH	THICKNESS	RETURN	LF/BOX	LBS/PALLET			

IGHT	WIDTH	THICKNESS	

HEIGHT	WIDTH	THICKNESS	RETURN	LF/BOX	LBS/PALL
6"	16"	3⁄4"	8"	3	994
12 pieces makes					







GOLDEN HONEY

PEMBREY*

STERLING

Flat Panel

Natural stone veneers that feature the bold look of natural stone. Variation in size and shape complement any project. Artisan colors help create a look that will leave a lasting impression.

STRAIGHTS								
HEIGHT	WIDTH	THICKNESS	SF/PALLET	LBS/PALLET				
4"-8"	8"-15"	11⁄4"	120	1,600				

CORNERS

HEIGHT	WIDTH	THICKNESS	RETURN	LF/BOX	LBS/PALLET
 4"-8"	4"-6"	1¼"	4"-6"	5	1,162







BOSTON*







PEARL







ADOBE BLEND



BROWN



CHARCOAL



AUTUMN BLEND*



CAPPUCCINO BLEND*



CHESAPEAKE BLEND*

The color illustrations in this catalog are as accurate as photography and printing processes allow. **Final selection of colors should be made from several physical samples.** 142 nicolock.com | *Live Life Better*



CRAB ORCHARD BLEND*



GOLDEN BROWN BLEND



HUDSON VALLEY BLEND






DOVE GRAY ONLY OFFERED IN HERITAGE SERIES & ALPINE CONTEMPORARY 16x24



GRANITE CITY BLEND



MARBLE BLEND*



FIRE ISLAND BLEND



GRAPHITE PEARL BLEND*



OCEANIC 5* ONLY OFFERED IN STONE RIDGE COLLECTION


The color illustrations in this catalog are as accurate as photography and printing processes allow. Final selection of colors should be made from several physical samples.



OCEANIC BLUE*




PENNSYLVANIA BLUE**



RED



OYSTER BLEND*



PEWTER





PECONIC 6* ONLY OFFERED IN STONE RIDGE COLLECTION



RAVEN*



ONLY OFFERED IN HERITAGE SERIES & ALPINE CONTEMPORARY 16x24

The color illustrations in this catalog are as accurate as photography and printing processes allow. Final selection of colors should be made from several physical samples.

ONLY OFFERED IN HERITAGE SERIES & ALPINE CONTEMPORARY 16x24



SOUTH BAY BLEND*



TRAVERTINA*



WESTCHESTER BLEND



*Premium Color **Deluxe Color

TEXTURED WALLS



*Premium Color **Deluxe Color



ADOBE BLEND



CAPPUCCINO BLEND*



CHESAPEAKE BLEND*



BLUESTONE*



CHARCOAL



CRAB ORCHARD BLEND



FIRE ISLAND BLEND



GRAPHITE PEARL BLEND*



SOUTH BAY BLEND



GOLDEN BROWN BLEND



HUDSON VALLEY BLEND



TRAVERTINA*



GRANITE CITY BLEND



OYSTER BLEND



WESTCHESTER BLEND

SMOOTH WALLS





ADOBE BLEND



CHARCOAL



CRAB ORCHARD BLEND



BLUESTONE*



CHESAPEAKE BLEND*



GOLDEN BROWN BLEND



GRANITE CITY BLEND



OYSTER BLEND



WESTCHESTER BLEND



GRAPHITE PEARL BLEND*



SOUTH BAY BLEND



OCEANIC BLUE*



TRAVERTINA*

*Premium Color **Deluxe Color

NICOSTONE





MOCHA



YORK BROWN



*Premium Color

PAVING STONE Installation

MATERIALS NEEDED

Gloves

Tape Measure

Stakes

Shovel

📕 3 lb. Hammer

Levels


📕 Line Level

- Carpenters Square
- String Line

Broom

Wheelbarrow

- 📕 Pry Bar
- Wire Cutters
- Mason's Chisel
- Markers
- Screed Board
- Two 1" o.d. Screed Pipes
- Plate Compactor
- Paver Cutter
- Diamond Blade Table Saw



A. Compacted Sub-BaseB. 4" - 6" Compacted Aggregate (for Pedestrian Traffic)

C. 8" - 12" Compacted Aggregate (for Vehicular Traffic)

BEFORE YOU BEGIN

Your dealer can assist you in obtaining the necessary materials and equipment needed to complete your paving stone installation.

D. Edge Restraints

E. 1" Bedding Sand

F. Pavers

*Three color blends are not recommended for projects less than 500 sq.ft

Lay out your entire paver pattern prior to cutting any stones.

Find an area away from your installation to cut pavers. Concrete dust created by saw cutting pavers can stain the surface.

The use of an approved safety mask is recommended when cutting any concrete products.




1. PLAN

Determine the area to be paved. Measure for square footage and sketch a diagram of the shape & pattern of paving stone desired.



2. PREPARE / EXCAVATE

Before beginning excavation, make sure there are no utility lines within the area to be paved. Excavate area to the proper depth depending on the type of traffic.



3. GRADE

Establish the finish grade and slope or pitch of pavement to allow for drainage. Lay out the lines and corners with string line and stakes. Compact sub-base.



4. PREPARE / EXCAVATE

Spread aggregate base uniformly throughout the entire excavated area and 8 in. beyond perimeter lines. Base aggregate material should be processed 3/4" minus gravel or crushed concrete blend.



5 BASE COMPACTION

Compact the base aggregate evenly throughout the area with a mechanical plate compactor. Do not compact the base aggregate in more then 4" layers. The compacted base should conform to the contour of the finished paved area. The grade of the base aggregate should be 3" to 4" below the finished paving stone surface depending on the thickness of the paver.



6. EDGE RESTRAINTS Install edge restraints as required. Pavers butting against curbs or

foundations will not need an edge restraint. Various types of edging

materials can be used. Nicolock recommends a Snap Edge edge restraint system since it is easy to install and will not rot or decay.

7. BEDDING

Spread 1" of concrete sand evenly over the compacted base. Screed the bedding sand to a level, smooth surface using a screed board. For areas wider than the width of the screed board, use 1" conduit pipe as screed guides 4' apart. Screed sand, remove screed rails & fill in depressions with fresh sand. You should end up with a complete layer of smooth sand. Do not disturb sand bed after it has been screeded.



8. PAVER PLACEMENT

Begin placing paving stones on the screeded sand bed in the desired pattern. Hand place the paving stones with a hand tight joint. Work from the paving stone side of the installation as they are set. To achieve the best mixture of colors and blends, remove pavers from delivered bundles section by section, not layer by layer, and work from several bundles at a time. Cut pieces as needed to fill in the pattern.


FINISHING

When complete, sweep surface clean. Spread a fine jointing sand over the entire surface and broom sweep to fill all joints. Leaving excess sand on the paving stone surface, tap the paving stones into the setting bed with the mechanical plate compactor with a rubber pad. Broom sweep more sand to fill any open joints. Finally, backfill over the top edge restraint and grade. Your installation is now complete and ready for use.

RETAINING WALL INSTALLATION

MATERIALS NEEDED







NOTE: The following Installing procedures apply to all Nicolock retaining wall units constructed as a conventional gravity wall system.

PREPARING/EXCAVATING: Before beginning excavation, make sure there are no utility lines in the wall area. Excavate area to the proper depth. For geogrid-reinforced retaining walls or for more detailed information, consult your local distributor or contact Nicolock.


For most non-critical walls (and under favorable soil conditions) Nicolock wall units are constructed as a conventional gravity wall system. Walls up to 3 feet in height are attainable without the need for soil reinforcement (geogrid). Recommended installation procedures should be followed to ensure the life of your wall structure.

1. SITE PREPARATION AND EXCAVATION

Excavate a trench a minimum of 6" beyond the front and back of the wall block. Dig trench 9" to 14" deep, enough to create a 6" thick leveling pad and to bury at least one whole wall block below grade. Compact the soil at the bottom of trench. Shape the slope behind wall to allow for 12" of drainage material.

2. INSTALL LEVELING PAD

Place filter fabric in trench and up the cut slope. Fill trench with clean, graded aggregate and compact.



3. PLACE BASE COURSE (FIRST ROW)

Position a level string line at the straight face of the unit to maintain alignment. Place the wall units side by side in the center of the prepared base. Bury the first course of block below grade to a depth equal to 10% of the height of the wall or a minimum of 6", whichever is greater. Level units from side to side, and front to back.

4. DRAINAGE SET-UP

5. STACKING UNITS

approved design drawings.

Fill the space in front of wall with clean fill to grade to hold units from shifting. Place a perforated pipe behind wall on top of base for drainage. Fill any block cores and the drainage area with clean aggregate keeping filter fabric in place. Backfill soil on outer side of fabric and compact.

Place successive courses by fitting the keys

and grooves onto the units in the row below (if

applicable). Keep the tops of each course clean

at a time in a running bond pattern (crossing


to maintain a level surface. Stack units one layer

joints). Utilize geogrid when the wall height is 3 ft

or more or as required by the project engineer or

6. PLACE GRAVEL AND BACKFILL MATERIALS


Continue building the wall to the desired height. Backfill with clean aggregate behind each course as completed. Backfill and compact soil. Finish the wall by securing the wall cap with a suitable masonry adhesive.



^{*}Geotextile may be necessary when the infill soil includes fine-grained sand that have the potential to infiltrate the gravel fill

Note: Illustrations shown are not for construction purpose. Please confer with your local engineer for proper placement of geogrid.

Important: Walls higher than 36" above grade, terraced walls, weak soils, and other loading conditions require special considerations in design and construction. This should be done by a qualified engineer & a professional contractor. Check with your local building department for code requirements.





STAIN REMOVAL

The stain removal methods suggested here are merely a guide and may not work to your satisfaction in all instances. Nicolock is not responsible for any damage caused while using these methods. Nicolock recommends that you keep several pavers from your initial installation available to replace any pavers that become damaged or excessively stained or soiled.

ALGAE & FUNGAL GROWTHS

Apply a fungicide according to manufacturer recommendation.

BEVERAGE STAINS

Scrub the stain with hot soapy water. For stubborn stains apply a 1:10 diluted sodium hypochlorite solution (household bleach) use according to the manufacturer's recommendations.

CHEWING GUM

Chewing gum is best removed with a suitable aerosol freezing agent before scraping it off. Use according to the manufacturer's recommendations.

FRESH OIL STAINS

Soak the oil up with an absorbent cloth or paper towels. Do not wipe. Then cover the affected area with a 'dry' absorbent powder and leave for 24 hours. Repeat until the powder has absorbed all or as much of the oil as possible.

If a stain persists, apply a recommended cleaner according to the manufacturer's recommendations.

PAINT /WOOD-STAIN /VARNISH

Soak up the spillage with an absorbent cloth or paper towels. Do not wipe. The stained area should be immediately scrubbed with scouring powder and water.

The stained area should be immediately scrubbed with detergent and water. Paint removers or solvents should not be used on stains that are less than a week old, as this will increase penetration into the concrete. Scrape off as far as possible. Apply an appropriate proprietary paint remover, preferably one supplied as a thick gel. Follow the manufacturer's recommendations or contact the paint manufacturer.

WOOD PRESERVATIVES /CREOSOTE

Soak the stain with mineral spirits and scrub with a hot detergent and water. Finally rinse thoroughly with clean water, or contact the manufacturer of the preserver.

ASPHALT & EMULSIFIED ASPHALT

Chill with ice (if warm outside), scrape away & scrub the surface with scouring or abrasive powder. Rinse with water.

CUTBACK ASPHALT & ROOFING TAR

Use a soft moist putty made with talc or diatomaceous earth (available wherever pools supplies are sold.) Mix with kerosene, scrub, let dry and brush off. Repeat as needed.

CANDY, KETCHUP, MUSTARD, GREASE DRIPPINGS FROM FOOD

For stubborn stains, apply liquid detergent full strength and allow it to penetrate for 20-30 minutes. Scrub and rinse with hot water. Removal is easier if these stains are treated immediately.

CAULKING

Scrape off excess and scrub with denatured alcohol. Rinse with hot water and detergent. For acrylic latex caulk - follow guidelines for removal of latex paint.

CLAY SOIL

Scrape off dry material, scrub and rinse with hot water and strong detergent.

CREOSOTE

Apply a solution made with paint thinner and talc. Scrub and allow to dry. Scrape off, scrub with scouring powder and rinse with water.

MORTAR

Let dry but not harden and carefully remove spots with a towel, putty knife or chisel.

LEAF, WOOD ROT OR TOBACCO STAINS

Apply household bleach diluted 10:1 with water (10 parts water) and scrub with a non-metallic stiff bristled brush.

OIL OR GREASE THAT HAS PENETRATED

Mop up any excess oil with rags. Cover the area with oil absorbent talc, (kitty litter). Diatomaceous earth can also be used. Leave it on the stain for a day, then sweep up.

PAINT

Fresh paint should be mopped up immediately with rags or paper towels by blotting. Do not wipe as this will spread the paint and extend the job of removal. If the paint is latex and water-based, soak and then scrub area with hot water, scouring powder and a non-metallic stiff brush until no more improvement is seen. Let the remaining paint dry and remove as described below.

DRIED PAINT

Scrape any excess oil-based paint, varnish or water-based latex paint off the surface. Apply a commercial paint remover and let sit for 20-30 minutes. Loosen with gentle scrubbing. Do not rub the loosened paint into the surface of the pavers. Instead, blot up the loosened paint and thinner. Repeat as necessary.

TIRE SKID MARKS

Scrub black area with water, detergent and scouring powder.

ABOUT EFFLORESCENCE:

Efflorescence is a whitish, powder-like deposit that may sometimes appear on the surface of the paving stones. It may appear immediately or within a short time after installation. Left alone, normal wear and exposure to the elements will dissipate the efflorescence. Efflorescence does not affect the structural performance or durability of concrete pavers. Efflorescence is a normal occurrence in all cement based products, as well as many colored paving products. Because it is a natural reaction to the proper hydration of concrete, Nicolock accepts no responsibility or liability for replacement.

If there is a need to remove the efflorescence before it naturally wears away, best results are obtained by using an efflorescence remover which is available from most mason supply dealers. Do not use muriatic acid.

If a sealer is to be applied to the paving stones, it is recommended that any presence of efflorescence be removed prior to sealer being applied. For installations over a new or existing concrete base, a cementitious setting bed, or with mortared joints, the occurrence of efflorescence is more likely. Precautions for proper drainage of the paving stones system should be taken to minimize this occurrence.

WHAT IS EFFLORESCENCE?

Efflorescence is a natural phenomenon and can occur with any cement based product, as well as other paving products. It may appear randomly and will possibly appear more pronounced on colored paving slab.

The white bloom may give the impression that the color of the paving slab is fading but, when wet, you will find that the efflorescence vanishes and the paving slab returns to its original shade. The white bloom will often return again when the paving slab dries. Be assured that efflorescence has no detrimental effect on the performance of the paving slab and will generally disappear with time.

HOW DOES EFFLORESCENCE OCCUR?

All concrete products contain cement which produces water soluble calcium oxide (lime).

Concrete paving materials contain millions of tiny invisible pores; when moisture penetrates into these pores – either from rain, dew or condensation – it dissolves part of the lime to make calcium hydroxide.

When the slab dries out, the calcium hydroxide rises to the surface and reacts with the carbon dioxide in the air, sometimes leaving a white bloom of calcium carbonate once the water has evaporated.

WILL EFFLORESCENCE DISAPPEAR NATURALLY?

Yes. The efflorescence action is arrested by carbon dioxide reacting with calcium oxide within the pores of the concrete. The efflorescence itself is then, over a period of time, either converted back to soluble salts and washed away by rain or simply disappears through the action of trafficking, snow or ice.

Once the efflorescence has disappeared naturally it does not usually recur. It is therefore not necessary to replace the paving or to take other measures against efflorescence.

HOW LONG WILL EFFLORESCENCE LAST?

This is difficult to predict as factors such as climate, location and conditions (damp/shady or open/sunny) are variables which can affect the extent of the phenomenon. However, on average, it can take from 12 months to 24 months to disappear.

FAQ

WHY DO NICOLOCK PAVERS MAKE THE BEST PAVEMENT?

Not only are Nicolock pavers beautiful, but they provide the best pavement solution in freeze/thaw conditions, when installed over a compacted aggregate base. Installation over a compacted aggregate base results in a pavement that is strong, yet flexible enough to move as the ground shifts without breaking apart, rutting or heaving. In addition, they can be "unzipped" to allow for repairs or access to utility lines. Unlike asphalt and other surfaces, pavers are virtually maintenance-free. And, by definition, concrete pavers are about 3 times stronger than regular poured concrete.

WHAT MAKES PAVER-SHIELD™ BETTER THAN THE COMPETITION?

paver-**shield**[™] is not a thin veneer of color coating. paver-**shield**[™] pavers are guaranteed to look great year after year, retaining their vibrant color and smooth texture. Products without paver-**shield**[™] may look worn and faded over time with exposed aggregate on the surface.

DOES THE COLOR GO ALL THE WAY THROUGH NICOLOCK PAVERS?

All Nicolock pavers have color throughout. Those manufactured with our exclusive paver-**shield**[™] process have an extra concentration of cement and pigment on the wear layer providing deep rich colors and a smooth, dense wear layer.

CAN I USE A PRESSURE WASHER TO CLEAN MY PATIO?

Yes – but, as always, follow the manufacturer's instructions carefully. Do not pressure wash your patio too strongly or too frequently as you may damage the surface of the paver.

CAN PAVERS BE INSTALLED OVER A POURED CONCRETE BASE?

Absolutely, provided certain steps are taken. Care must be taken so that water does not pool underneath the pavers. Drainage holes should be drilled in large slabs and filled with pea gravel and covered with landscape fabric. Edge pavers must be restrained to keep joints from opening up.

CAN I USE A SEALER ON MY PATIO?

Yes – check proprietary manufacturer's instructions and suitability for sealing concrete paver. Please note: applying sealant to paver may affect the color.

HOW DO PAVERS COMPARE WITH PATTERNED CONCRETE?

Patterned concrete pavements are slabs of concrete that are embossed with a pattern. Therefore, they are prone to the same problems with freeze/thaw cycles, namely cracking and spalling. Also, unlike Nicolock pavers, patterned concrete pavements don't allow access to underground utilities or the ability to make repairs. At virtually the same price installed per square foot, Nicolock Pavers are clearly a superior choice.

HOW DO I DETERMINE HOW MUCH STONE BASE MATERIAL AND SAND SETTING BED MATERIAL I NEED?

One half ton of modified stone or sand will cover about 100 square feet at 1" thick. Using a 10' x 10' (100 square feet) patio as an example, you would need 1/2 ton of sand for the setting bed (1" thick) and 3 tons of modified stone for the base (6" thick). You'll need about 5% more sand for the joints between the pavers. The thickness of the base material depends on the application and subgrade soil conditions (use a thicker base for poorly drained soils). As a rule of thumb, you'll need 4" to 8" of base material for walkways and patios, and 8" to 12" for driveways and parking lots.

I HAVE WHITE DEPOSITS ON MY PAVERS/WALLS, WHAT IS IT?

You are probably referring to efflorescence, a natural and common occurrence in many concrete products. Efflorescence occurs when natural salts come to the surface and leave behind a white deposit that can normally be brushed off. This is not a product defect or harmful to pavers and walls and Nicolock accepts no liability for its occurrence. It will usually weather away with time.

HOW CAN I REMOVE MOSS OR MOLD FROM MY PAVERS?

Try liquid bleach diluted in water (10 parts water to one part bleach). Be careful not to get it on plant material. Keep in mind that there is nothing that will keep moss and mold from reappearing in a shady, damp area.

WHAT IS POLYMERIC SAND AND WHAT IS ITS ADVANTAGE?

Polymeric sand is a high-tech mix of graded sand and binder, specially formulated for filling joints between pavers. When installed properly, polymeric sand will remain in the paver joints and inhibit weed growth and insect infestation.

CAN I USE NICOSTONE PAVING INSIDE MY HOUSE?

Yes – but it is preferable to seal the paving with a sealer after laying inside to protect against stains and reduce incidence of dust.

WHY DO THE PAVING STONES HAVE DARK PATCHES?

This is due to differential weathering, where the surface of the paving has cured at different rates, causing darker color variation on the paving. Generally this is exaggerated by the presence of efflorescence which, once removed, will reduce the effect of the dark patches. As with efflorescence the dark patches will generally disappear with time.

HOW OFTEN SHOULD I CLEAN MY PATIO?

Regular washing and brushing should be adequate to maintain your patio in pristine condition. However, you may wish to clean your patio using a recommended cleaner. This can enhance its appearance but it may affect long term durability and should only be used sparingly (only two or three times during the lifetime of the paving). Consult your paving supplier for advice and a suitable cleaning product.

WHAT ARE THE BENEFITS OF SEALING MY PAVERS? HOW LONG Do I need to wait before I apply a sealer?

Sealers help resist stain and may enhance the color. Some can also bind the sand in the joints to make it difficult for weeds to germinate. As a rule of thumb we generally want you to wait at least six months to allow any efflorescence to appear. Prior to the application of any sealers, the pavers must be cleaned with an appropriate product to remove dirt and efflorescence.

CAN NICOLOCK PAVERS BE USED FOR MY DRIVEWAY?

Absolutely! For residential driveways, 8" to 12" of compacted base material is recommended. A standard 2-3/8" thick paver can be used for light vehicular (cars & pickup trucks) applications. A herringbone pattern is most suitable in these situations. (Not applicable for Stone Ridge XL, Alpine series and Nicostone products.)



FAQ

Not only do Nicolock Pavers make an attractive pool deck, but they also provide a slip-resistant walking surface. Pavers actually are better than poured concrete around pools from the standpoint that the joints will take on moisture and leave the pavement cooler under foot. Like all products that are used outdoors, lighter colors will tend to stay cooler as they reflect the sunlight. Furthermore, our Fullnose and Pool Coping Pavers are ideal for the pool's edge. Make sure the base material around the pool is well compacted before installing pavers. Safety covers can also be installed over pavers with the use of special anchors.

WILL WEEDS GROW BETWEEN MY PAVERS?

Weeds and grass between pavers occur when seeds or spores lodge in the joints between pavers. They will not grow from underneath. This can be minimized by using polymeric sand or mixing a pre-emergent granular weed killer into the joint sand. If weeds do appear, a spot vegetation killer (such as Round-UpTM) can be used and will not damage the pavers.

CAN I SHOVEL AND PLOW MY PAVERS?

Pavers can be plowed and shoveled just like asphalt, concrete and other pavement materials. In fact, snow and ice will normally melt faster because of the joints around the pavers. A plow blade with a rubber edge is recommended when needed. Do not use sharp objects to chop ice as they can damage the pavers.

WHAT SHOULD I USE TO MELT SNOW AND ICE ON MY PAVERS?

Nicolock recommends sand for slip resistance as it is the most environmentally friendly product for use on concrete products to make sure surfaces are skid and slip resistant.

If a de-icing product is used, Nicolock recommends using only NaCl (rock salt) and should be used sparingly, following the manufacturer's instructions. Once ice is loosened, remove immediately to avoid buildup of the de-icing agent.

De-icing agents of any kind are not recommended for our Nicostone line. We recommend using only sand for providing skid and slip resistance.

I'VE GOT A RAILROAD TIE WALL THAT IS ROTTING AND FALLING DOWN. WHAT CAN I DO?

Our segmental retaining wall systems provide an excellent solution to this problem. They are strong and will last a lifetime. Nicolock offers several different wall systems to meet your needs.

WHAT IS GEOGRID AND WHEN SHOULD IT BE USED?

As a rule of thumb, all walls over 3' high should be reinforced with geogrid. Geogrid is placed between the layers of block at different intervals to stabilize the soil behind the retaining wall and secure the wall face to the earth behind it. The height of the finished wall, soil characteristics, and the pressure on the wall caused by slopes, structures, and/or paved areas all affect the proper placement and lengths of geogrid.

WHAT IS RECONSTITUTED STONE?

Reconstituted Stone – is manufactured from the highest grade materials and will last for years. It is hand crafted, with molds taken from original natural stone for an authentic appearance. Nicostone products are a consistent thickness and are therefore easy to lay.

Colors – shades are subtle and subject to slight variations, especially highlighted in the weathered shades where many products are hand made to ensure a completely random, natural look. Colors will appear different depending upon the prevailing conditions such as sunlight, heavy shade or rain.

Therefore it is advisable to check the color and appearance of the actual product samples in dry daylight conditions before purchasing. Where possible, products should also be selected from the same production batch. Reconstituted stone will weather over time in a fashion similar to natural stone.

PAVING SLAB AND WALLSTONE COLOR

Please note that some products have a multi-color mix where the manufacturing process means that different color percentages are likely selected from multiple pallets prior to installation. Choose from three to five different packs.

Multi-colored products are produced randomly, therefore color proportions in different slabs may vary widely.

APPLICATION/SUITABILITY

Unless otherwise stated, the Nicostone materials featured in this catalog are intended for use in residential landscape projects. Nicostone decorative slabs are not suitable for driveways. The manufacturer cannot accept any liability where products have been used for any inappropriate purpose.

In the unlikely event of products reaching you in a less than satisfactory condition, please contact your local distributor directly, allowing time for the rejected product to be replaced. If a complaint is raised after laying the product, Nicostone cannot accept responsibility for any defect. **De-icing salts should not be used on Nicostone slabs.**

SIZES & JOINT WIDTHS

All dimensions quoted in this catalog are nominal and are for guidance only. Actual sizes will vary, particularly on the products designed to replicate natural stone which have features such as riven profiles and fettled edges. Where space is critical, Nicostone recommends dry laying the product to check area required.

When laying random slabs and circles, and in particular Old Town Flagstone Paving Slabs with their fettled edges, joint widths will depend on the slab type & laying pattern chosen and will be variable – from approximately 1/2" to 1".

HANDLING

Standard manual handling techniques should be adopted when handling products. Some products in the Nicostone range are heavy or an awkward shape to lift and it is recommended that suitable lifting equipment be used for these products. Always wear gloves and safety footwear when handling product.

If product is to be cut, always wear safety goggles and when using a high speed saw also wear suitable respiratory protection, such as a dust mask.

Before removing wrapping or banding, ensure that the products are on level ground or retained in some way to prevent them from tipping over. When removing, shrink wrapping and banding use the appropriate cutting tools; also it is recommended that safety goggles are worn.

Product should always be handled with care as breakages, chipping and other damage may result from mishandling. Minor scuffing can occur due to movement in transit and will generally disappear in time. If in doubt do not install the product, consult your Nicolock Territory Manager.

SPECIAL NOTES

All measurements are nominal. Dimensions include the joint widths when fully installed. Dimensions/height: May vary up to 1/4" due to unique manufacturing technique. Nicostone provides only general installation guidelines, climate and soil conditions may vary by region.

PATTERNS

Patterns, whether simple or complex, help to define a paved area and add your own personality to your project. The following are examples of popular patterns.

RUNNING BOND Products that can be used:

Plank Paver **Ridge Brick** Rustico 6x6 Rustico 6x9 Holland Stone Colonial Cobble 1.5 Normal Heritage Slab Old Vienna with paver-**shield™** The Montauk Euro Cobble Eco-Ridge SF-Rima


HERRINGBONE Products that can be used:

Plank Paver **Ridge Brick** Rustico 6x9 Holland Stone Colonial Cobble 1.5 Normal Old Vienna with paver-**shield™** Eco-Ridge

BASKET WEAVE Products that can be used:


Plank Paver Ridge Brick Holland Stone Old Vienna with paver-**shield**™ Eco-Ridge





	\succ	V.	λУ	(λ)	$^{\prime} >$	$\Sigma \Sigma$	> -								
ͺ×	\checkmark	X	xУ	<u>~`</u>	\sim	\searrow	5-								
×	\sim	X	$\langle \nabla \rangle$	$\langle X \rangle$	\wedge	\leq	Υ-	┥┝		┥┝					
$\left \right\rangle$	\sim	X	(\mathbf{X})	$^{\times}$	$\langle X \rangle$	$\langle \mathcal{X} \rangle$	Υ-	4					\square		
\setminus	$\langle X$	\checkmark	\sim	\sim	(\land)	$\langle \land$	≺ -		- -	-	┥┟		 	-	
\langle	7	\checkmark ,	N	\sim	×	きょう	\checkmark		_				H		
$\overline{\langle}$	$^{\prime}$	\checkmark	\searrow	\sim	YХ	$\Sigma\Sigma$	<> -	1		-1 F		- +	-1		
Ù	\succ	X	$\succ angle$	\sim	\checkmark	$\Sigma $	> -	-		-					
$\langle \rangle$	\succ	Š	${}_{\times}{}_{\times}$	\sim	\sim	\succ	> -								L
Ľ	\checkmark	X	xУ	ΔŇ	\wedge	\sim	5-	┥┝		┥┝			4		
X	\sim	X	$\langle \mathbf{n} \rangle$	$<$ \times	\wedge	\leq	Υ-	Ц					Ц		
\setminus	$\langle \times$	X	$(\sim$	$^{\scriptstyle \prec}$	$\langle \mathcal{N} \rangle$	$\langle \mathcal{A} \rangle$	Υ-		┥┝	-	┥┟		 	_	
$^{\prime}$	[]	\checkmark	\sim	$^{\sim}$	\sim	$\langle ightarrow$	<								
\langle	7	\checkmark ,	\sim	\sim	۲À	とえ	< -	1		-		-1 F	-1 1		
	$^{\prime}$	V.	\searrow	\sim	YX	$\Sigma \Sigma$	> -	-				-			
Ù	\succ	X	${\succ}{ m Y}$	\sim	\checkmark	$\Sigma angle$	> -								
×	\sim	\sim	. <u>с</u> .	へヽ	. ^ '	$\langle \rangle$	< N				I				

	$ \rightarrow \rightarrow \rightarrow + + + + +$	
		╶┥┰┧┼┥┰┝┷┥┰┝┷┥
		╶╺╴┯╡┷┽┥┷┥┼┝┷┥┼┝┷
	┥╽┝━┥╽┝━┥╽┟	
		╶╶┤┯┥┧┝┯┥╽┝┯┥╽┝┯┥╽┝



RANDOM 3-PIECE RECTANGULAR & STAGGERED RUNNING BOND Products that can be used:

Stone Ridge Stone Ridge Contemporary Alpine Ridge Alpine Contemporary Blue Ridge Eco-Tre Natural Cleft Flagstone (Individual Sizes) Thermal Finish Flagstone (Individual Sizes)


RANDOM 3-PIECE SQUARE & DIAGONAL PATTERN Products that can be used:




RANDOM 6-PIECE PATIO PACK Products that can be used:

Natural Cleft Flagstone Patio Pack Thermal Finish Flagstone Patio Pack Old Town Flagstone Patio Pack


RANDOM 4-PIECE Products that can be used: Rustico 4 Pc Combo






FRENCH ASHLER PATTERN Products that can be used:

Versailles Travertine



Please use patterns as a reference to get you started. The diagrams shown may require additional material if followed directly.





LOCATIONS

New York Corporate Headquarters 612 Muncy Avenue • Lindenhurst, NY 11757 P: 631.669.0700 • F: 631.669.0711

Nicostone by Nicolock 200 Henry Street • Lindenhurst, NY 11757 P: 631.669.0600 • F: 631.669.8052

Albany 801 Watervliet Shaker Road • Latham, NY 12110 P: 518.888.2731 • F: 518.252.4937

New Jersey 482 Houses Corner Rd • Sparta, NJ 07871 P: 551.232.6443 • F: 973.425.5188

New Jersey Design Center 620 Cedar Swamp Road • Jackson, NJ 08527 P: 201.932.4500 • F: 732.960.9950

NPS Outdoor Living Showroom 9 Aaron Way • Sparta, NJ 07871 P: 908.482.8483

New England 99 Stoddard Avenue • North Haven, CT 06473 P: 203.234.2800 • F: 203.985.0381

Massachusetts 241 Francis Avenue • Mansfield, MA 02048 P: 508.298.2243 • F: 508.590.7678

Maryland 8400 Progress Court • Frederick, MD 21701 P: 301.620.0100 • F: 301.620.0007

Delaware 1000 South Market Street • Wilmington, DE 19801 P: 302.981.0986 • F: 302.691.4500

Virginia 9135 Barricade Lane • Mechanicsville, VA 23116 P: 571.332.3513 • F: 571.406.1251



CAT2# 2023 01.01 50M.\$2.53 | ©nicolock 2023 | all rights reserved