


OF DREAMS 2024







## What do you see when you look at a backyard, front porch, or driveway?

### At Unilock, we see possibilities.

Possibilities to build works of art and personal playgrounds. Possibilities to bring families together for a birthday barbecue or a wedding reception.


Possibilities to transform your imagination into remarkable outdoor spaces, and build connections stronger than the concrete underfoot.

And we don't let possibilities go to waste. Built on 50 years of innovation and sustainability, Unilock provides customers the tools to transform dreams into reality. We connect you with proven contractors and supply an endless canvas of materials, but the final product is always uniquely yours. And when your project is complete, you don't just have something beautiful, you've changed the way you see the world.

So, where can you see possibilities, and how can we help you build them?



## TABLE OF Contents



Journey in style as you discover, dream, and learn about our revolutionary Unilock products and resources.

## **DREAM**

Discover Unilock Finishes

**16** Dream with Unilock

Choose your Color

**46** Unilock Best in Show

14 Unique Touches

## **PRODUCTS**

**50** Product Categories

60 Pavers & Slabs

Think Green

**128** Retaining Walls

**54** Unilock Technologies

**156** Coping, Steps & Treads

## 164 LEARN & PLAN

**168** Project Planning Resources

174 Commercial Projects

170 Finding the Right Contractor

176 Quality Commitment


172 Installation 101



# Dream

Begin with a dream of what's possible

Imagine an outdoor space where the inspired use of patterns, textures and shapes not only creates design-envy, but elevates your world in the most beautifully functional way.



## Discover Unilock Coatings



## Feels 3x better on bare feet than ordinary pavers.

A special finishing process creates the ultra-smooth and silky surface texture of Comfort Step. This special technology results in a remarkably tight surface that is factory sealed to create a unique sensory experience that is velvety-smooth and cool underfoot.



Surface Finishes

#### **Exposed Granite**

Marble, granite and quartz particles are embedded into the product's surface and are later exposed through additional processing methods.

SERIES™, TRIBECA COBBLE™, PROMENADE





Available exclusively on Elegance and select EnduraColor products, EasyClean enhances the surface color and provides integral stain resistance.

# ColorFusion™ Color and granite particles are randomly dispersed to achieve a unique mottled surface. UMBRIANO\*, U-CARA\*,

ARTLINE"



### **Timeworn**

Various methods are employed to obtain this weathered, timeworn finish, but in every instance, this patina improves the appearance.

TOWN HALL
COURTSTONE
BRUSSELS BLOCK
BRUSSELS
DIMENSIONAL\*\*



#### **Enhanced Surface**

REVELA™, PROMENADE™

The surface of these products is enhanced using a special process to reveal a variety of distinctive colors and textures.



#### **Flagstone**

BEACON HILL™, RICHCLIFF®



A durable, colorfast flagstone texture that adds depth to your project.

## Choose your **EVERYTHING IN** BETWEEN From soul-soothing cool hues to the cozy embrace of warm tones. MONOCHROMATIC OR CONTRAST For an intimate atmosphere, dominate with warm colors, while still incorporating cool tones to create contrast and achieve a visual balance.

# Choose your Shape

### SHAPING YOUR OUTDOOR PROJECT

Finding the right shape to fit your outdoor project is like placing the last puzzle piece on an exquisite work of art. It just fits! What's more, combine different shapes together to deliver a two-for-one hardscape punch that will elevate your artistic vision to new heights.







RECTANGLE
HEX
SQUARE
PLANK



## What will you create?

Let your imagination run wild in the playground of Unilock paving products!





## Find your Style


Whether you're designing a quaint backyard refuge or an ultra-modern driveway, we have a variety of paving products that'll turn your outdoor space into a little slice of heaven.



## Pick your Pattern

### **PLAY WITH ANGLES**

From herringbone to basket weave, the right angle can make all the difference! A Unilock Authorized Contractor can recommend the best laying patterns based on the products you choose.







### THINK OUTSIDE THE BOX


Distinct laying patterns can help define unique "rooms" across your outdoor space, giving you countless design options.

Visit Unilock.com for laying patterns.


## Unique Touches

Let your creativity shine! Unilock border and banding options can help enhance your distinctive designs and add touches of elegance to your driveway, walkway, patio or vertical features.





Make a dramatic impact with non-linear designs. Like the atypical array of hexagon-shaped pavers, or a pixelated look created with light and dark square pavers.





Take it a step further with multiple borders, pixelated paver rugs or contrasting geometric grids.

#### **JOINT MATERIAL**






Joint material plays an important role between pavers by keeping out weeds and other debris. However, the color you choose can also have a dramatic impact on the look of your project. Your contractor can help you decide what will work best.





Clean, opposing angled lines in this poolside patio create the effect of a chevron, unifying upper and lower decks.





Fire Feature and Raised Patio: Lineo Dimensional Stone (Granite Blend) with Universal Coping (Dark Charcoal) coping and steps





This elevated backyard patio raises the bar with a stunning fire feature, lounge seating and feature lighting at night.





Pavers: Beacon Hill<sup>™</sup> Smooth Slab (Steel Mountain) with Natural Stone (Black River) accent and Beacon Hill Smooth (Dark Charcoal) accents

**Firepit and Kitchen:** Lineo™ Dimensional Stone (Granite Blend) with Beacon Hill Smooth (Dark Charcoal) accent










Large, contemporary slabs accented by contrasting paver bands create a generous sense of space for this intimate, multi-purpose backyard.

Richcliff (Dawn Mist) with Copthorne (Basalt) paver rug and Courtstone (Basalt) accents and Natural Stone (Stone Cliff Grey) slabs










A blending of natural stone and historic brick textures laid in a variety of patterns makes this project a visual feast.


Beacon Hill™ Smooth XL (Fossil) with Natural Stone (Black River) coping





This gorgeous backyard invites neighbor envy. The linear design of this contemporary pool deck evokes a feeling of tranquility.








Distinctive, winding paver pathways both define and lead to the outdoor rooms of this sprawling backyard.







Pavers: Copthorne® (3 Color Blend with Basalt accent) walkways with Beacon Hill™ Smooth (Steel Mountain)


**Grill Island:** U-Cara® Pitched (Steel Mountain) with U-Cara Smooth (Dark Charcoal) accent



Scan here for project video







There are always further heights to reach, and these angular, terraced retaining walls create this next-level, intimate outdoor gathering space.

Pavers: Beacon Hill™ Flagstone (Steel Mountain) with Mattoni™ (Granite Blend, Sable Blend and Dark Charcoal) accents and paver rug


**Retaining Wall:** SienaEdge<sup>™</sup>(Granite)

**Firepit:** U-Cara® Pitched (Steel Mountain) with Natural Stone (Stone Cliff Grey) coping



This expansive entertaining space offers an outdoor eating area and firepit lounge, visually defined by a herringbone paver carpet.






Pavers: Umbriano\*
(Winter Marvel) with
Copthorne\* (Basalt) accent


Vertical Features:
Rivercrest\*\* Wall (Coastal
Slate) with Copthorne\*
(Basalt) accent and
Ledgestone\*\* coping (Grey)




Scan here for project video









This fire table is a happy hour haven, where guests can laugh and linger the night away.





Pavers: Bristol Valley® (Steel Mountain) with Copthorne® (Basalt) accent

**Grill Island:** Brussels Dimensional System™(Sierra)



Scan here for project video




Richcliff\* (Dawn Mist and Pebble Taupe) with Courtstone\* (Basalt) accent and Ledgestone™ (Buff) step treads






This Arts and Crafts-style home features the strikingly detailed riven texture of Richcliff, delivering classic elegance.







This backyard space is an entertainer's paradise with a complete outdoor kitchen, distinct dining, lounging, and relaxing outdoor features.





**Pavers:** Umbriano\* (French Grey) with Town Hall\* (Basalt) accent

**Walls:** Lineo™ Dimensional Stone (Granite Blend)

**Fireplace:** Lineo Dimensional Stone (Granite Blend) with Series™ (Black Granite) accent


Steps & Coping: Natural Stone (Stone Cliff Grey)



Scan here for project video

Whole home versatility.
The subtle surface detail
of Umbriano works
beautifully from front
entrance to backyard.






Umbriano° pavers with U-Cara° Steps and Umbriano coping (Summer Wheat)



Scan here for project video






Pavers: Treo® Smooth (Steel Mountain) with Copthorne® (Basalt) accent

Firepit: Sunset Firepit kit (Limestone) with Ledgestone™ (Buff) coping

Retaining Wall, Steps, and Vertical Features: U-Cara\* Smooth (Steel Mountain) with Ledgestone (Buff) coping



Scan here for project video











A curved seat wall leads to a circular fire pit, with a sizable pool deck perfect for entertaining the family. Pavers: Copthorne® (Basalt) with Richcliff® Large Rectangle (Dawn Mist) and Beacon Hill™ Smooth (Opal Blend) border

Step Treads: Natural Stone (Stone Cliff Grey)









A gently curved walkway brings visitors to the front entrance with Copthorne pavers laid in a traditional herringbone pattern.




Driveway Pavers: Series™ (Black Granite) with Series custom color blend and rounded inlays

Patio Pavers: Beacon Hill™ (Smooth) Steel Mountain with Series (Black Granite) accent


Wall: U-Cara® Smooth (Opal Blend) with U-Cara Series (Onyx Black) accents





An array of grey and black pavers in the driveway and backyard creates a super sleek, ultra-modern geometric playground.







Old world charm mingles with modern-day style in this enchanting backyard.





Pavers: Beacon Hill™Smooth (Steel Mountain) and Town Hall® (Basalt)

**Vertical Features:** Lineo<sup>™</sup> Dimensional Stone (Granite Blend) with Ledgestone<sup>™</sup> coping and pillar cap (Grey)



Scan here for project video



## County Wide Landscaping


## **Best in Show Winner**



"The homeowners envisioned a modern, outdoor sanctuary."

The scope of this 2,400 sqft residential project presented a number of challenges, one of which was elevation. "There was a lot of grading that had to go into this to make the project work," says Brian Larson, President of County Wide Landscaping. "That's why it's a three-level patio."

The finished space features a monochromatic pool deck in a beautiful mosaic-like geometric design, with square paver slabs interspersed with zigzagging lines of artificial turf. A putting green lies adjacent to the space, along with a breathtaking waterfall cascading from the roof of a shaded pergola.



The pergola was built using Lineo™ Dimensional Stone, topped with Ledgestone™ pillar caps in a grey hue to complement the minimalistic design of the backyard space. Patio lighting was installed under the pillar caps on the patio, creating a soothing ambiance that helps guide visitors at night.

On the upper deck an outdoor kitchen was designed using Lineo™ Dimensional Stone, complete with a grill, bar island and granite countertop, with bar stools to accommodate multiple guests. Finally, nestled towards the rear of the yard, an enclosed seating area features a cozy fire pit, allowing guests to relax and unwind on crisp summer nights.

The result is a stunning outdoor space that transformed this backyard into a haven that will be enjoyed for years to come.



"Unilock provided the sleek, modern look we needed to achieve this extravagant design"

Brian Larsen

PRESIDENT OF COUNTY WIDE LANDSCAPING







# Products

## Capture the eye with exclusive products

From weathered cobblestone to contemporary linear, our product selection reaches beyond the horizontal to include garden walls, pillars, steps, fire tables and fountains. Rock the look that is unmistakably you, and undeniably Unilock!




## Unilock Product Categories




## **CLASSIC**

Our **budget-friendly** Classic products are manufactured to exceed ASTM standards for quality and strength.



## **ENDURACOLOR**


The refined look of our EnduraColor products is achieved with a two-step manufacturing process that uses concentrated color and **wear-resistant** finer aggregates to protect the surface from the appearance of fading over time.



## **ELEGANCE**

Our Elegance collection offers timeless beauty with styles you can't get anywhere else. From the classic luxury of riven natural stone slabs to the timeworn look of European cobblestones, the look you purchase is the look that will last.

## **Project Cost**



Choose the product you love to get the maximum enjoyment from the investment you've made below the surface.

## Don't Compromise


Many products look great when they're first installed, but after time the difference in quality shows.

In an average project, only 20% of the overall cost comes from the paver and wall products you choose, so don't be tempted to compromise.





## Think Green



More and more households are opting for permeable paver projects as a sustainable, cost-effective and environmentally friendly alternative to traditional pavers.

Developed in response to growing concerns around stormwater management, permeable pavers allow rainwater to flow between the joints of pavers and back into the subsoil. This provides a dual "green" benefit: by naturally filtering out pollutants before stormwater reaches waterways, and by providing extra moisture back into surrounding plant material.

Using permeable pavers will decrease rainwater puddling on the pavement, effectively reducing the risk of ice buildup which is a benefit particularly useful on driveways.

For homeowners who live in regions where local codes require them to reduce impervious surfaces on their lot to accommodate a new landscape feature like an in-ground pool, permeable paving is a popular alternative to conventional poured-in-place concrete or asphalt.



Some homeowners install rainwater collection systems underneath their paver projects to supply water to in-ground sprinkler systems!

## **Permeable Pavers**

Special materials are used in the joints and in the permeable base below, to encourage water to flow through and reach the subsoil.



Permeable pavers look similar to traditional pavers but are designed with special spacer bars that create a wider joint.

## Permeable Collection @

In 1991, Unilock introduced the first permeable paver to North America. Since then, we've worked to produce the most extensive collection of permeable pavers in the industry.

#### THORNBURY SMOOTH™



#### TREO' SMOOTH



ECO-PRIORA™




TRIBECA COBBLE



NORDIC COBBLE™



TOWN HALL



## Ultima



Only Unilock has the technology in North America to manufacture Ultima Concrete resulting in pavers **up to four times stronger** than poured concrete. With Ultima, the look you purchase is the look that will last.

Exclusive to **UNILOCK** 



Ultima Concrete is a key ingredient in the **timeless beauty** of our Elegance collection of premium pavers.

## What makes Ultima concrete so strong?

In a word, fluidity. During manufacturing, we use as little water as possible while enhancing the fluidity at the drying stage, resulting in a form that self-compacts at the chemical level. The result is an extraordinary product that is unlike anything you'll find outside of Unilock.

## With Ultima

Unilock Town Hall® pavers are built to last



## Without Ultima

Deteriorating brick pavers exposed to deicing salts

## Reala

When it comes to creating **realistic textures** that are indistinguishable from brick, cobblestone, or flagstone, there is no room for compromise.

Any paver meant to imitate a classic building material needs to embody its look, its feel, and its strength.

At Unilock, we've been capturing all three since 2004 with our Reala technology.










## How do we achieve a random appearance?

First, we cast a multitude of pavers from molds of actual flagstone, brick, and cobblestone. Then we randomize the casting process. With so much variation between molds, we can then ensure that any paver installation avoids repetition, no matter how large or small the project.











Stains set for thirty minutes, then removed with damp paper towel, hand scrub brush and mild soap

## What does this mean for stains?

Any spill that does manage to land on an EasyClean paver can be quickly and easily wiped away - no deep scrubbing or heavy cleaners needed.

Exclusive to **UNILOCK** 

Unlike after-market sealers which merely coat the top, EasyClean goes beyond the surface and becomes integral to the product during manufacturing. The result is enhanced surface color, and stain resistance.

### **EASYCLEAN ADVANTAGES**

Pavers are pre-sealed at the factory

Enhanced resistance to weathering

Reduced dirt absorption

Stains from leaves, coffee, ketchup, mustard, wine and BBO oils are easier to remove



## ColorFusion

Exclusive to **UNILOCK** 





ColorFusion is made with the same durable concrete and fortifying manufacturing processes that make Unilock pavers last for decades. Our commitment to beautiful, long-lasting hardscaping products is what built our reputation, and we honor that commitment through continued innovation.

## Sustainability Commitment



## In 2021, Unilock announced its commitment to becoming a carbon neutral company.

We have implemented initiatives that continue to minimize our use of fossil fuels, conserve water and replace cement in our products, while producing the highest quality product.



Learr More

## How can you make your project more sustainable?

#### Make it Permeable


Permeable pavers allow rainwater to flow through the pavement surface and back into the subsoil below, filtering out contaminants that could otherwise flow into stormwater drains and pollute local waterways.

#### **Shop Locally**


Choosing products that are manufactured at a Unilock facility close to your home reduces carbon emissions associated with transportation.

### **Think Lighter**

Products that are lighter in color, have a higher solar reflectance. When you choose a lighter colored product, more of the sun's energy is reflected and less heat is absorbed into the pavement surface. This helps reduce urban 'heat island effect' and carries a number of environmental benefits.



EcoTerra





(CO<sub>2</sub>)

UP TO 15% REDUCTION IN CO<sub>2</sub>






ENDURAC©LOR®

CEMENT-FREE FACE-MIX COLOR STAYS
TRUE LONGER

Revolutionary EcoTerra technology offers a sustainable paving solution with its cement-free face-mix. It provides high compressive strength, low absorption, and remarkable colorfastness, all while contributing up to a 15% reduction in carbon dioxide emissions. Additionally, EcoTerra products are designed to be free of efflorescence.




2020 winner Innovative Product





## Pavers & Slabs

From traditional shapes and textures to the most advanced technology and unique styles, the choices available in our paver collection are unrivaled in the industry.







U-Cara® Smooth Page 131



Pisa<sup>™</sup> Edge Page 147

SienaEdge™



Coping Architectural Coping - Page 158 Natural Stone - Page 163



Steel Mountain with Opal and Copthorne® (Basalt) accents and U-Cara® (French Grey) wall

**BOTTOM** Tuscany

## **ENDURACOLOR**

## Beacon Hill Smooth





OPAL






ALMOND GROVE


WALNUT **NEW** SPECIAL ORDER

TUSCANY SPECIAL ORDER

### 3 UNIT RANDOM BUNDLE PEDESTRIAN ONLY



LARGE RECTANGLE 15 x 22½ x 23/8"  $380 \times 570 \times 60$ mm



STEEL MOUNTAIN

SQUARE 15 x 15 x 23/8" 380 x 380 x 60mm



SMALL RECTANGLE  $7\frac{1}{2} \times 15 \times 2\frac{3}{8}$ " 190 x 380 x 60mm

#### **NEW SMALL RECTANGLE** DRIVE FRIENDLY







TUSCANY



 $7\frac{1}{2} \times 15 \times 2\frac{3}{8}$ " 190 x 380 x 60mm

ALMOND GROVE







FOSSIL

OPAL

WALNUT

STEEL MOUNTAIN DARK CHARCOAL









U-Cara® Smooth Page 131



Lineo™ Dimensional Stone Page 137



Coping Architectural Coping - Page 158 Natural Stone - Page 163



Lineo™ Dimensional Stone with Architectural Coping Page 137 & Page 158

Step

## Beacon Hill Smooth

EasyClean

### **NEW** EASYCLEAN TECHNOLOGY





OPAL **NEW** 


STEEL MOUNTAIN **NEW** 

ALMOND GROVE **NEW** 

#### AVAILABLE WITH AND WITHOUT EASYCLEAN TECHNOLOGY

See 65 for more information.

#### 3 UNIT RANDOM BUNDLE PEDESTRIAN ONLY



LARGE RECTANGLE 15 x 22½ x 23/8" 380 x 570 x 60mm




15 x 15 x 23/8" 380 x 380 x 60mm



SMALL RECTANGLE  $7\frac{1}{2} \times 15 \times 2\frac{3}{8}$ " 190 x 380 x 60mm

Opal Blend with Mattoni™ (Dark Charcoal) accent Steel Mountain with Opal and Copthorne® (Basalt) accents





U-Cara® Smooth Page 131



Pisa<sup>™</sup> Edge Page 147



Coping Architectural Coping - Page 158 Natural Stone - Page 163



SienaEdge<sup>™</sup> Page 149

Opal with Holland Premier™ (Dark Charcoal) accent

**BOTTOM** Steel Mountain

## **ENDURACOLOR**

## Beacon Hill Smooth $\times$ L






STEEL MOUNTAIN






TUSCANY SPECIAL ORDER

INDIVIDUAL UNIT PEDESTRIAN ONLY



22½ x 37½ x 2¾ 570 x 950 x 60mm

67









Umbriano Coping - Page 159 Ledgestone Fullnose - Page 162



Natural Stone Page 163

Step

### Steel Mountain with Copthorne® (Basalt) accent

**BOTTOM** Tuscany

## **ENDURACOLOR**

## Beacon Hill Flagstone 60mm





ALMOND GROVE

FOSSIL

STEEL MOUNTAIN







SIERRA

TUSCANY SPECIAL ORDER

WALNUT SPECIAL ORDER

### 3 UNIT RANDOM BUNDLE PEDESTRIAN ONLY



LARGE RECTANGLE 15 x 22½ x 23/8" 380 x 570 x 60mm



SQUARE 15 x 15 x 2<sup>3</sup>/<sub>8</sub>" 380 x 380 x 60mm



SMALL RECTANGLE 7½ x 15 x 23/8" 190 x 380 x 60mm

## **ENDURACOLOR**

## Beacon Hill Flagstone 80mm







FOSSIL





## PRODUCT PAIRINGS





U-Cara® Pitched

Coping



Umbriano Coping - Page 159 Ledgestone Fullnose - Page 162




Natural Stone Page 163

Step

3 UNIT RANDOM BUNDLE DRIVE FRIENDLY

STEEL MOUNTAIN





15 x 15 x 31/8" 380 x 380 x 80mm



SMALL RECTANGLE 7½ x 15 x 3½" 190 x 380 x 80mm

 $Steel\,Mountain\,with\,Copthorne^*(Basalt)\,accent\,and\,U-Cara^*\,Pitched\,(Steel\,Mountain)$ with U-Cara Smooth (Opal) Wall accent and Natural Stone steps

BOTTOM Fossil













#### Exclusive to UNILOCK









WALNUT

STEEL MOUNTAIN

DARK CHARCOAL Rectangle Only

#### 3 UNIT RANDOM BUNDLE DRIVE FRIENDLY



FOSSIL

LARGE RECTANGLE 10 x 15 x 2<sup>3</sup>/<sub>4</sub>" 254 x 380 x 70mm



SQUARE 10 x 10 x 2<sup>3</sup>/<sub>4</sub>" 254 x 254 x 70mm



RECTANGLE 5 x 10 x 2<sup>3</sup>/<sub>4</sub>" 127 x 254 x 70mm

#### **RECTANGLE** DRIVE FRIENDLY





WALNUT







5 x 10 x 2<sup>3</sup>/<sub>4</sub>" 127 x 254 x 70mm





#### PRODUCT PAIRINGS





U-Cara® Pitched

Coping



Natural Stone - Page 163 Architectural Coping - Page 158



Natural Stone Page 163

Step

Fossil with Mattoni™ (Sable Blend) accent

**BOTTOM** Steel Mountain

STEEL MOUNTAIN DARK CHARCOAL





# Treo®



3 UNIT RANDOM BUNDLE DRIVE FRIENDLY



STEEL MOUNTAIN

SQUARE 9½ x 9½ x 23/8"

235 x 235 x 60mm

SIERRA



ALMOND GROVE

SIERRA



FOSSIL



TUSCANY SPECIAL ORDER




WALNUT SPECIAL ORDER

SMALL RECTANGLE

117.5 x 235 x 60mm

45/8 x 91/2 x 23/8"



#### PRODUCT PAIRINGS





U-Cara® Pitched



Coping

Ledgestone Fullnose - Page 162 Architectural Coping - Page 158



SienaEdge<sup>™</sup> Page 149



BOTTOM Steel Mountain

IIII IIII

#### **SMALL RECTANGLE** DRIVE FRIENDLY



LARGE RECTANGLE

235 x 352.5 x 60mm

9½ x 13% x 23/8"







ALMOND GROVE



WALNUT Special Order

TUSCANY Special Order

DARK CHARCOAL



BROWN


 $4^{5/8} \times 9^{1/2} \times 2^{3/8}$ " 117.5 x 235 x 60mm

FOSSIL

SLATE Special Order

STEEL MOUNTAIN





Steel Mountain with Copthorne® (Basalt) accent and U-Cara® Smooth (Steel Mountain) with

#### PRODUCT PAIRINGS



**Wall** Pisa<sup>™</sup> Edge Page 147



Lineo™ Dimensional Stone Page 137



Architectural Coping - Page 158 Ledgestone Fullnose - Page 162



Step SienaEdge™ Page 149

#### **ENDURACOLOR**

# Treo® Smooth @









STEEL MOUNTAIN

SLATE **NEW** SPECIAL ORDER

ALMOND GROVE

FOSSIL

#### 3 UNIT RANDOM BUNDLE PERMEABLE DRIVE FRIENDLY



LARGE RECTANGLE 9½ x 13¾ x 2¾" 233 x 349.5 x 60mm



\$QUARE 9½ x 9½ x 2¾ " 233 x 233 x 60mm



SMALL RECTANGLE 4<sup>5</sup>/<sub>8</sub> x 9<sup>1</sup>/<sub>4</sub> x 2<sup>3</sup>/<sub>8</sub>" 116.5 x 233 x 60mm

#### SMALL RECTANGLE DRIVE FRIENDLY









STEEL MOUNTAIN

ALMOND GROVE

FOSSIL

DARK CHARCOAL



Ledgestone" (Buff) coping

BOTTOM Steel Mountain with Copthorne\* (Basalt) accent

### Brussels Block



PRODUCT PAIRINGS



Brussels Dimensional™



U-Cara® Pitched Page 131



Coping

Natural Stone - Page 163 Architectural Coping - Page 158



Step

Natural Stone

#### Antiqued Finish





LIMESTONE



CHARCOAL **NEW** Standard unit only





ALMOND GROVE

XL STONE 8½ x 13¾ x 2¾" 208 x 348 x 70mm



SIERRA

STANDARD STONE 61/8 x 81/4 x 23/4" 173 x 208 x 70mm




**HALFSTONE** 4 x 61/8 x 23/4" 104 x 173 x 70mm

#### STANDARD STONE 61/8 x 81/4 x 23/4" 173 x 208 x 70mm

#### **ENDURACOLOR**

# Thornbury<sup>™</sup> Smooth •



PRODUCT PAIRINGS



Pisa<sup>™</sup> Edge Page 147




Lineo<sup>™</sup> Dimensional Stone Page 137



Coping

Architectural Coping - Page 158 Natural Stone - Page 163



Step





STEEL MOUNTAIN

#### 3 UNIT RANDOM BUNDLE PERMEABLE DRIVE FRIENDLY



FOSSIL

LARGE RECTANGLE 13<sup>3</sup>/<sub>4</sub> x 16<sup>1</sup>/<sub>2</sub> x 2<sup>3</sup>/<sub>4</sub>" 350 x 420 x 70mm



MEDIUM RECTANGLE 13<sup>3</sup>/<sub>4</sub> x 8<sup>1</sup>/<sub>4</sub> x 2<sup>3</sup>/<sub>4</sub>" 350 x 210 x 70mm



SMALL RECTANGLE 61/8 x 81/4 x 23/4" 173 x 210 x 70mm

Sierra with Copthorne® (Basalt) accent Color selection should be chosen from actual samples. Steel Mountain Color selection should be chosen from actual samples.



# Camelot<sup>™</sup>







INDIVIDUAL UNITS DRIVE FRIENDLY



RECTANGLE  $6 \times 9 \times 2^{3/8}$ " 150 x 225 x 60mm



SQUARE  $6 \times 6 \times 2^{3/8}$ " 150 x 150 x 60mm



CHARCOAL Rectangle Only



 $6 \times 9 \times 2^{3}/8$ " 150 x 225 x 60mm



#### **ENDURACOLOR**

# Camelot<sup>™</sup> Premier New



INDIVIDUAL UNITS DRIVE FRIENDLY

RECTANGLE

150 x 225 x 60mm

 $6 \times 9 \times 2^{3/8}$ "

ALMOND GROVE



RUSTIC RED



GRANITE





SQUARE 6 x 6 x 23/8" 150 x 150 x 60mm

Rectangle Only

 $6 \times 9 \times 2^{3/8}$ "

150 x 225 x 60mm

Color selection should be chosen from actual samples. Almond Grove Color selection should be chosen from actual samples. Almond Grove with Courtstone® (Basalt) accent





# Hollandstone\*\*







ALMOND GROVE

GRANITE BLEND

CHARCOAL

INDIVIDUAL UNIT DRIVE FRIENDLY



4 x 8 x 2<sup>3</sup>/<sub>8</sub>" 100 x 200 x 60mm



#### **ENDURACOLOR**

# Holland Premier











ALMOND GROVE

FOSSIL

STEEL MOUNTAIN

DARK CHARCOAL

RUSTIC RED **NEW** 


INDIVIDUAL UNIT DRIVE FRIENDLY



Color selection should be chosen from actual samples.

Color selection should be chosen from actual samples.

Fossil with Dark Charcoal accent





# **Transition**



ALMOND GROVE



FOSSIL



SIERRA




STEEL MOUNTAIN



DARK CHARCOAL





6 x 9 x 2<sup>3</sup>/<sub>8</sub>" 150 x 230 x 60mm



#### **ENDURACOLOR**


# Mattoni™



SABLE BLEND



COCOA BROWN



GRANITE BLEND



DARK CHARCOAL

INDIVIDUAL UNIT DRIVE FRIENDLY



2<sup>3</sup>/<sub>8</sub> x 9<sup>1</sup>/<sub>2</sub> x 2<sup>3</sup>/<sub>4</sub>" 60 x 240 x 70mm

Color selection should be chosen from actual samples.

Almond Grove with Courtstone\* (Basalt) accent

Color selection should be chosen from actual samples.

Dark Charcoal and Granite Blend (mixed on site)













U-Cara® Pitched



Architectural Coping - Page 158 Natural Stone - Page 163



Step Natural Stone Page 163

# Bristol Valley







STEEL MOUNTAIN

FOSSIL

WALNUT

#### 3 UNIT RANDOM BUNDLE PEDESTRIAN ONLY





SQUARE 15 x 15 x 2<sup>3</sup>/<sub>8</sub>" 380 x 380 x 60mm



SMALL RECTANGLE 7½ x 15 x 23/8" 190 x 380 x 60mm





Wall

U-Cara® Umbriano Page 131



Wall

Pisa<sup>™</sup> Edge Page 147



#### Coping

Natural Stone - Page 163 Umbriano Coping - Page 159



#### Step

Natural Stone Page 163

Summer Wheat with Series™ (Black Granite) accent

**BOTTOM** Winter Marvel

#### **ENDURACOLOR**







# Umbriano<sup>®</sup>

Exclusive to **UNILOCK** 







SUMMER WHEAT

WINTER MARVEL

FRENCH GREY

MIDNIGHT SKY SPECIAL ORDER

3 UNIT RANDOM BUNDLE PEDESTRIAN ONLY

**80 MM DRIVE FRIENDLY** 

AVAILABLE AS SPECIAL ORDER Minimum quantities apply





141/4 x 141/4 x 23/8" 360 x 360 x 60mm



SMALL RECTANGLE  $7 \times 14\frac{1}{4} \times 2\frac{3}{8}$ " 180 x 360 x 60mm





U-Cara® Umbriano Page 131



Wall Pisa™Edge Page 147



Coping Natural Stone - Page 163 Umbriano Coping - Page 159



Natural Stone Page 163

Step

#### TOP French Grey

**BOTTOM** Winter Marvel with Town Hall® (Basalt) accent

#### **ENDURACOLOR**







Umbriano<sup>®</sup>

70mm

#### Exclusive to **UNILOCK**










WINTER MARVEL SPECIAL ORDER



FRENCH GREY SPECIAL ORDER



MIDNIGHT SKY SPECIAL ORDER

#### INDIVIDUAL UNIT PEDESTRIAN ONLY



24 x 24 235/8 x 235/8 x 23/4" 600 x 600 x 70mm

#### INDIVIDUAL UNITS DRIVE FRIENDLY



 $11\% \times 23\% \times 23\%$ 300 x 600 x 70mm



15<sup>3</sup>/<sub>4</sub> x 15<sup>3</sup>/<sub>4</sub> x 2<sup>3</sup>/<sub>4</sub>" 400 x 400 x 70mm



8 x 16  $7\% \times 15\% \times 2\%$ 200 x 400 x 70mm



# Revela<sup>™</sup> 70mm



Enhanced Surface

DARK CHARCOAL

TUSCANY

8 x 24 PEDESTRIAN ONLY



4 x 8 DRIVE FRIENDLY



Tuscany Only 71/8 x 235/8 x 23/4" 200 x 600 x 70mm



#### **ENDURACOLOR**\*






# Revela® Slab NEW











FROST

MICA GREY

METALLIC GREY

DARK CHARCOAL

SAVANNAH

NEW 18 x 24 PEDESTRIAN ONLY

Enhanced Surface



Color selection should be chosen from actual samples. Tuscany (8 x 24) Color selection should be chosen from actual samples. Mica Grey







# Promenade<sup>™</sup> EcoTerra New






LIGHT STEEL GREY

LIGHT OPAL BLEND

INDIVIDUAL UNIT DRIVE FRIENDLY —

Enhanced Surface







#### **ENDURACOLOR**

# Urban™ **New**



ALMOND GROVE



STEEL MOUNTAIN






WALNUT





TUSCANY SPECIAL ORDER


95



#### New

# Skyline™

Perfect for roof decks and other raised floor applications.





SILVER GREY

CHAMOIS

SLAB PEDESTRIAN ONLY



**24 x 24** 23% x 23% x 2" 606 x 606 x 50mm



Unilock Pedestal System Contact your local Unilock Rep for more information.









U-Cara® Umbriano Page 131



Wall Pisa<sup>™</sup> Edge Page 147

Coping

Step



U-Cara Umbriano with Umbriano Coping Page 131 & Page 159

Umbriano Coping - Page 159 Natural Stone - Page 163

TOP 2 Color Blend (French Grey and Winter Marvel)

**BOTTOM** French Grey

# Artline™ Umbriano® Finish

Exclusive to **UNILOCK** 







FRENCH GREY


WINTER MARVEL


2 COLOR BLEND Blended on Site

For additional sizes in Umbriano finish reference page 89-91

#### 7 UNIT RANDOM BUNDLE DRIVE FRIENDLY







41/8 x 133/8 x 23/4" 125 x 337.5 x 70mm



7½ x 17¾ x 2¾" 187.5 x 450 x 70mm







**Wall** U-Cara® Smooth Page 131

Wall



Lineo™ Dimensional Stone Page 137



Coping
Architectural Coping - Page 158
Natural Stone - Page 163



Step
Lineo™ Dimensional Stone
with Architectural Coping
Page 137 & Page 158

#### **TOP** Steel Mountain with Series™ (Black Granite) accent

BOTTOM Fossil

#### **ENDURACOLOR**

# Artline<sup>™</sup> Smooth Finish





FOSSIL

STEEL MOUNTAIN

#### 7 UNIT RANDOM BUNDLE DRIVE FRIENDLY



4% x 6¾ x 2¾" 125 x 169 x 70mm



4% x 10% x 2¾" 125 x 262.5 x 70mm



41/8 x 173/4 x 23/4" 125 x 450 x 70mm



7½ x 8% x 2¾" 187.5 x 225 x 70mm



7½ x 13¾ x 2¾" 187.5 x 337.5 x 70mm



4% x 133% x 23/4" 125 x 337.5 x 70mm



7½ x 17¾ x 2¾" 187.5 x 450 x 70mm

101



# Series™




BLACK GRANITE

INDIVIDUAL UNIT DRIVE FRIENDLY

Exposed Granite




3 % x 7 % x 2<sup>3</sup>/<sub>4</sub>" 100 x 200 x 70mm



#### **ENDURACOLOR**

Hex™ New







OPAL

STEEL MOUNTAIN

STEEL GREY

INDIVIDUAL UNIT DRIVE FRIENDLY



8 x 8 7%8 x 7%8 x 2<sup>3</sup>/<sub>4</sub>" 200 x 200 x 70mm





# Eco-Priora™ ⊘



Also Available in Umbriano°, Series™ or Tumbled Finishes as Special Order.

GRANITE

#### INDIVIDUAL UNITS PERMEABLE DRIVE FRIENDLY —



RECTANGLE 5 x 10 x 31/8" 120 x 240 x 80mm



LARGE SQUARE
10 x 10 x 31/6"
240 x 240 x 80mm
SPECIAL ORDER




SQUARE
5 x 5 x 31/8"
120 x 120 x 80mm
SPECIAL ORDER




#### **ENDURACOLOR**

# Eco-Priora<sup>™</sup> Premier **⊘**









INDIVIDUAL UNIT PERMEABLE DRIVE FRIENDLY



5 x 10 4<sup>3</sup>/<sub>4</sub> x 9<sup>1</sup>/<sub>2</sub> x 3<sup>1</sup>/<sub>8</sub>" 120 x 240 x 80mm

Color selection should be chosen from actual samples.

Color selection should be chosen from actual samples.

Opal



# Tribeca Cobble®

**Exposed Granite** 



CRYSTALLINE BASALT



PEPPERED GRANITE

3 UNIT RANDOM BUNDLE PERMEABLE DRIVE FRIENDLY



LARGE RECTANGLE 5 x 12 x 2<sup>3</sup>/<sub>4</sub>" 130 x 305 x 70mm



MEDIUM RECTANGLE 5 x 9 x 2 <sup>3</sup>/<sub>4</sub>" 130 x 230 x 70mm



SMALL RECTANGLE 5 x 6 1/8 x 2 3/4" 130 x 175 x 70mm



**CURB UNIT** 




7 x 9 x 11½ x 4" 180 x 230 x 290 x 100mm



#### **ENDURACOLOR**

# Nordic Cobble<sup>™</sup> •



1-4



GRANITE FUSION **NEW** 

DARK CHARCOAL **NEW** 

INDIVIDUAL UNIT PERMEABLE DRIVE FRIENDLY



OPAL **NEW** 

Color selection should be chosen from actual samples.

Crystalline Basalt

Color selection should be chosen from actual samples.

Opal with Courtstone® accent



**TOP** Golden Sand with Black River banding

**LEFT** Stone Cliff Grey

**RIGHT** Hearthstone

# Natural Stone

Suitable for pool decks, wood decks, patios, entrances and concrete overlays.

#### Sandstone









AUTUMN HARVEST

GOLDEN SAND

IVORY SAND

STONE CLIFF GREY

#### Limestone







BLACK RIVER

HEARTHSTONE

WINTER MIST

#### INDIVIDUAL UNITS PEDESTRIAN ONLY



12 x 24 11% x 235% x %" 300 x 600 x 22mm



18 x 24 17<sup>3</sup>/<sub>4</sub> x 23<sup>5</sup>/<sub>8</sub> x <sup>7</sup>/<sub>8</sub>" 450 x 600 x 22mm



24 x 24 235/8 x 235/8 x 7/8" 600 x 600 x 22mm



24 x 36 23<sup>5</sup>/<sub>8</sub> x 35<sup>1</sup>/<sub>2</sub> x <sup>1</sup>/<sub>8</sub>" 600 x 900 x 22mm

See page 163 for Steps, Coping & Pillar Caps

Please contact your contractor or a local Unilock Authorized Dealer for more information and availability.



Nature Dolomite

# Porcelain Tile

Suitable for wood decks and concrete overlays.

24 X 24 PEDESTRIAN ONLY











DELCONCA USA

GOTHAM BIANCO

GOTHAM GRAY

GOTHAM NERO

TRAVSTONE BEIGE

TRAVSTONE GRAY





24 x 24

235/8 x 235/8 x 3/4" 600 x 600 x 20mm







NEW ENGLAND WHITE

NEW ENGLAND IVORY

NEW ENGLAND COLD GRAY

NATURE CARRARA

NATURE DOLOMITE

16 X 32 PEDESTRIAN ONLY









QUARTZITE DARK GREY

QUARTZITE SAND

TRAVSTONE BEIGE

TRAVSTONE GRAY







NEW ENGLAND WHITE NEW ENGLAND IVORY

NEW ENGLAND COLD GRAY



# Richcliff®

EXCLUSIVE TO UNILOCK


Inspired by the texture of natural cut flagstone, Richcliff offers superior durability and timeless appeal ideal for driveways, patios, walkways and commercial projects.

A multitude of stone textures were cast using Reala™ Technology, to ensure that finished projects will have a completely random and natural appearance. And unlike natural stone, which can crack, split and fade, Richcliff is virtually indestructible.



Scan here for project inspiration







Wall Rivercrest® Wall

Step

Natural Stone Page 163



Lineo™ Dimensional Stone Page 137



Ledgestone Fullnose - Page 162 Architectural Coping - Page 158



**ELEGANCE** 



poured-in-place concrete

 $\mathsf{REALA}^{\scriptscriptstyle\mathsf{TM}}$ Cast from natural stone





# Richcliff\*

#### Exclusive to UNILOCK







SMOKE SHALE

DAWN MIST

PEBBLE TAUPE

PEBBLE TAUPE / DAWN MIST Blended on Site

#### 3 UNIT RANDOM BUNDLE DRIVE FRIENDLY



RECTANGLE  $8\% \times 11\% \times 2\%$ " 226 x 300 x 60mm



SQUARE  $8\% \times 8\% \times 2\%$ " 226 x 226 x 60mm



SMALL RECTANGLE 51/8 x 81/8 x 23/8" 150 x 226 x 60mm

#### LARGE RECTANGLE PEDESTRIAN ONLY



 $11\% \times 20\% \times 2\%$ " 302 x 528 x 60mm









Up to 4x stronger than poured-in-place concrete







#### PRODUCT PAIRINGS



Brussels Dimensional



Lineo™ Dimensional Stone Page 137



Coping Ledgestone Fullnose - Page 162 Umbriano Coping - Page 159



Step

Natural Stone Page 163

**BOTTOM** Basalt with Umbriano® (Summer Wheat)

# Courtstone

Exclusive to UNILOCK



BASALT

#### 5 UNIT RANDOM BUNDLE DRIVE FRIENDLY



XL Rectangle 51/8 x 83/8 x 23/8" 130 x 215 x 60mm



LARGE RECTANGLE  $5\frac{1}{8} \times 7\frac{1}{4} \times 2\frac{3}{8}$ " 130 x 185 x 60mm



SMALL RECTANGLE  $5\frac{1}{8} \times 5\frac{3}{4} \times 2\frac{3}{8}$ " 130 x 145 x 60mm



SQUARE 51/8 x 51/8 x 23/8" 130 x 130 x 60mm







Up to 4x stronger than poured-in-place concrete









# Town Hall®

#### Exclusive to **UNILOCK**







BURGUNDY RED

BURNT CLAY

OLD OAK



BASALT





Rivercrest® Wall

Wall



Brussels Dimensional™



Coping Natural Stone - Page 163 Ledgestone Fullnose - Page 162



Step

Natural Stone Page 163

BOTTOM 3 Color Blend





3 COLOR BLEND Blended on Site





Up to 4x stronger than poured-in-place concrete









# Copthorne

#### Exclusive to UNILOCK



BURGUNDY RED



BURNT CLAY



OLD OAK



3 COLOR BLEND Blended on Site







STEEL BLUE




BASALT



3 COLOR GREY BLEND Blended on Site

#### INDIVIDUAL UNIT DRIVE FRIENDLY

25/8 x 77/8 x 23/8" 65 x 200 x 60mm



PRODUCT PAIRINGS



Brussels Dimensional

Wall

Coping



Lineo™ Dimensional Stone Page 137



Ledgestone Fullnose - Page 162 Umbriano Coping - Page 159



Natural Stone Page 163

Step

TOP 3 Color Grey Blend

**BOTTOM** 3 Color Blend with Basalt accent and Beacon Hill™ Smooth (Steel Mountain)





# Retaining Walls & Vertical Features

Unlimited creative possibilities exist for retaining soil or building vertical features like grill islands and firepits.



# NEW SUBWAY

**TOP** Fossil Pitched with Fossil Smooth back splash and Beacon Hill™ Smooth pavers

**LEFT** Ivory Subway

RIGHT Dark Charcoal Smooth

# U-Cara<sup>\*</sup> Multi-Face Wall System



reddot


2019

This patented wall system, exclusive to Unilock, represents a revolution in wall design.

With U-Cara it's now possible to design walls, pillars, planters, fire features, grill islands and more.

U-Cara received the "red dot" award for high design quality and innovation.

#### FASCIA PANELS





Winter Marvel Umbriano with Umbriano (French Grey) pavers and Umbriano coping

LEFT Opal Smooth with Steel Mountain Pitched accent

**RIGHT** Steel Mountain Pitched with Umbriano French Grey and Copthorne® (Basalt) accents with Ledgestone coping and Pillar Cap

# U-Cara® Multi-Face Wall System





#### **UNIVERSAL BASE UNIT**

14 x 19 x 21/4" 355 x 482 x 55mm

2 BACKER BLOCKS



SURETRACK STANDARD  $7\frac{1}{2} \times 5\frac{7}{8} \times 5\frac{7}{8}$ " 190 x 150 x 150mmm



LARGE BACKER  $7\frac{1}{2} \times 5\frac{7}{8} \times 11\frac{5}{8}$ " 190 x 150 x 294mm



SURETRACK CORNER/PILLAR 61/8 x 51/8 x 115/8" 175 x 150 x 294mm



SURETRACK CORNERINSERT L = 2"



6" STANDARD FASCIA



5% x 183/8 x 23/8" 150 x 466 x 60mm 3" SERIES PANEL



21/8 x 9 x 23/8" 71 x 231 x 60 mm





CLOSED-END FASCIA PANEL  $5\% \times 20\% \times 2\%$ " 150 x 530 x 60mm



STANDARD FASCIA HALF PANEL 5% x 9¼ x 23/8" 150 x 233 x 60mm

Note: Not available in Subway or Lavano.

#### 4 FASCIA PANEL STYLES



PITCHED



UMBRIANO







SMOOTH 5 COPING



UNIVERSAL 14 x 19 x 2<sup>3</sup>/<sub>4</sub>" 355 x 482 x 70mm

MORE COPING OPTIONS


SEE PAGE 158-163 FOR


SERIES


133

# U-Cara<sup>\*</sup> Modular System

Our U-Cara Modular System offers a variety of aluminium frames that can be mixed and matched to construct vertical features like grill islands, fire features and pillars.











Speak to your contractor to select a design and a U-Cara fascia panel finish to suit your project.

# U-Cara Wall Mount System

The U-Cara Wall Mount System allows you to put the finishing touches on your project by cladding existing structures with U-Cara fascia panels.







Ideal for garden sheds, wing walls, exposed foundation, existing steps or concrete and wood substrates.







Paver Mattoni™ Page 85



Pool & Wall Coping

Universal Page 160



# SienaEdge™ Page 149

#### **CLASSIC**

# Lineo<sup>®</sup> Dimensional Stone







GRANITE BLEND

ALMOND GROVE

SIERRA

#### **4 UNIT RANDOM BUNDLE**









235/8 x 71/8 x 37/8" 600 x 200 x 100mm

400 x 200 x 100mm

19<sup>3</sup>/<sub>4</sub> x 7½ x 3½" 500 x 200 x 100mm

153/4 x 71/8 x 31/8" 400 x 200 x 100mm

11% x 7% x 3%" 300 x 200 x 100mm

#### **INDIVIDUAL UNITS**







**ARCHITECTURAL** PILLAR CAP 28 x 28 x 31/8" 711 x 711 x 100mm



UNIVERSAL **BASE UNIT** 14 x 19 x 21/4" 355 x 482 x 55mm

Granite Blend with Holland Premier™ (Dark Charcoal) banding and Treo® Smooth (Steel Mountain) pavers with Holland Premier (Dark Charcoal) accent

**BOTTOM** Sierra with Artline™ (Fossil) pavers and Town Hall® (Basalt) accent

#### REALA™ Cast from natural stone




#### reddot

#### 2013

Rivercrest received the "red dot" award for high design quality and innovation.

#### STONEMARK\*





#### PRODUCT PAIRINGS



Paver Richelift

Richcliff° Page 113



Pool & Wall Coping

Universal Page 160

**Step** SienaEdge™

Page 149



# Rivercrest Wall



A VI

#### **4 UNIT RANDOM BUNDLE**



STANDARD UNIT 1 8 x 9-10 x 2½" 200 x 230-250 x 57mm



STANDARD UNIT 2 12 x 9-10 x 21/4" 300 x 230-250 x 57mm



STANDARD UNIT 3 12 x 9-10 x 21/4" 300 x 230-250 x 57mm



STANDARD UNIT 4 17 x 9-10 x 21/4" 425 x 230-250 x 57mm

#### 2 UNIT CORNER BUNDLE



LONG CORNER UNIT 17½ x 9-10 x 2½" 450 x 230-250 x 57mm



SHORT CORNER UNIT  $14\frac{1}{2} \times 9 - 10 \times 2\frac{1}{4}$ "  $375 \times 230 - 250 \times 57$ mm













SienaEdge™ Page 149

Universal

Page 160

Bristol Valley® Page 87

Pool & Wall Coping

#### Almond Grove with Copthorne® (Basalt) accent

**BOTTOM** Granite with Fullnose<sup>™</sup> coping (Charcoal) and Copthorne (Burgundy Red) accent

#### **CLASSIC**

# Estate Wall\*







#### **3 UNIT 6" BUNDLE**



6" LARGE UNIT  $15\frac{3}{4} \times 9 \times 5\frac{7}{8}$ " 400 x 228 x 150mm



6" MEDIUM UNIT 9 x 111/8 x 51/8" 228 x 300 x 150mm



6"SMALLUNIT 71/8 x 9 x 51/8" 200 x 228 x 150mm

#### **6" PILLAR/CORNER**

**3" PILLAR/CORNER** 



 $12\% \times 9 \times 5\%$ " 320 x 230 x 150mm

#### **3 UNIT 3" BUNDLE**



3" LARGE UNIT 147/8 x 9 x 3" 375 x 228 x 75mm



3" MEDIUM UNIT 9 x 111 x 3" 228 x 300 x 75mm



3" SMALL UNIT  $7\% \times 9 \times 3$ " 200 x 228 x 75mm



 $12\frac{5}{8} \times 9 \times 3$ " 320 x 230 x 75mm

#### **2 UNIT COPING BUNDLE**



COPING UNIT 12½ (93/8) x 12 x 3" 317.5(237.2) x 304.8 x 76.2 mm




CLOSED- END COPING UNIT 12½(10%) x 12 x 3" 317.5 (277.4) x 304.8 x 76.2 mm



UNIVERSAL **BASE UNIT** 14 x 19 x 21/4" 355 x 482 x 55mm

141







Brussels Block° Page 78



Pool & Wall Coping Fullnose™ Page 161



Pool & Wall Coping Universal



Page 160 Step

SienaEdge™

Page 149



#### **CLASSIC**

# Brussels Dimensional System







LIMESTONE

ALMOND GROVE

SIERRA



**STANDARD** 7 % x 11 % x 3 % " 200 x 300 x 100mm



**UNIVERSAL BASE UNIT** 14 x 19 x 2½" 355 x 482 x 55mm

#### **SUNSET FIREPIT KITS**





Available in round and square. See 151 for additional information.

Limestone with Beacon Hill™ Smooth pavers

**BOTTOM** Sunset firepit kit in Almond Grove







### PRODUCT PAIRINGS



Beacon Hill™ Flagstone Pages 69-71



Pool & Wall Coping Fullnose™ Page 161



Pool & Wall Coping

Universal Page 160



### Step

SienaEdge<sup>™</sup> Page 149

**CLASSIC** 

# Concord Wall\*







GRANITE ALMOND GROVE

SIERRA



**XL UNIT** 111/8 x 15<sup>3</sup>/<sub>4</sub> x 5<sup>7</sup>/<sub>8</sub>" 300 x 400 x 150 mm



**CORNER** 7% x 11% x 5%" 200 x 300 x 150mm



**WEDGE CAP UNIT** 8½ (7¾) x 12¾ x 3" 215 x (187.5) x 323 x 75mm



**COPING / STEP TREAD** 111/8 x 235/8 x 3" 300 x 600 x 150mm

Granite with Beacon Hill™ Smooth (Fossil) pavers

**BOTTOM** Granite



### **CLASSIC**

## Concord® Wall Smooth New







GRANITE

ALMOND GROVE

SANDSTONE



XL TAPERED 15<sup>3</sup>/<sub>4</sub> x 11<sup>7</sup>/<sub>8</sub> x 5<sup>7</sup>/<sub>8</sub>" 400 x 300 x 150 mm



**COPING** 15<sup>3</sup>/<sub>4</sub> x 11<sup>7</sup>/<sub>8</sub> x 3" 400 x 300 x 75 mm



**CORNER** 15<sup>3</sup>/<sub>4</sub> x 7<sup>7</sup>/<sub>8</sub> x 5<sup>7</sup>/<sub>8</sub>" 400 x 200 x 150 mm



### CLASSIC

# Pisa Edge New










GRANITE

SANDSTONE


ALMOND GROVE

SIERRA





CORNER/ CLOSED-END 17<sup>3</sup>/<sub>4</sub> x 10/<sub>4</sub> x 3/<sub>2</sub>" 450 x 260 x 90 mm



COPING/ CLOSED-END 17<sup>3</sup>/<sub>4</sub> × 10<sup>1</sup>/<sub>4</sub> × 3<sup>1</sup>/<sub>2</sub>" 450 × 260 × 90 mm

147





# SienaEdge™







GRANITE

ALMOND GROVE **NEW** 

SANDSTONE **NEW** 



### PRODUCT PAIRINGS



Paver Urban<sup>™</sup> Page 95



Pool & Wall Coping

Universal Page 160



Step

SienaEdge™ Page 149



**STANDARD / CORNER UNIT** 11½ x 39¾ x 7" 290 x 1000 x 180mm



**COPING** 11½ x 39¾ x 7" 290 x 1000 x 180mm

NOTE: Coping Unit can also act as a closed end unit with the unique patented locking mechanism.

PHOTOS Granite 149

## Firepits and Fire Features

Imagine flames crackling on a cool night, curling up under the stars with friends and family, and sipping a warm cup of hot chocolate. Soak up that sense of bliss from your backyard with a Unilock firepit!







### **SUNSET FIREPIT KIT**

Available in Almond Grove, Limestone and Sierra.




### FIREPIT GRILL

Select firepit kits come with a firepit grill that fits securely into the firepit. Sold separately.



### ROMANSTACK™ FIREPIT KIT

Available in Almond Grove, Granite and Sierra.




**NOTE:** Large fires and extreme heat are detrimental to concrete.

### UNILOCK REDUCED **SMOKE INSERT**

ONLY SELECTED FIREPITS AVAILABLE WITH ZENTRO TECHNOLOGY FIREPIT INSERT

There's nothing like relaxing around a roaring fire to bring family and friends closer together. But with ordinary firepits, smoke always blows in someone's face - usually yours. With Unilock Reduced Smoke Inserts, stinging eyes are a thing of the past. Zentro's patent-pending technology reburns smoke before it gets anywhere near your eyes. Say hello to good times and goodbye to smoke.





### **FIREPIT KIT ACCESSORIES**

The following accessories are available for any firepit kit. Contact your local Territory Manager for details.





**SCREEN** Sunset Firepits only



WITH COLLAR

### Outdoor Kitchens

There's nothing more fun than cooking al fresco. An outdoor kitchen is an entire, defined space dedicated to preparing meals among family and friends, but with a much livelier backdrop!





Learn about things to consider when designing your outdoor kitchen.








### **Design Considerations**

Think about how you'll use the space, the outdoor appliances you need, the best location for a kitchen in your yard, and how it will weather in the elements over time.







From a practical side, an outdoor kitchen is an extension of your home's living and entertaining space, allowing you to make the most of your backyard.

# Water Features & Pillars

From fountains and ponds, to waterfalls and custom water features, these soothing additions are a popular way to enhance your landscape design.









Elevate your outdoor space to new heights by incorporating pillars into your design. With varying heights and functions, pillars create a sense of permanence and strength while also adding visual flair. Take it a step further by incorporating landscape lighting into your pillars to set the mood at night.

# Creative Ideas


The versatility of Unilock products provides a playground for your imagination. From mixing patterns and colors to create a custom sports court, to utilizing Unilock wall systems to beautify a utilitarian window well, the possibilities are endless!



This small storage area becomes a thing of beauty, paved with Unilock Beacon Hill™ Smooth and Universal Coping treads.









# Steps, Treads, Coping & Caps

From classic, fullnose shapes to pitched-face edges, our steps, treads and coping offer a wide variety of choices for the finishing touch on your project.

# STEPS, TREADS, COPING & CAPS

## ENDURACOLOR"

# Architectural New Coping





LIGHT GREY

DARK CHARCOAL



SANDSTONE



13 x 24 x 2<sup>3</sup>/<sub>8</sub>" 310 x 620 x 60mm





# Umbriano New

## Coping

### Exclusive to **UNILOCK**







GRENADA WHITE

FRENCH GREY

ENCH GRET

SUMMER WHEAT Special Order

WINTER MARVEL Special Order

MIDNIGHT SKY



**BULLNOSE** 14 x 24 x 2<sup>3</sup>/<sub>6</sub>" 360 x 600 x60mm



**CHAMFERED**14 x 24 x 2<sup>3</sup>/<sub>8</sub>"
360 x 600 x 600 mm





# Architectural

Pillar Cap



LIGHT GREY



DARK CHARCOAL



28 x 28 x 31/8" 711 x 711 x 100mm



### Universal Coping



LIGHT GREY



DARK CHARCOAL



14 x 19 x 2<sup>3</sup>/<sub>4</sub>" 355 x 482 x 70mm



## Estate Wall™



ALMOND GROVE



SIERRA



GRANITE



CHARCOAL

### 2 UNIT COPING BUNDLE



 $12\frac{1}{2}(9\frac{3}{8}) \times 12 \times 3$ " 317.5(237.2) x 304.8 x 76.2 mm



CLOSED-END COPING 12½(10%) x 12 x 3" 317.5 (277.4) x 304.8 x 76.2 mm

## Concord Wall™

## Fullnose™ Coping



ALMOND GROVE



SIERRA



GRANITE



**COPING/STEP TREAD** 117/8 x 235/8 x 3" 300 x 600 x 75mm



**WEDGE CAP UNIT** 8½ (7¼) x 12¾ x 3" 215 x (187) x 323 x 75mm



ALMOND GROVE



SIERRA **NEW** 



LIMESTONE



CHARCOAL



**NEW SIZE** 5% x 11% x 23/8" 150 x 300 x 60mm

# Ledgestone™ Coping & Pillar Cap



REALA™ Cast from natural stone







GREY



COPING 12 x 24 x 2<sup>3</sup>/<sub>4</sub>" 305 x 610 x 70mm

12 x 24 x 2<sup>3</sup>/<sub>4</sub>"

305 x 610 x 70mm

**CLOSED END COPING** 



24" PILLAR CAP 24 x 24 x 31/8" 610 x 610 x 100mm



LARGE COPING 13½ x 30 x 2¾" 343 x 762 x 70mm



LARGE CLOSED END COPING 13½ x 30 x 2¾" 343 x 762 x 70mm





# Coping, Step & Pillar Cap



AUTUMN HARVEST SANDSTONE



GOLDEN SAND SANDSTONE



IVORY SAND SANDSTONE



STONE CLIFF GREY SANDSTONE



BLACK RIVER LIMESTONE

### **COPING**



4' ROCKFACE 6' ROCKFACE 471/4 x 111/8 or 153/4 x 2" 70% x 11% or 15¾ x 2" 1200 x 300 or 400 x 50mm 1800 x 300 or 400 x 50mm



4' FULLNOSE 471/4 x 117/8 x 2" 1200 x 300 x 50mm

6' FULLNOSE 70% x 11% x 2" 1800x 300 x 50mm

### PILLAR CAP



24" PILLAR CAP 235/8 x 235/8 x 25/8" 600 x 600 x 64mm

28" PILLAR CAP 28½ x 28½ x 25/8" 725 x 725 x 64mm






4' LENGTH 15<sup>3</sup>/<sub>4</sub> x 47<sup>1</sup>/<sub>4</sub> x 5<sup>7</sup>/<sub>8</sub>" 400 x 1200 x 150mm

6' LENGTH 15<sup>3</sup>/<sub>4</sub> x 70<sup>7</sup>/<sub>8</sub> x 5<sup>7</sup>/<sub>8</sub>" 400x 1800 x 150mm



# Learn & Plan

Nothing ventured, nothing gained! Transform your hardscape ideas into bold, thrilling reality with the right help, knowledge and preparation. Unilock has the experts, the plans and the tools you need to succeed!





# UNILOCK Outdoor Idea Center

### See

An expansive display of Unilock products in a life-size outdoor setting


### Talk

To our knowledgeable staff and we'll help you create a plan to achieve the outdoor space you're dreaming about.

### Take

**FREE samples** of Unilock paver and wall products home with you.

Come visit us in Uxbridge, Massachusetts



Scan here for more information

and a 3D virtual tour!

Please feel free to walk around and browse our Outdoor Idea Center at any time. Call 1-800-UNILOCK or visit Unilock.com for more details and staff hours.







**3D Rendering** Created with Uvision® 3D Design Software



Finished Project

While there are many contractors and designers who still prefer to draw by hand, more and more plans today are being created digitally and in 3D.

If you're having trouble imagining what your project will look like when it's complete, a 3D design can really help.

Speak to your contractor about how 3D design can help you visualize the possibilities for your project!

Connect with us online or by phone to find a qualified contractor who can prepare a 3D design for your project!

Your one-stop shop for a wide variety of resources to help you kick-start your hardscape project, the Unilock way!

# Resources at Unilock.com

Throughout your project journey we know you'll have lots of questions, and our website has answers. From the hundreds of topics covered in our Knowledge Center, to design advice and inspiration, we're here to help far beyond your selection of Unilock products. We can even help you connect with a local installation contractor you can trust. Connect with us online or at 1-800-UNILOCK.



### Knowledge Center



### Design Advice




Unilock Authorized Contractors



Frequently Asked Questions



# Protect your Investment



# Spring

While the majority of Unilock products require little maintenance, there are a number of preventative steps that can be performed each spring to ensure that your project keeps its pristine appearance throughout patio season.

Examine for "creep" – this is where pavers push out as a result of winter stress, traffic or edge restraint failure – as well as dips, deformations or stains. Should you discover any of these problems, they are fixable; speak to your contractor or reach out to us for solutions. Wash your paver surface with a simple soap and water solution and top up jointing material if necessary.

# Fall

While the leaves changing colors in the fall is a beautiful sight, the stains they leave behind on pavers can be an eyesore. Clean any debris, and remove any planters, barbecues or furniture that may leave behind rust marks.



### Winter **₩**

Metal blades on plows or shovels may scratch the surface of your pavers. It is recommended you use plastic shovels or protective plastic blades on your plows or snow blowers. Although Unilock products are resistant to de-icing salt, it is strongly advised to use calcium-based products or rock salt (sodium chloride) to melt ice.

**Note:** Avoid magnesium-based de-icing products as they are very aggressive and may cause damage to the surface of pavers.

### STOP WEEDS BEFORE THEY TAKE ROOT

Weeds do not grow up from the soil below. Instead, dirt and weed seeds blow in from adjacent lawn and garden areas and may germinate in between the joints. Keeping the joint sand topped up near the surface will help the weed seeds to blow over the joint and not into the joint.

**IN THE PAST** - Basic sand was the only jointing material available. Rain would erode the sand if it wasn't replaced frequently, leaving parts open to vegetation growth.

**TODAY** - There are new types of sand-stabilizing compounds and polymeric jointing materials that relieve homeowners of this maintenance worry.

# Finding the Right Fit

Even the best materials can be spoiled by subpar installation and craftsmanship, which is why choosing the right contractor for the job is the most crucial decision for your project. Remember that the cheapest quote is rarely the best option, so make sure to ask the right questions.





### NEED HELP FINDING A OUALIFIED CONTRACTOR?

Unilock Authorized Contractors have met our exacting standards for installation methods and business practices. Connect with us online, by phone or at one of our locations and we'll be happy to connect you with a contractor in your area who is guaranteed to do the job right.



Register online at Unilock.com and we'll match you with a Unilock Authorized Contractor in your area.

# 8 Tips for Choosing a Contractor



### 1 WORKMANSHIP

Ask to see completed projects from more than two years ago to see how their work holds up.

Are the curves of the project cut in a way that minimizes large gaps? Are small or awkward cuts minimized?

Have edge restraints been used and are they still in place?

How long does the contractor guarantee their work?

Has there been a warranty claim filed against the company in the past two years?

### 2 SUB-CONTRACTING

Some contractors will hire other companies to perform parts of the work, like lighting and irrigation. Be sure to ask how these sub-contractors will be managed or vetted.



Scan here for a Project Planning Guide and helpful Contractor Checklist.

### **3 EXPERIENCE**

How long has the contractor been installing pavers and walls?

Has the contractor installed projects in the past with the features you're considering?

### **4 PREPARATION**

What are the contractor's base preparation methods?

What materials are used and why?

Is there a standard procedure for base preparation or will the contractor assess your site's unique needs?

### 5 SCHEDULE

How far in advance are projects being booked and how long might your project take?

What are the contractor's payment terms?

Do they require a deposit upfront to secure the timing of the project?

### **6 DOCUMENTATION**

Does the contractor have the proper licensing for their work?

Does the contractor have liability insurance and are employees covered by Workers Compensation?

Will permits be required for the job and if so, who is responsible to secure them?

### **7 COMPATIBILITY**

Do you like this contractor? Can you trust them? Can you easily communicate and understand each other?

Will the person you're meeting be on site throughout the project or will someone else be your day-to-day point of contact?

Contact references to help understand how your contractor will operate throughout a project.

### 8 DESIGN

Do they offer a design service? What is the cost for this?

Do they offer hand-drawn or 3D-rendered concept designs?

Are the contractor's designs something you would like for your project?

# Time to Break Ground



### 1 EXCAVATION

All outdoor projects should begin with the removal of grass and topsoil. The depth will be determined by two things:

- 1. Soil Type Sandier soil requires less excavation than clay-based soil.
- **2. Use** Patios and walkways, which take lighter loads should require less excavation than driveways and retaining walls, which require deeper excavation.

Depth of excavation can be reduced significantly if a layer of DriveGrid is placed at the bottom of the excavation before gravel gets placed. Loose subsoil should always be compacted prior to installing DriveGrid and gravel.

Learn about frequently used terms in the hardscape industry.

### **2 GRAVEL BASE**

A gravel base is placed into the excavated area. Ideally, this gravel base will need to be:

- > Strong enough to support the weight of anything placed on the surface.
- > **Free draining** to allow water to escape the base and enter the subsoil. A perforated drain pipe in the gravel base may be necessary for retaining walls in order to direct water away from the wall's base.
- > **Extended** at least 6" (150mm) beyond the finished paver surface's edges.
- > Compacted in several layers, using the proper equipment.

### **3 BEDDING LAYER**

On top of the firm gravel base, a 1" (25mm) layer of sand or tiny stone chips is spread out and smoothed. This layer enables the levelling or sloping of paver or wall units for drainage and smoothness.

Some contractors may recommend a poured concrete surface over a standard bedding layer, which is acceptable if the concrete is carefully poured and rests on a solid, well-drained base.

Note: Once concrete is poured, the height of paver or wall units can no longer be adjusted.



### **4 RESTRAINT SYSTEM**

To prevent pavers from shifting, a concrete edge will be constructed or an edge restraint fixed with long metal spikes. For walls, adhesive can be used to secure rows of blocks together. Larger retaining walls may require geogrid every few layers to secure the wall into the soil that is being retained.

### **5 JOINT MATERIAL**

There are three types of joint material to choose from:

**Basic Jointing Sand** – Years ago, this was the only joint material available. As it wears away, issues with weeds could arise. If you decide to choose basic sand, we advise using a joint stabilizing sealant and be ready to top up the sand as necessary.

**Polymeric Sand** - This special sand is blended with a binding ingredient to help it stay in place longer. Check with your local Unilock Dealer for the best jointing sand/compound for your project.

**Resin Sand** – Resin sands are the strongest jointing sand available, and have been proven to have the longest lifespan of any jointing sand. Different resin sands are available for various uses.

### 6 SEALING


Unilock pavers will be durable with or without a sealer. Some homeowners may choose to apply a sealer to enhance paver color, while others choose to appreciate the color of the pavers as they are. If you decide to seal, be prepared to re-seal your pavers every 3-5 years.

### **Factory-Sealed Products**


Elegance® pavers and Unilock® pavers manufactured with EasyClean™ have been pre-sealed at the factory.

To clean and brighten the surface at any time, a gentle power washing of the surface is recommended. If you wish to re-seal, wait a minimum of three years before applying sealant. Use only solvent-based sealants on factory-sealed products.

### PAVER CONSTRUCTION



### WALL CONSTRUCTION




A proper base ensures that your pavers and walls won't shift during freeze/thaw cycles.

# The Choice of Design Professionals

For decades, architects, landscape architects, and engineers have used the same Unilock products that are available to homeowners to design world-class commercial spaces across North America.



Plymouth Rock, Plymouth, MA Designer: BETA Group Inc.



Indianapolis Motor Speedway, Indianapolis, IN Designer: Browning Day Mullins Dierdorf







White Plains Public Library, White Plains, NY Designer: IQ Landscape Architects

# Our Quality Commitment





Visit Unilock.com to register for your Transferable Lifetime Guarantee.

Unilock was the first concrete paver manufacturer in North America to offer a Lifetime Guarantee, and since then we have continued to stand behind it to ensure customers are completely satisfied with our products. With almost 2 billion stones in the ground, that's quite the commitment!

Our products are better and stronger than other brands. In fact, our internal standards of manufacturing in the USA and Canada far exceed industry standards set by ASTM (American Society for Testing and Materials) and CSA (Canadian Standards Association) and other European organizations.

### LIFETIME GUARANTEE - RESIDENTIAL

Our Transferable Lifetime Guarantee warranties the structural integrity of Unilock concrete paving stones and retaining wall units when used in residential applications. It covers any structural failure or deterioration of the concrete unit resulting from normal use or from the reasonable application of sodium chloride (common rock salt used for de-icing). StoneMark™ products have the same warranties as Unilock paving stones and retaining walls, but cannot be warrantied against damage resulting from de-icing products.

Any materials installed and maintained to our guidelines, and subject to normal wear, that prove defective, will be replaced without cost. Proof of purchase is required. Customers are encouraged to submit receipts to us as soon as their project is complete, using the Unilock

Warranty Registration Form on our website (Unilock.com).

Purchasers need to ensure that the product they purchase is appropriate for their intended application; for example, only certain thicknesses of products are appropriate for driveways. Color matching of the replacement product and/or lost time cannot be guaranteed and labor costs related to installing replacement product is not included. Unilock reserves the right to seek a professional diagnosis and opinion to determine the exact cause of the product failure. If the failure falls within our warranty parameters, Unilock will replace the defective product.

**EXCLUSIONS** - Unfortunately, some things are beyond the control of Unilock, and are therefore not covered by this warranty. These include: naturally occurring efflorescence, hazing from polymeric jointing sand, scratching and chipping resulting from snow removal or construction equipment, damage caused by natural or un-natural disasters, or negligence by anyone other than Unilock. While EasyClean helps to increase a paver's resistance to staining from various substances, it does not make our products stain-proof nor does it resist every kind of stain. The Unilock warranty also does not cover deterioration or damage as a result of poor design or poor installation practices that are contrary to specifications as laid out by ICPI (Interlocking Concrete Pavement Institute) and the NCMA (National Concrete Masonry Association). For more information please visit www.icpi.org and www.ncma.org. Additionally, please refer to the Maintenance, Color and Installation Advisories.

#### MAINTENANCE ADVISORY

### 1. Cleaning and Sealing

As with anything that is outdoors, Unilock products are subject to harsh weather, dust, acid rain, leaf stains, water stains and general wear from foot or vehicular traffic. Therefore, periodic cleaning using environmentally safe detergents designed for cleaning concrete is recommended to maintain a bright, fresh appearance.

To make subsequent cleaning easier and more effective, a concrete sealer can be applied to new or cleaned products to help prevent the penetration of substances that can cause stains.

There are many types of concrete cleaners and sealers on the market.

Always read the instructions carefully before using the product to make sure that it will function as expected. Testing first, in a small unobtrusive area, is always a good idea to ensure the results are acceptable. Consult your local hardscape dealer to find the products best suited for your paver or wall installation.

### 2. Winter Maintenance

Snow removal by way of metal blades on plows or shovels will scratch and chip the surface of pavers, causing permanent damage. To mitigate this risk, metal snow clearing blades must always have a polyurethane or rubber cutting edge attached when plowing pavers.

De-icing Salts - The use of de-icing products on paver surfaces is important for safety and to help mitigate snow accumulation. Most de-icing products will have some effect on concrete, even if the product label indicates that it

is safe on concrete. If you must use a de-icing product, we recommend that you use Sodium Chloride (ordinary rock salt) or Calcium Chloride (for colder climates). Always apply sparingly. The use of de-icing products on StoneMark, wet-cast pavers, slabs or coping may damage the product and therefore is not recommended. Whenever possible use a coarse sand as an anti-slip measure instead of de-icing chemicals.

### **COLOR ADVISORY**

#### 1. Selection

Due to the inherently variable nature of printed materials and digital monitors, Unilock cannot guarantee that products will match the color of printed or online images. Therefore, when making final product selections, decisions should be made based on actual stones which are readily available from Unilock, Authorized Contractors or Authorized Dealers. Most Unilock products are not comprised of a single color, but rather contain blended colors for a more natural appearance. This means that there will be significant color variance from stone to stone, so purchasers should view multiple units together to get a more accurate impression of the overall color. Note: Unilock Natural Stone variations are outside the control of Unilock, Purchasers of natural stone must be willing to accept this inherent variability.

### 2. Pre-installation checking

Always check the label to ensure that the Unilock product delivered to your project is the product and color ordered. If there is a discrepancy, or if the product inside the packaging doesn't appear to be correct, contact your hardscape dealer before installing any pavers or wall units. If the product is installed, it indicates your acceptance of the products as delivered.

### 3. Blending

If the project requires more than one bundle of product it's always a good idea to draw product from several bundles when installing, as this ensures that any variation between bundles will be seamlessly integrated in the project. When bundles are from different production runs, random selection from multiple bundles is even more important.

### 4. Efflorescence

Efflorescence is a naturally occurring process that may appear as a white or light grey powder on the surface of concrete, clay or natural stone. It is temporary, and will disappear over time. However, if it is bothersome, an efflorescence cleaner can be used to remove it. There is no way to predict or prevent efflorescence. Because it does not compromise the structural integrity of the product, it is not covered by Unilock product warranties.

### INSTALLATION ADVISORY

#### 1. Construction Residue

While a certain amount of dirt on pavers and walls is inevitable during the construction phase, installers are strongly encouraged to clean as they go as construction residue can embed in the surface and become difficult to remove. The slurry produced during wet-saw cutting is particularly stubborn to clean if allowed to dry on the surface of

pavers. Unilock warranties do not cover stains caused by a failure to remove construction residue.

### 2. Polymeric Haze

Surface hazing caused by polymeric jointing sand is not the responsibility of Unilock. Polymeric jointing sand should only be installed by an experienced and knowledgeable contractor. Any sand that is left on the surface prior to activation will result in a haze that is very difficult and time-consuming to remove. Only the highest quality, brand name polymeric sand that is guaranteed by the manufacturer should be used.

### 3. Compaction Damage

Both smooth and textured paver surfaces can be scratched by compaction equipment used to 'flatten' a new paver installation. Therefore, metal plate compactors must be fitted with a polyethylene mat to protect the paver surface from becoming scratched, or a superior option is to use a rubber-roller compactor instead. Damage to product surfaces caused by failure to follow these instructions is not covered by Unilock product warranties.

### FIRE PIT WARNING

Wood-burning fire pits must be lined with a proper metal insert or refractory (fire-rated) brick to protect the concrete components from extreme exposure to heat. Extreme heat on a concrete surface may affect the structural integrity of the concrete and can be dangerous. The floor of the fire pit should always be constructed using refractory brick or a sand bed. For your safety, always use a spark screen over the fire.

# Index

### **PAVERS AND SLABS**

Artline Umbriano	99
Artline <sup>™</sup> Smooth	101
Beacon Hill Smooth	63
Beacon Hill Smooth EasyClean™	65
Beacon Hill Smooth XL	67
Beacon Hill Flagstone	69
Beacon Hill Flagstone 80mm	71
Bristol Valley®	87
Brussels Block®	78
Camelot®	80
Camelot Premier	81
Copthorne®	125
Courtstone®	117
Eco-Priora <sup>™</sup>	104
Eco-Priora Premier	105
Hex™	103
Hollandstone™	82
Holland Premier™	83
Mattoni™	85
Natural Stone	109
Nordic Cobble <sup>™</sup>	107
Porcelain Tile	111
Promenade <sup>™</sup> EcoTerra	94
Revela <sup>™</sup>	92
Revela Slab	93
Richcliff®	113
Series <sup>™</sup>	
Skyline™	97
Thornbury <sup>™</sup> Smooth	79
Town Hall <sup>®</sup>	121
Transition™	
Treo®	75
Treo® Smooth	77
Tribeca Cobble™	106
Umbriano®	89
Umbriano (70mm)	91
Urban™	95
Westport™	73

### **RETAINING WALLS AND VERTICALS**

Concord Wall™...

Estate Wall™.

Pisa<sup>™</sup> Edge Rivercrest® Wall

SienaEdge™

U-Cara®.

Concord Wall<sup>™</sup> Smooth

Lineo™ Dimensional Stone

U-Cara Modular System. U-Cara Wall Mount System...

Architectural Coping Architectural Pillar Cap

Concord Wall™

Estate Wall™.

Ledgestone™ Natural Stone

Umbriano Coping

Universal Coping

Fullnose™

STEPS, TREADS, COPING & CAPS

Brussels Dimensional System™.

### **TOPICS OF INTEREST**

.143

145

146

. 141

. 137 147

. 139 149

. 131

.134

. 135

. 160

. 161

. 161

. 161 162


. 163

159

Borders & Accents	14
Coatings & Finishes	8
Classic	50
ColorFusion™	57
Construction Process	172
Contractor Tips	170
Coping	156
Creative Ideas	155
EnduraColor™	50
Elegance™	50
EasyClean™	56
Fire Features & Firepits	150
Joint Material	14
Laying Patterns	13
Maintenance	169
Outdoor Idea Center	166
Outdoor Kitchens	152
Permeable Pavers	53
Pillars	154
Reala <sup>™</sup>	55
Retaining Walls	129
Steps	156
Ultima™	54
Unilock Resources	168
Unique Touches	14
Uvision	167
Water Features	154

Unilock Ltd. and Hengestone Holdings, Inc. are the owners or authorized users of all trademarks used in this publication unless otherwise specified. Umbriano  $^{\circ}$  are trademarks of Metten Stein + Design GmbH & Co KG used under license by Unilock®. Measurements throughout this portfolio are nominal. Not all products shown are available at all Unilock locations. Log on to Unilock.com for availability. Colors shown in this catalog should be used only as a guide. Colors should always be chosen from actual samples. Contact your local Unilock representative for color availability in your area.

©2024 Hengestone Holdings, Inc.



### **FOLLOW US**

















### TRANSFORMING HARDSCAPES

### **BOSTON**

(508) 278-4536

CHICAGO

(630)892-9191

MILWAUKEE

(262)742-3890

KANSAS

(913) 417-7985

MICHIGAN

(248) 437-7037

NEW YORK

(845)278-6700

MID-ATLANTIC

(202)798-2060

ONTARIO

(416)646-9000

CINCINNATI / KY / TN

(513)202-0219

OHIO/WESTERN PA /WNY&CNY

(330)927-4000

UNILOCK.COM 1-800-UNILOCK