

DELGADO STONE

Know Before You Buy

Your guide to understanding Delgado Stone Landscape and Saw Shop Products There are two variations of palletized flagstone, the sawn and split options can add a natural stone element to any walkway, patio, pool or coping project. The characteristics of the two different types help fit the design needs of a range of outdoor spaces.

Sawn Flagging



Split Flagging





SPECIFICATIONS

Split Irregular Flagging: 1-4" thick - natural face ≈65-70 sf/ton


Sawn Irregular Flagging: 2" thick - thermaled face ≈65-70 sf/ton



The Quarry Steps are irregular shapes and sizes that fall within our standard specifications. What makes this step option unique is that throughout the production and palletizing process, the sides stay natural and rough in texture.










These two sawn step options combine the beauty of natural stone steps with the benefit of easier installation. Both options have been sawn on the top, bottom and back to make it easier to install. The difference between them is the Random Run Steps keep their natural rise and sides, whereas the Dimensional Steps are sawn on every side and then a rock face or thermalled textured rise is created by hand.

Random Run Steps



Sawn Dimensional Steps







Delgado Stone's wall stone variations are used to create natural looking and irregular seating and retaining walls. What makes this material different is the range of pieces that come on each pallet used to create a unique look.

Thin Wall



Wall Stone





SPECIFICATIONS

Wallstone: ≈4" - 12" in thickness


Thinwall: ≈1" - 3" in thickness



These boulder pieces can add a special aspect to any pool project or landscape design. They are available in a range of sizes and can also be used to mark a property line, used as a dive rock or to highlight a specific piece of any property.







These sawn, fabricated pieces can be used in a number of applications. The Architectural Products can be fabricated to the specific dimensions of any job and used for fireplace projects, stone walls, pillars, window sills, water tables, countertops and more.


Hearth



Sills







SPECIFICATIONS

Sills: Thickness: 2" Hearths: Depths: 20" Thickness: 2" Wall Caps: Lengths/Depth: Thickness: 4"



These sawn pieces like the other architectural products can be used in a range of applications and can be custom cut for specific projects. Treads can be used to create more uniform patio areas or wall caps for seating walls and fire pits.





