

Stone Ridge XL in Chesapeake Blend

## **Start Planning**

Welcome to Nicolock	4
Warranty	5
Financing	6
paver- <b>shield</b> ™	7
Designing with Borders & Inlays	9
Nicolock's Top Selling Colors	11
IMAGES BY PROJECT TYPE	
Pools & Patios	12
Driveways, Walkways & Stoops	20
Fire Pits, Fireplaces & Outdoor Dining	28

## **Paving Stones**

paver- <b>shield</b> ™ pavers	
Stone Ridge	
Stone Ridge Contemporary	38
Stone Ridge XL	40
Alpine Ridge	41
AlpineContemporary	42
NEW Alpine Contemporary 8x12	42
Alpine Contemporary 20x30	42
Alpine Contemporary 24x36	
Plank Paver	
NEW Tilestone 6x24	
Woodstone 6x24	45
Ridge Brick	
Rustico 6x6 & Rustico 6x9	
Blue Ridge Contemporary	
Blue Ridge	
Hex Paver	
Paragram Paver	
Rustico 4 Pc Combo	
Holland Stone	
Colonial Cobble 1.5 Normal	
Heritage Slab & Pedestals	
Inlays, Borders & Circle Kits	58
Environmental Pavers	65
Nicostone Pavers	69
THEOSCOTIC I GVCI S	

### **Wall Systems**

WALLSYSTEMS	75
Landscape Walls	
Belvedere Wall	
6" Colonial Wall	79
5" Colonial Wall	80
Mini Colonial Wall	81
Verona Wall	82
Verona Wall XL	
Stonegate® Contemporary Wall	83
Kodah Wall	
Retaining Walls	
Alta Wall	85
Alta Pro Wall	
Keystone Compac® Contemporary	
Keystone Compac® III Straight Split	
Firma Wall	89
Outcropping	90
Redi-Rock® Retaining Wall	
Garden Walls	
Serafina Wall	92
Mountain Block	
Garden Wall	

## Piers, Coping, Caps & Steps

Pier Kits	96
Pier Caps	99
Coping & Caps	100
Steps	107

## Fire Pits & Fireplaces

FIRE PITS	110
Harmony Fire Pit	117
LUME Surround	118
Fire Pit Accessories	121
FIREPLACES	122

## **Outdoor Dining**

OUTDOOR DINING	124
WPPO Pizza Ovens	127
Segmental Kitchen Systems	129
WeatherStrong® Outdoor Cabinetry	130
American Made Grills	132
Stainless Steel Appliances	134
Refrigeration, Doors & Drawers	135
Dimplex Outdoor Heaters	136
Essenze di Luce	137
Pergolas	137

### **Color Swatches**

paver- <b>shield</b> ™ Color Swatches	136
Split-Face Textured Wall Swatches	138
Smooth Wall Swatches	139
Nicostone Swatches	140

## **Install Guides, FAQs & More**

Paver Installation Guide	142
Retaining Wall Installation Guide	144
Stain Removal	146
Frequently Asked Questions	147
Paving Stone Patterns	149



# More Color, More Life

CEO/President, Nicolock Paving Stones

As the calendar changes, I reflect on how much our surroundings shape the moments we hold dear. Outdoor spaces have become places where we relax, recharge, and connect with the people who matter most. Yet, I know how easy it is for these spaces to fall short of their potential, leaving homeowners and businesses wondering how to make them truly special.

For me, every outdoor space is an opportunity to create something meaningful. Whether it's a patio that echoes with laughter on summer evenings, a fire pit that draws loved ones together on crisp autumn nights, or a pathway that leads to new adventures, these spaces are about more than design—they're about the memories we create within them.

I also believe in the power of outdoor living to support our well-being. A well-planned space isn't just beautiful; it's a place where you can find peace, celebrate life's milestones, and embrace the simple joys of the season. The possibilities are endless, and the rewards are lasting.

This year, I invite you to imagine what's possible for your outdoor spaces. Together, we can turn those aspirations into reality, creating places you and your family will cherish for years.

#### NICOLOCK: TURNING BACKYARDS INTO DESTINATIONS.

For over 60 years, Nicolock has been helping homeowners transform their outdoor spaces into places of comfort and joy. This tradition continues with every project we take on as we strive to deliver exceptional quality and service. Whether you're starting fresh or expanding an existing design, we're honored to be part of your journey.

Our products are built to last and made with precision, care, and a commitment to sustainability. Nicolock's exclusive paver-shield™ technology ensures vibrant colors and unmatched durability, giving you confidence that your outdoor space will remain as stunning as the day it was created. And with our lifetime transferrable warranty,

you're not just investing in today—you're investing in years to come.

The pages of this catalog are filled with inspiration for your next project, but the first step is yours to take. We're ready to help turn your outdoor dreams into reality. Let's create something you'll love for years to come.

#### WHY HOMEOWNERS CHOOSE NICOLOCK

Vibrant Color That Lasts. When creating beautiful outdoor spaces, one thing stands out above all else: color. In surveys, Nicolock customers consistently point to our vibrant and diverse color options as the top reason they choose us. From warm, earthy tones to bold accent hues that make a statement, our extensive palette has something to suit every taste and vision.

Thanks to our exclusive paver-shield™ technology, Nicolock pavers don't just look stunning on installation day—they keep their brilliance for years to come. This patented process infuses color throughout each stone, ensuring it remains vivid and beautiful over time, with the durability to withstand the elements. Whether you're designing a classic patio or an eye-catching walkway, Nicolock delivers unmatched color and quality you can count on.

#### Personalized Shopping Experiences Designed for You.

Whether you know exactly what you want or need help determining the right direction, our team will guide you every step of the way. Visit one of our spacious design centers to explore a variety of outdoor living features and gather inspiration.

Prefer a more personalized experience? Our luxury mobile showroom brings the options to your doorstep. With samples of our most popular pavers, accents, and fire features, you can see and feel your choices up close, all with friendly, pressure-free guidance from our knowledgeable team.

#### Guaranteed for Life: Our Lifetime Transferrable Warranty.

At Nicolock, we don't just create outdoor spaces—we stand behind them for a lifetime. Backed by three generations of family dedication, our lifetime transferrable warranty promises lasting quality and peace of mind.

The work we do today is designed to be enjoyed by you and anyone who may own your home in the future. Our products set us apart, offering unmatched assurance for one of the most meaningful investments you'll ever make.


"Show Me the Money!"— Affordability and Financing. No matter the size of your budget, we're dedicated to helping you bring your outdoor project to life. Nicolock offers flexible financing options, whether you want to complete your vision all at once or spread it out in phases.

Our products are built to last and priced to offer incredible value compared to similar options. Many of our customers return to expand their projects, adding features like outdoor kitchens, fire elements, and pizza ovens. With options rivaling high-end venues, investing in a backyard paradise is a lasting choice that creates a space for special events and everyday memories.

Your outdoor space is an investment in your home and lifestyle—let's find the best solution for you.

Reliable Products, Ready When You Are. Getting the job done right means doing it on time. With manufacturing facilities on Long Island and across the Northeast, we eliminate supply chain concerns, ensuring our products are always available when you need them.


Unlike others who may limit your choices, Nicolock offers a full range of colors and styles to suit your vision. Why settle for less when you and your family deserve the best? Your backyard transformation starts with us—and we're ready when you are.





## **COME HOME TO NICOLOCK!**

Nicolock pavers have a full, structural lifetime warranty\* and are transferable to the next owner should you sell. Register your products at NICOLOCK.COM and follow the 3 easy steps below.



Nicolock provides a limited lifetime warranty on the structural integrity of its manufactured product used in residential applications. Nicolock pavers are warrantied for as long as you own your home and are transferable to the next owner should you sell. Nicolock products installed in accordance with our guidelines and industry standards that are deemed to be structurally defective will be replaced with products of equal value. Removal and replacement labor cost is not the responsibility of Nicolock. Regarding de-icing products, Nicolock recommends sand for slip resistance as it is the most environmentally friendly option for use on concrete products. If a de-icing product is used, Nicolock recommends using only NaCl (rock salt) which should be used sparingly, following the manufacturer's instructions. Once ice is loosened, remove immediately to avoid buildup of the de-icing agent. NOTE: De-icing agents of any kind are not recommended for our Nicostone line.

Color matching and product availability are not guaranteed. Proof of purchase and/or installation contract must be made available prior to or at the time of inspection by an authorized Nicolock representative.

Other exclusions apply.

Nicolock / Nicolia Concrete Products is the owner or authorized user of all patents and trademarks for products and designs illustrated herein. Firma®, Checker Block®, Sante-Euro® & paver-shield® are examples of registered trademarks of Nicolia Concrete Products.

SF-Rima® is a trademark of SF Concrete Technology, Inc. Trinity® is a trademark of Earth Reinforcement Technologies. • US Patent #: Firma® 6,082,933.



## DEFER PAYMENT, NOT YOUR DREAMS!

#### **Discover Nicolock Financing!**

Bring your dream outdoor living space to life today with our exclusive financing options. We offer flexible plans to suit your needs, including true no-interest payment (SAC) plans, affordable low monthly payments, or a combination of both.

Enhance your home's value and enjoy peace of mind with Nicolock Financing.

Contact your local Territory Manager for more details!



#### **LOW MONTHLY PAYMENTS**

Avoid high credit card interest rates. Choose the best payment option for you.



#### **UNSECURED FINANCING**

100% unsecured financing up to **\$100,000** on approved credit.




#### **FAST, EASY AND SAFE**

Easy application for nearinstant approvals via phone, online or mobile app, 24/7



#### **PEACE OF MIND**

The application is free, there are no closing costs and no prepayment penalties





7

#### PAVER-SHIELD™

is not a sealer, it's built into the manufacturing process for optimal durability



The final result is the very best in color, strength, and beauty that will last for generations!



(3)

#### PAVER-SHIELD™

gives pavers a tight, smooth surface texture that will not expose heavy aggregate



#### PAVER-SHIELD™ TECHNOLOGY

Tight, smooth surface texture that is built into the paver, not a sealer like other manufacturers



Nicolock sources the highest class raw materials in the industry for the highest quality pavers



2

Our state-of-the-art manufacturing process creates a durable base mix

# PAVER-SHIELD\*\* DIFFERENCE

Our patented process is not a sealant and features a smooth, ultra dense surface and rich vibrant color guaranteed not to fade!



單

Iron oxide bonds with cement molecules resulting in the most vibrant color seen throughout each paver






Other quality
materials are added
to create our
PAVER-SHIELD<sup>TM</sup>
TECHNOLOGY!



Ultra dense base mix featuring color throughout the paver ensuring a lifetime of beauty

# Let your creativity FLOW



## Using smart design ideas to

## CREATE BOLD AND EYE-CATCHING SPACES

Nicolock has what it takes to bring the "WOW" factor to your outdoor design. Whether it's a new patio, poolscape, driveway, or any other outdoor project, our design elements make it easy to create a customized look that complements your particular style and taste. It all begins with color. Choose from our vast collection of rich, artisan colors. Then, get creative with our different-shaped paving stones and paver laying pattern options. Check out a few examples of popular laying patterns below-- or mix and match to create your own unique design.



**PAVER DIRECTION** Go from a traditional installation to an exceptional look by laying pavers at a 45 degree angle to create the illusion of space.



**BORDERS** | Borders define edges and softly combine large areas that would otherwise be toneless. Monochromatic or contrasting colors help define your style.



INLAYS | Inlays allow you to define an area within your outdoor space. Often created with contrasting colors and textures, inlays add visual interest to make your space pop.

#### Popular inlay options:



Euro Cobble in Brown



Old Vienna with paver-**shield™** in Raven



The Montauk in Raven




The Mosaic in Brown

## When Choosing Your Color...

When selecting your color, it's important to consider your landscaping. Seasonal shifts can change the colors around your project, and various times of day may cast unique shadows on your pavers. Planning for how these environmental factors will influence your look is key. While the color illustrations in this catalog are as precise as photography and printing allow, we recommend viewing multiple physical samples to confirm your color selection.

Images below were photographed minutes apart in the same location. Image on the left is with cloud cover, image on the right is in full sun.





Both Images: Stone Ridge XL in Westchester Blend

Note: Our products use natural materials, which may cause slight color variations, adding to their unique charm. To minimize variation, follow industry best practices, order all products at once, and install from multiple pallets and layers for even blending. This is especially imperative for solid color blends, including Brown, Charcoal, Dove Gray, Pennsylvania Blue, Pewter, Raven, Red, Sahara, and Snow.

## MICOLOGIS TOP SELLING COLORS

Explore our extensive range of 28 paver-**shield™** color options on pages 138-139, crafted to suit any outdoor design vision. While all shades boast superior durability and vibrant tones, these are our top-selling colors, loved for their timeless appeal and versatility.



A blended mix of Travertina and Pewter



A two color blend of Pewter and Charcoal



A rich mixture of white, Pewter and Raven



A mixture of white and Charcoal



A tranquil blend of Pewter, light stormy blue and white



A deep blue resembling the natural color of Pennsylvania Bluestone



Subtle blends of light and dark greys



A blend of gray, white and tan




A two-tone blend of coral and white



A three color blend containing Pewter, Charcoal and Chamois accents

\*Premium Color
\*\*Deluxe Color







Alpine Contemporary 3-Piece in South Bay Blend



Stone Ridge Contemporary 3-Piece in Oceanic Blue



Alpine Contemporary 24x36 in Travertina




Stone Ridge XL in Chesapeake Blend



Alpine Contemporary 24x36 in Dove Gray



Stone Ridge XL in Oceanic Blue




Stone Ridge XL in Westchester Blend





Stone Ridge Contemporary 3-Piece in Pennsylvania Blue



Rustico 6x9 in Oceanic Blue & Charcoal




Stone Ridge Contemporary 3-Piece in Chesapeake Blend



Stone Ridge in Pennsylvania Blue



Stone Ridge Contemporary 3-Piece in Granite City Blend




Alpine Contemporary 3-Piece in Marble Blend




Eco-Ridge in Granite City Blend

# create your perfect backyard ESCAPE Fire Pits, Fireplaces & Outdoor Dining





SunFire Built-In Grill | 2-Drawer & Pullout Combo | Trash Pullout Drawer | 24" Outdoor Rated Refrigerator



Fire Pit with Verona Wall in Oceanic Blue



Serafina Fire Pit in Graphite Pearl Blend




Fireplace with Verona Wall in Oyster Blend



Harmony Fire Pit in Slate




Grill Island Deluxe with Verona Wall in Oceanic Blue



Serafina Fire Pit in Granite City Blend

## PAVER-SHIELD<sup>TM</sup> pavers









Westchester Blend

Pennsylvania Blue

## Stone Ridge

Multi-sized rectangular shapes. Slightly textured riven surface. Slightly chamfered edge. Can be combined with Stone Ridge XL.

#### 3-Piece



4½" x 9" x 2¾"

9" x 9" x 2%"



110 Sq Ft on Pallet 240 Pcs on Pallet | A- 130 B- 60 C- 50 Pallet Weight: 2,950 lbs





Golden Brown Blend

Hudson Valley Blend











Also available in: Adobe Blend Autumn Blend\* Cappuccino Blend\*

Crab Orchard Blend\*

Oyster Blend\* Peconic 6\*







3-Piece in Oceanic Blue

## Stone Ridge Contemporary

#### 3-Piece



9" x 9" x 2%"




110 Sq Ft on Pallet 240 Pcs on Pallet | A- 130 B- 60 C- 50 Pallet Weight: 2,950 lbs

### Single Size

18x18

18" x 18" x 2%"

131 Sq Ft on Pallet 60 Pcs on Pallet Pallet Weight: 3,537 Multi-sized rectangular shapes with a smooth and modern finish. Slightly chamfered edge.




Also available in: Adobe Blend Autumn Blend\* Cappuccino Blend\*

Crab Orchard Blend\* Golden Brown Blend Hudson Valley Blend Oceanic 5\*

Oyster Blend\* Peconic 6\*







3-Piece in Chesapeake Blend

3-Piece in Oceanic Blue







Westchester Blend

Chesapeake Blend

## Stone Ridge XL

Multi-sized rectangular shapes. Slightly textured riven surface. Slightly chamfered edge. Can be combined with Stone Ridge. Not recommended for vehicular applications.

#### 3-Piece



9" x 18" x 2%"



110 Sq Ft on Pallet 90 Pcs on Pallet | A- 20 B- 50 C- 20 Pallet Weight: 2,950 lbs





















Also available in: Adobe Blend Autumn Blend\* Cappuccino Blend\*

Crab Orchard Blend\* Golden Brown Blend Hudson Valley Blend Oceanic 5\*

Oyster Blend\* Peconic 6\*








3-Piece in Granite City Blend

3-Piece in Oceanic Blue

## Alpine Ridge

These multi-sized shapes will add a great feel to any project. Natural cleft texture with a lightly chamfered edge. Not recommended for vehicular applications. Add our 24x24 to your pattern, or use alone.


#### 3-Piece





127 Sq Ft on Pallet 80 Pcs on Pallet | A- 30 B- 30 C- 20 Pallet Weight: 3,500 lbs

15%" x 23½" x 2¾"









### Single Size

24x24



80 Sq Ft on Pallet 20 Pcs on Pallet Pallet Weight: 2,260 lbs

23½" x 23½" x 2¾"

Also available in: Adobe Blend Cappuccino Blend\*

Golden Brown Blend Hudson Valley Blend Oyster Blend\*




16x24 in Graphite Pearl Blend

## **Alpine Contemporary**

naver-shield

Multi-sized rectangular shapes with a smooth texture and slightly chamfered edges. Not recommended for vehicular applications.

#### 3-Piece





15%" x 23½" x 2¾"

127 Sq Ft on Pallet 80 Pcs on Pallet | A- 30 B- 30 C- 20 Pallet Weight: 3,500 lbs

### Single Sizes



7.72" x 11.65" x 2%"

133 Sq Ft on Pallet 200 Pcs on Pallet Pallet Weight: 3,355



15%" x 23½" x 2%"

107 Sq Ft on Pallet 40 Pcs on Pallet Pallet Weight: 2,889 lbs



19¾" x 29%" x 2%"

85 Sq Ft on Pallet 20 Pcs on Pallet Pallet Weight: 2,400 lbs



23%" x 35¾" x 2¾"


120 Sq Ft on Pallet 20 Pcs on Pallet Pallet Weight: 3,330 lbs



· Gray wailable in Sir


























Also available in: Adobe Blend Cappuccino Blend\* Golden Brown Blend Hudson Valley Blend Oyster Blend\*



3-Piece in Chesapeake Blend

3-Piece in Marble Blend







3-Piece in Marble Blend

6x13 in Graphite Pearl Blend

3-Piece in Westchester Blend

## **Plank Paver**

The long and narrow design of this Nicolock favorite gives a finished and sleek appearance to complement modern design trends.

#### 3-Piece



6" x 13" x 2¾"



103 Sq Ft on Pallet 189 Pcs on Pallet | A- 54 B- 81 C- 54 Pallet Weight: 3,122 lbs

### Single Size

6x13



103 Sq Ft on Pallet 189 Pcs on Pallet Pallet Weight: 3,122 lbs



#### Graphite Pearl Blend

## Tilestone 6x24


naver-shiel

Sleek and contemporary, these new Tilestone 6x24 smooth pavers bring a modern touch to any outdoor space with their elongated design and clean, minimalist finish.



120 Sq Ft on Pallet 120 Pcs on Pallet Pallet Weight: 3,240 lbs

6" x 24" x 2%"















Also available in: Adobe Blend Cappuccino Blend\* Golden Brown Blend Hudson Valley Blend

Marble Blend\* Oyster Blend\* Pennsylvania Blue\*\*

### **Woodstone 6x24**

naver-shiel

Elevate your outdoor space with our new Woodstone 6x24 wood grain pavers! Combining the natural warmth of wood with the durability of stone for a sleek and timeless look.



120 Sq Ft on Pallet 120 Pcs on Pallet Pallet Weight: 3,142 lbs







Driftwood





South Bay Blend



Chesapeake Blend

## Ridge Brick

A universal, oversized brick shape with a textured riven surface. Slightly chamfered edges. Use as a field paver or as a border.



110 Sq Ft on Pallet 400 Pcs on Pallet Pallet Weight: 2,950 lbs

























Oceanic Blue

Also available in: Adobe Blend Autumn Blend\* Cappuccino Blend\*
Crab Orchard Blend\*
Golden Brown Blend
Oyster Blend\*



### Rustico 6x6 & 6x9

paver-shield

Single-sized square and rectangular shapes with a slightly dimpled surface. Chamfered edges and square corners make these perfect for inlays and borders.



120 Sq Ft on Pallet 480 Pcs on Pallet Pallet Weight: 3,027 lbs

6" x 6" x 2%"

113 Sq Ft 300 Pcs or Pallet Wei

6" x 9" x 2%"

113 Sq Ft on Pallet 300 Pcs on Pallet Pallet Weight: 2,982 lbs




Also available in:

Adobe Blend 6x9 only Autumn Blend\* 6x9 only

Cappuccino Blend\* Crab Orchard Blend\* 6x9 only

Fire Island Blend 6x9 only Golden Brown Blend 6x9 only Hudson Valley Blend 6x9 only Oyster Blend\*



## **Blue Ridge Contemporary**

Enhance your outdoor space with our new Blue Ridge Contemporary! Multi-sized rectangular shaped pavers with a smooth surface create sleek lines for a modern, sophisticated design. Available in our standard 2¾" thickness or 3½" thickness for vehicular applications.


#### 3-Piece






106 Sq Ft on Pallet 100 Pcs on Pallet | A- 40 B- 40 C- 20 Pallet Weight: 2,761 lbs

Now available for vehicular applications! Purchase in 31/8" thickness (80mm)





## Blue Ridge

Multi-sized rectangular shapes with a textured riven surface and slightly chamfered edges give this paver a sleek look. Not recommended for vehicular applications.

#### 3-Piece



6½" x 13" x 2¾"





106 Sq Ft on Pallet 100 Pcs on Pallet | A- 40 B- 40 C- 20 Pallet Weight: 2,761 lbs

\*Other colors are available in select markets Check with your local distributor for more information







Snow Sahara

### **Hex Paver**

paver-shield

This unique hexagon-shaped stone brings a modern look to various residential and commercial projects. Available in eight color options, the Hex paver's six-sided shape is a striking option for driveways, walkways, patios, courtyards, and pool decks.



105 Sq Ft on Pallet 150 Full Pcs on Pallet 50 Half Pcs on Pallet

9¾" x 11¼" x 2%" Flat Point to to Flat Point

Pallet Weight: 2,695 lbs









Dove Gray Granite City Blend

## **Paragram Paver**


paver-shield

With a smooth face and ultra-modern design, the Paragram is perfect for borders, inlay, patios, pool decks, walkways, and driveways. This sleek, parallelogram-shaped stone pairs perfectly with our Hex Paver to offer virtually unlimited contemporary design options for residential and commercial applications.



107 Sq Ft on Pallet 80 Left Pcs on Pallet 80 Right Pcs on Pallet Pallet Weight: 2,465 lbs

5¾" x 16%" x 2%"







Marble Blend

Fire Island Blend

## **Rustico 4 PC Combo**

Stylish multi-sized rectangular shapes with a slightly dimpled surface. Chamfered edges with square corners.

#### 4-Piece







117 Sq Ft on Pallet 480 Pcs on Pallet | A- 100 B- 100 C- 160 D-40 Pallet Weight: 3,050 lbs























## **Holland Stone**

naver-shiel

A classic brick shape with a flat surface and chamfered edges. Versatile for many residential and commercial projects. Available in 31/8" thickness for special order.



120 Sq Ft on Pallet 540 Pcs on Pallet Pallet Weight: 3,100 lbs

4" x 8" x 2%"













Also available in: Adobe Blend Autumn Blend\*

Crab Orchard Blend\* Fire Island Blend Golden Brown Blend

Oyster Blend\* Pewter Red

Raven

en

## **Colonial Cobble 1.5 Normal**

paver-shield

Single-sized paver with a flat, smooth surface. Chamfered edges and pillowed corners make this paver perfect for driveways, walkways and more.



124 Sq Ft on Pallet 300 Pcs on Pallet Pallet Weight: 3,223 lbs

6%" x 9%" x 2%"















Granite City Blend



/e Gray 18 & 24x24 only

## **Heritage Slab**

Heritage Slab is a great stone for various architectural applications including rooftops and plazas. Suitable for overlays and at-grade applications.



### **MRP SUPPORTS**

Decking and paver pedestal systems make a great alternative to traditional paving projects. These systems provide support for removable floor paneling, are quick and easy to install, improve ventilation to prevent water and mold damage, and can reduce energy consumption. Adjustable, self-leveling supports are slip resistant and can be used to compensate for slopes and absorb noise. Additional units available other than shown below. Project take-offs available upon request.



PRIME-PR1 covers heights: 1.20"-2.55"



PRIME-PR2 covers heights: 2.55"-6.10"



PRIME-PR3 covers heights: 6.10"-16"



SE0-P covers heights: 1.125"-1.5"



SE1-P covers heights: 1.5"-2"



final grade by adjusting the height of the pedestal WITHOUT removing the paver. This unique tool helps save on labor costs, assists in reducing the opportunity for injuries caused by repeatedly removing heavy pavers in order to shim to achieve a level surface.



The adjustment key allows you to level your





#### **ADVANTAGES OF PEDESTAL SUPPORTS:**

- Hides pipes and equipment while providing easy access for maintenance
- Absorbs expansion and structural movement
- Eliminates requirements of surface preparation
- Compensates for uneven and irregularities in the surface to create a flat surface
- Facilitates fast water drainage to resist mold
- Provides better thermal insulation
- Ensures fast installation to save money



SE2-P covers heights: 2"-3"



SE3-P covers heights: 3"-4.75"



SE4-P covers heights: 4.75"-6.75"



covers heights: 6.75"-8.5"

### To view all products and information, please visit www.mrpsupports.com

### **MATRIX PEDESTALS**



**5X ADJUSTABLE PEDESTAL** covers heights: 1.25"-2" 3/16" spacer tab 9/16 top tab



**6X ADJUSTABLE PEDESTAL** covers heights: 2"-3" 3/16" spacer tab 9/16 top tab



**7X ADJUSTABLE PEDESTAL** covers heights: 3"-4.5" 3/16" spacer tab 9/16 top tab



**8X ADJUSTABLE PEDESTAL** covers heights: 4.5"-7.5" 3/16" spacer tab 9/16 top tab



**8X COUPLER** covers heights: 2.5"-4"



PAVER PEDESTAL 6 13/16" X 6 13/16" X 9/16" 1/8" spacer tab 15/16 top tab



PAVER PEDESTAL 613/16" X 613/16" X 9/16" 1/8" spacer tab %16 top tab



**PRODUCT SHIM** 1/8"



**PRODUCT SHIM** 1/16"





Granite City Blend

### **Colonial Cobble Normal & 4 PC Combo**

SPECIAL ORDER PRODUCT

4-Piece









133 Sq Ft on Pallet 400 Pcs on Pallet | A- 100 B- 100 C- 160 D-40 Pallet Weight: 3,454 lbs Sizes B & can be purchased separately




## Roma I & Roma II

SPECIAL ORDER PRODUCT



131 Sq Ft on Pallet 560 Pcs on Pallet Pallet Weight: 3,519 lbs

4.6" x 7" x 2%"





126 Sq Ft on Pallet 860 Pcs on Pallet Pallet Weight: 3,278 lbs

Westchester Blend

## **Fiuggi Travertine**

SPECIAL ORDER PRODUCT

3-Piece



7¾" x 15%" x 2¾" 15%" x 15%" x 2¾"



127 Sq Ft on Pallet 80 Pcs on Pallet | A- 30 B- 30 C- 20 Pallet Weight: 3,500 lbs

Travertina



**Cobblestone** 

SPECIAL ORDER PRODUCT



111 Sq Ft on Pallet 400 Pcs on Pallet Pallet Weight: 2,823 lbs

61/4" x 81/8" x 23/8"



111 Sq Ft on Pallet 500 Pcs on Pallet Pallet Weight: 2,877 lbs













### **Diamond Paver**

SPECIAL ORDER PRODUCT



96 Sq Ft on Pallet 192 Full Pcs on Pallet 32 Half Pcs on Pallet Pallet Weight: 2,750 lbs















SPECIAL ORDER PRODUCT



106 Sq Ft on Pallet 240 Pcs on Pallet Pallet Weight: 3,724 lbs








Diamond Paver in Marble Blend & 8x8 in Charcoal

# integrate an ACCENT





Raven

## **The Mosaic**

paver-shield

Like the artwork it's named after, these multi-sized, irregular shapes of textured stone create a whimsical, striking border, path, or accent.

#### 4-Piece











101 Sq Ft on Pallet 576 Pcs on Pallet Pallet Weight: 2,126 lbs

41/4" x 27/8" x 23/8"













\*Also available in 31/8" thickness (80mm) Can be used for permeable applications (shown here)



## **Old Vienna with paver-shield**™

paver-shiel

Rustic antique clay brick surface. Borders come to life with this aesthetic inlay.



55 Sq Ft on Pallet 450 Pcs on Pallet Pallet Weight: 1,554 lbs

23/8" x 71/2" x 23/8"




Raven

# The Montauk paver-shield Multi-sized, irregular shapes with stupping accept and is just as he

Multi-sized, irregular shapes with a textured surface and textured edges. Makes a stunning accent and is just as beautiful on its own. No spacer lugs.

#### 5-Piece





Granite City Blend



## **Euro Cobble**

naver-shiel

Add an artistic touch to your hardscape design that has a classic old European look.



113 Sq Ft on Pallet 300 Pcs on Pallet Pallet Weight: 2,982 lbs

6" x 9" x 2%"







Raven

## **Edgestone**

Decorative solution for use around walkways, patios and gardens.



100 Lf Ft on Pallet 120 Pcs on Pallet Pallet Weight: 2,695 lbs

4" x 10"x 7½"









Granite City Blend



Creates 10'4" Circle 86.5 Sf Ft on Pallet 600 Pcs on Pallet Pallet Weight: 2,842 lbs

## **Rustico Circle**

paver-shield


You can mix in a Rustico Circle with other paver styles or use it with Rustico pavers to create incredible designs. This 10-ring with center circle kit makes a beautiful 10'4" circle with a dimpled surface texture.

6-Piece



INSTALLATION GUIDE








## Ridge Circle

Graceful curves and a stone texture make this circle kit a favorite for patios and driveways. Large oversized pieces, with 6 rings plus a center stone, all with a ridge, will complement any of our Ridge products.

#### 5-Piece



INSTALLATION GUIDE





## Sante-Euro® Circle

paver-shield

Circle designs with sweeping curves are all possible with the stunning Sante-Euro® Circle Kit. A beautiful way to enhance your walkway, patio or driveway.

4-Piece









Creates 10' Circle 76 Sf Ft on Pallet 684 Pcs on Pallet Pallet Weight: 2,126 lbs
















# ENVIRONMENTAL pavers







Oyster Blend

## Eco-Tre





Textured, chamfered edges give these pavers an authentic, stone feel yet provide a 10% open surface area and joint opening that is compliant with the Americans with Disabilities Act. (ADA)

#### 3-Piece



8½" x 5½" x 3½"





96 Sq Ft on Pallet 160 Pcs on Pallet Pallet Weight: 3,284 lbs



Granite City Blend









Granite City Blend

## **Eco-Ridge**





An oversized brick shape with a slightly textured riven surface. Slightly chamfered edges with a 13% open surface area. Joint opening is compliant with the Americans with Disabilities Act. (ADA)



100 Sq Ft on Pallet 320 Pcs on Pallet Pallet Weight: 3,389 lbs

4¾" x 9½" x 3½"











A square shape and flat surface give these pavers a contemporary look. Chamfered edges give them a real stone feel. 10% open surface area and joint opening make these stones compliant with the Americans with Disabilities Act. (ADA)



91 Sq Ft on Pallet 192 Pcs on Pallet Pallet Weight: 3,218 lbs

8" x 8" x 31/8"







Golden Brown Blend



### **Checker Block®**

paver-shield [



Gives you the strength of concrete with steel reinforcement in areas where you wish to maintain a grassy look including overflow parking, service roads, tree pits and fire lanes. It is also ideal for stabilizing embankments along streams, rivers and lakes. 75% surface open area for excellent drainage.



80 Sq Ft on Pallet 20 Pcs on Pallet Pallet Weight: 2,000 lbs



Natural







Lattice concrete grid in rectangular pieces allows rainwater to gradually filter back into the soil. 40% flat, open surface area.



93 Sq Ft on Pallet 35 Pcs on Pallet Pallet Weight: 2,100 lbs

16" x 24" x 31/8"





Pewter

# NICOSTONE pavers





#### York Brown

## Natural Cleft Flagstone

A uniquely attractive natural cleft texture with an Old World charm. Sold as a patio pack or purchase sizes individually.

#### 6-Piece Patio Pack or Individual Sizes



12" x 12" x 1½" 40 Sq Ft on Pallet 40 Pcs on Pallet

Pallet Weight: 700 lbs



12" x 18" x 1½" 60 Sq Ft on Pallet 40 Pcs on Pallet



12" x 24" x 1½" 80 Sq Ft on Pallet 40 Pcs on Pallet Pallet Weight: 1,100 lbs Pallet Weight: 1,400 lbs




45 Sq Ft on Pallet 20 Pcs on Pallet Pallet Weight: 800 lbs



60 Sq Ft on Pallet 20 Pcs on Pallet Pallet Weight: 1,000 lbs




24" x 24" x 1½" 80 Sq Ft on Pallet 20 Pcs on Pallet Pallet Weight: 1,400 lbs





Patio Pack 68 Sq Ft on Pallet Pallet Weight: 1,175 lbs



Bluestone

## Thermal Finish Flagstone

Natural stone appearance with a thermal, smooth finish and consistent texture. Sold as a patio pack or purchase sizes individually.









#### 6-Piece Patio Pack or Individual Sizes



12" x 12" x 1½" 40 Sq Ft on Pallet 40 Pcs on Pallet Pallet Weight: 700 lbs



12" x 18" x 1½" 60 Sq Ft on Pallet 40 Pcs on Pallet Pallet Weight: 1,100 lbs



12" x 24" x 1½" 80 Sq Ft on Pallet 40 Pcs on Pallet Pallet Weight: 1,400 lbs



18" x 18" x 1½" 45 Sq Ft on Pallet 20 Pcs on Pallet Pallet Weight: 800 lbs



18" x 24" x 1½" 60 Sq Ft on Pallet 20 Pcs on Pallet Pallet Weight: 1,000 lbs



24" x 24" x 1½" 80 Sq Ft on Pallet 20 Pcs on Pallet Pallet Weight: 1,400 lbs

<u>Patio Pack</u> 68 Sq Ft on Pallet 35 Pcs on Pallet Pallet Weight: 1,175 lbs



York Brown

## **Grand Flagstone**



Stunning natural stone texture and 15 unique shapes that replicate large, irregular flagstone. Fast installation with easy-to-install pattern.

#### 4-Piece







38" x 42" x 1¾"

90 Sq Ft on Pallet 32 Pcs on Pallet Pallet Weight: 2,000 lbs





Marble Blend

## Versailles Travertine



Sleek multi-sized rectangular shapes with a flat surface and natural travertine markings.

4-Piece











64 Sq Ft on Pallet 50 Pcs on Pallet Pallet Weight: 1,051 lbs





York Brown

## Old Town Flagstone

A complete patio on a pallet! Naturally aged and textured surface with stone cut edges.

6-Piece



12" x 18" x 1½"






18" x 18" x 1½"

18" x 24" x 1½"







## functional WALLS





6" Colonial Wall in Graphite Pearl Blend

## **Landscape Walls**

Ideal for retaining, free-standing seat walls, and many other outdoor living features



Keystone Compac® Contemporary Wall in Granite City Blend

## **Retaining Walls**

Walls built for earth retention-- suitable for residential or commercial installations



Serafina Wall in South Bay Blend

## **Garden Walls**


Perfect for tree rings, edgings, garden borders and low retaining wall installations Nicolock Walls are available in a variety of styles and include features designed for multiple applications. To help you select the best wall for your installation, please review the chart below. Additional information is included on each product page.

				WALL HEIGHTS*						OUTDOOD
WALL STYLE	SYSTEM	Engineered Retaining Wall System	CORNERS	GRAVITY (+/-)	REINFORCED (+/-)	ALIGNMENT	SETBACK	CORE	FEATURES	OUTDOOR LIVING KITS
LANDSCAPE	WALLS									
Mini Colonial	4-Piece	N/A	Yes/Split	1.5'	N/A	Concrete Adhesive	Vertical	Solid	Double Sided	N/A
5" Colonial	4-Piece	Yes	Yes/Split	2.5'	6'	Tongue & Groove	Vertical or 1.5"	Solid	Double Sided	N/A
6" Colonial	4-Piece	N/A	Yes/Split	1.5'	N/A	Concrete Adhesive	Vertical	Hollow	Double Sided	N/A
Verona	1-Piece	N/A	Yes	1.5'	N/A	Concrete Adhesive	Vertical	Solid	Double Sided	Yes
Verona XL	1-Piece	N/A	Yes	1.5'	N/A	Concrete Adhesive	Vertical	Solid	Double Sided	Yes
Stonegate® Contemporary	3-Piece	Yes	Yes	2.5'	6'	Pin	Vertical or 1"	Solid	Double Sided	Yes
Belvedere	6-Piece	Yes	Yes	2.0'	6'	Concrete Adhesive	1/2"	Solid	Double Sided	Yes
Kodah	4-Piece	Yes	Yes	2.5'	6'	Concrete Adhesive	3/4"	Solid	Double Sided	N/A
RETAINING	WALLS									
Firma®	1-Piece	Yes	Yes	3.0'	12'	Tongue & Groove	3/4"	Solid	Single Sided	N/A
Alta	1-Piece	Yes	Yes	3.0'	12'	Rear Lip	1"	Hollow	Single Sided	N/A
Alta Pro	1-Piece	Yes	Yes	3.0'	40'	Rear Lip	1"	Hollow	Single Sided	N/A
Compac® III	1-Piece	Yes	Yes	3.0'	40'	Pin	Near Vertical or 1"	Hollow	Single Sided	N/A
Compac <sup>®</sup> Contemporary	1-Piece	Yes	Yes	3.0'	40'	Pin	Near Vertical or 1"	Hollow	Single Sided	N/A
Outcropping	12-Piece	Yes	Yes	6'	15'	Shear Heel Lugs	14 Degrees	Solid	Single Sided	N/A
Redi-Rock®	Multi-Piece	Yes	Yes	25'	60'	Knob & Groove	0, 1, 5, 27½ & 43 Degree options	Solid & Hollow	Single, Double or Triple Sided	N/A
GARDEN W <i>A</i>	ALLS									
Serafina	1-Piece	N/A	N/A	1.5'	N/A	Concrete Adhesive	Vertical	Solid	Double Sided	Yes
Mountain Block	2-Piece	N/A	N/A	1.5'	N/A	Concrete Adhesive	Vertical or 1"	Solid	Single Sided	N/A
Garden Wall	1-Piece	N/A	N/A	1.5'	N/A	Rear Lip	1"	Solid	Single Sided	N/A

<sup>\*</sup>Wall heights shown are intended as a guide and not for construction purposes. **Note:** Gravity walls rely on unit weight and unit set-back to retain soils. Reinforced walls rely on unit weight, unit set-back and geogrid to retain and stabilize soils.



The symbol signifies that this product is suitable for building elevated wall heights using geogrid reinforcement or other design methods. Consult a licensed engineer for design assistance.



York Brown

## Belvedere Wall



A Belvedere Wall provides the rich texture of quarried stone for an organic finish without the expense. Create warm, rustic silhouettes with our Belvedere Wall.

#### 6-Piece



6" x 18" x 9"



6" x 12" x 9"





27 Sq Ft on Pallet 72 Pcs on Pallet | 12 Pcs Each Pallet Weight: 2,475 lbs







Graphite Pearl Blend







Chesapeake Blend Adobe Blend

### 6" Colonial Wall

The Colonial Wall System features a distinctive double-sided face, hard-split finish. You can build the 3" or 6" wall individually or combine them for added dimension. There is also a prepackaged Colonial Pier to add the finishing touch to your wall.

4-Piece





6" > 9" > 9"

6" x 16" x 9"
Corner Piece

35 Sq Ft on Pallet 75 Pcs on Pallet | A-15 B-25 C-25 D-10 Pallet Weight: 3,200 lbs (Hollow Core) Pallet Weight: 4,075 lbs (Solid Core)














Also available in:
Adobe Blend
Bluestone\*
Cappuccino Blend\*
Crab Orchard Blend
Fire Island Blend
Golden Brown Blend
Hudson Valley Blend
Oyster Blend





Adobe Blend Golden Brown Blend

## 5" Colonial Wall



The Colonial Wall System features a distinctive double-sided face, hard-split finish. The tongue and groove locking mechanism will ensure a solid connection and helps facilitate rapid installation. There is also a prepackaged Colonial Pier to add the finishing touch to your wall.

#### 4-Piece










35 Sq Ft on Pallet 90 Pcs on Pallet | A-18 B-30 C-30 D-12 Pallet Weight: 3,650 lbs



Golden Brown Blend Oyster Blend









Chesapeake Blend

## **Mini Colonial Wall**

The Colonial Wall System features a distinctive double-sided face, hard-split finish. You can build the 3" or 6" wall individually or combine them for added dimension. There is also a prepackaged Colonial Pier to add the finishing touch to your wall.

4-Piece







3" x 16" x 9"
Corner Piece

35 Sq Ft on Pallet 150 Pcs on Pallet | A-30 B-50 C-50 D-20 Pallet Weight: 3,930 lbs













Also available in: Adobe Blend Bluestone\* Cappuccino Blend\* Crab Orchard Blend Fire Island Blend Golden Brown Blend

Oyster Blend







Graphite Pearl Blend Chesapeake Blend

### **Verona Wall & Verona Wall XL**

Looking for a smooth, sleek, modern wall? Look no further, than the Verona Wall. With more than a dozen beautiful colors to choose from, the Verona is a versatile wall that can be used to construct almost any outdoor feature including free-standing walls, steps, outdoor kitchens, and fireplaces. You can also build Verona piers to complement your wall. Now available in your choice of our original 12" width or our XL 16" width.



32 Sq Ft on Pallet 96 Pcs on Pallet Pallet Weight: 2,739 lbs



42 Sq Ft on Pallet 96 Pcs on Pallet Pallet Weight: 3,398 lbs













Also available in: Adobe Blend Bluestone\* Charcoal Crab Orchard Blend Golden Brown Blend Oyster Blend







Chesapeake Blend Travertina

## Stonegate® Contemporary Wall





The 3-piece Stonegate® Contemporary Wall System features a unique, modern contemporary finish on three sides. It's offered in three face lengths and has a matching cap. Specialized pin system allows vertical to 1" setback.

#### 3-Piece



Front/Back

6" x 16"/14" x 10"

6" x 12"/10" x 10"

6" x 6"/4" x 10"

Front/Back

30 Sq Ft on Pallet Pallet Weight: 2,623 lbs



3" x 12"/10" x 11" Front/Back

Cap Sold Separately 66 Linear Ft on Pallet 72 Pcs on Pallet Pallet Weight: 2,033


















Also available in: Adobe Blend Bluestone\* Charcoal Crab Orchard Blend Golden Brown Blend Oyster Blend







York Brown York Brown

## Kodah Wall



Kodah Wall is a one-of-a kind large scale retaining wall system. Its modern, linear proportions combined with its rough, quarried stone texture make it perfect for a variety of applications. The Kodah Wall also makes it easier than ever to provide you with the big block look without the over-the-top installation costs.











21 Sq Ft on Pallet 18 Pcs on Pallet | A-6 B-3 C-6 D-3 Pallet Weight: 2,400 lbs



6" x 21" x 10½" Corner Piece Sold Separately 31.5 Sq Ft on Pallet 24 Pcs on Pallet Pallet Weight: 2,500










Adobe Blend

## Firma® Wall























Granite City Blend Adobe Blend

## **Alta Wall**



Alta Wall is a versatile wall for everyday landscape applications. Its tapered design simplifies installation of inside and outside curves so you can design with freedom. The hollow core design and rear lip connection make this wall system a go-to system for professionals.



26.6 Sq Ft on Pallet 40 Pcs on Pallet Pallet Weight: 1,962 lbs



24 Sq Ft on Pallet 48 Pcs on Pallet Pallet Weight: 2,164 lbs

6" x 8" x 12" Corner Piece Sold Separately



















Granite City Blend Granite City Blend

### **Alta Pro Wall**



A taller version of our beautiful Alta Wall, this system helps landscape and hardscape professionals create stunning outdoor living spaces with structural integrity.



40 Sq Ft on Pallet 40 Pcs on Pallet Pallet Weight: 3,100 lbs



32 Sq Ft on Pallet 32 Pcs on Pallet Pallet Weight: 2,509 lbs

8" x 18" x 9" Corner Piece Sold Separately



















#### Granite City Blend

## **Keystone Compac® III Straight Split**





The Compac<sup>®</sup> III Straight Split's shape allows for tight radius curves and vertical core alignments. This wall can do it all with vertical or battered setback construction options. With triangular-shaped receiving holes, construction adjustments are simplified. Natural stone appearance and rich colors complement any setting.



40 Sq Ft on Pallet 40 Pcs on Pallet Pallet Weight: 3,100 lbs









Granite City Blend

Granite City Blend

## **Keystone Compac® Contemporary Wall**



The Compac® Contemporary's design and features make it a wall option that's hard to beat. Large sizes that are perfect for tight radius curves and vertical core alignments make installation fast and easy. With a smooth stone appearance and ten color options, the Contemporary offers modern appeal to complement any landscape.




40 Sq Ft on Pallet 40 Pcs on Pallet Pallet Weight: 3,100 lbs



32 Sq Ft on Pallet 32 Pcs on Pallet Pallet Weight: 3,100 lbs

8" x 18" x 9" Corner Piece Sold Separately























York Brown Mocha

## Outcropping TOSETTA By Nicolock

With this large rock landscaping look, your new retaining wall, stairs or poolscape will stand out among your neighbors. Get the look you want without sacrificing the structurally-sound solution you need.

#### 4-Piece Pallet A













12" x 60" x 24"/20"



12" x 66" x 24"/20"

18 Sq Ft on Pallet 4 Pcs on Pallet | 1 Pc of Each Pallet Weight: 4,000 lbs

#### 6-Piece Pallet B



6" x 24" x 24"/20"







12" x 36" x 24"/20"



D 12" x 54" x 24"/20" 12" x 72" x 24"/20"

18 Sq Ft on Pallet 6 Pcs on Pallet | 1 Pc of Each Pallet Weight: 4,000 lbs

#### 4-Piece Pallet C



6" x 24" x 24"/20"



18" x 60" x 24"/20"

24" x 48" x 24"/20"

18 Sq Ft on Pallet 4 Pcs on Pallet | 1 Pc of Each Pallet Weight: 4,000 lbs

#### Corners (Sold Individually & Separately)







12" x 48" x 30" 1-4 Pcs on Pallet Pallet Weight: 1,222













Mocha Bluestone



Engineered Retaining Wall System

Gravity, reinforced, hybrid, and freestanding walls come together to create optimized solutions. Redi-Rock® Ledgestone blocks, available in four natural colors, give projects a random, stacked stone look. Because they're made using architectural-grade precast concrete, the depth and level of detail in the texture is outstanding.



#### **Ledgestone Block Specifications**

Trapezoidal shape allows convex and concave radii

**Limestone Block Specifications** 

• Four unique faces to give walls a random aesthetic

Approximately 23 square feet of non-repeating texture available

• 5.5 inch deep texture

Quarried stone texture

• 5.75 square feet of face

- Rich formulated colors to mimic the look of natural stone
- Ten individual face molds offer up to 115 square feet of non-repeating patterns

#### **GRAVITY RETAINING WALLS**

- Build walls over 20 feet tall
- Reduce excavation and use a smaller footprint without geogrid
- · Install quickly with a machine and small crew

#### **REINFORCED RETAINING WALLS**


- Build walls over 50 feet tall
- Eliminate geogrid connection failures with positive connection blocks
- Support heavy live loads

#### **HYBRID WALLS**

- Blend gravity and reinforced sections
- Combine precast modular blocks with cast-in-place
- Maintain seamless appearance

#### **FREESTANDING WALLS**

- Integrate parapets with other walls seamlessly
- Build stand-alone structures
- Create great looking results with texture on multiple sides





SCAN FOR MORE INFORMATION AND SPECIFICATIONS ON THE REDI-ROCK® WALL SOLUTIONS











Granite City Blend

### **Serafina Wall**

The Serafina Wall's trapezoid shape and split face on two sides makes it a multifaceted solution for many hardscape applications. From straight and curved walls, single or two-sided borders for your garden, Serafina is a great option where walls less than three feet high are required. Available in colors for every home.



17 Sq Ft on Pallet 60 Pcs on Pallet Pallet Weight: 1,519 lbs















York Brown

## **Mountain Block**

Mountain Block's single-sided face provides a unique stone texture with its 4" x 12" wall face. Solid block makes this system structurally sound for walls with a maximum height of 36". Its organic design stylishly connects your home to its natural surroundings. Nicolock's Rockface Multi-Cap can be used to add the finishing touch to a great outdoor setting.




16 Sq Ft on Pallet 48 Pcs on Pallet Pallet Weight: 1,360 lbs



16 Sq Ft on Pallet 24 Pcs on Pallet Pallet Weight: 775 lbs

4" x 12" x 8" Corner Piece Sold Separately









#### Granite City Blend

## **Garden Wall**

A pleasing 4" x 12" garden wall with straight lines and a rear lip connection. This single-sided wall has tapered lines and is perfect for small applications in straight or serpentine walls.








Also available in: Adobe Blend Charcoal Fire Island Blend Golden Brown Blend



## PIERS, COPING, CAPS & STEPS





South Bay Blend

# 1/2" x 43/4" Shouldered Pins **SOLD SEPARATELY** Made in New York, additional freight rates may apply.

Travertina

## **Verona Pier**

#### **Builds Per Pallet:**

Two: 20" x 20" x 48" high piers Two: 24" x 24" x 48" high piers (Verona Wall XL)



32 Sq Ft on Pallet 96 Pcs on Pallet Pallet Weight: 2,739 lbs



4" x 16" x 8"

42 Sq Ft on Pallet 96 Pcs on Pallet Pallet Weight: 3,398 lbs

4" x 12" x 8"


Also available in: Adobe Blend Bluestone Charcoal Crab Orchard Blend Golden Brown Blend











Engineered Retaining Wall System Explorer System

**Builds Per Pallet:** 

3-Piece

One: 20" x 20" x 60" high pier One: 30" x 30" x 30" high pier Two: 20" x 20" x 30" high piers



Front/Back

30 Sq Ft on Pallet 60 Pcs on Pallet Pallet Weight: 2,623 lbs

6" x 6"/4" x 10"

Stonegate® Contemporary Pier







Granite City Blend

## **Mini Colonial Pier**

#### **Builds Per Pallet:**

One: 24" x 24" x 60" high pier Two: 24" x 24" x 30" high piers



40 Sq Ft on Pallet 80 Pcs on Pallet Pallet Weight: 2,620 lbs

3" x 14¾" x 9"



Golden Brown Blend

### **5" Colonial Pier**

#### **Builds Per Pallet:**

One: 24" x 24" x 60" high pier Two: 24" x 24" x 30" high piers



46.6 Sq Ft on Pallet 56 Pcs on Pallet Pallet Weight: 2,849 lbs

5" x 14¾" x 9"



Graphite Pearl Blend

## 6" & 8" Piers

#### 6" Corner

#### **Builds Per Pallet:**

One: 20" x 20" x 72" H pier Two: 20" x 20" x 36" H piers



24 Sq Ft on Pallet 48 Pcs on Pallet Pallet Weight: 2,164 lbs

6" x 8" x 12"

#### 8" Corner

#### **Builds Per Pallet:**

One: 27" x 27" x 64" H pier Two: 27" x 27" x 32" H piers



32 Sq Ft on Pallet 32 Pcs on Pallet Pallet Weight: 2,509 lbs

8" x 18" x 9"













Also available in:
Adobe Blend
Bluestone\*
Cappuccino Blend\* Mini & 6" Only
Crab Orchard Blend Mini, 5" & 6" Only
Fire Island Blend
Golden Brown Blend
Hudson Valley Blend 6" & 8" Only
Oyster Blend Mini, 5" & 6"



Middleburgh Meadows MIDDLEBURGH HELDERBERG STO PHARMACY & OUTDOOR POW GRAPES AND GRAINS MEADOWS WINE & SPIRITS LAUNDRY State Farm HIGH ON THE HO BBO Bluestone

## Belvedere Pier



#### **Builds Per Pallet:**

One: 24" x 24" x 36" high pier

#### 2-Piece





24 Sq Ft on Pallet 32 Pcs on Pallet Pallet Weight: 1,520 lbs



Cap: 2½" x 27" x 27"







## Kodah Pier



#### **Builds Per Pallet:**

One: 32" x 32" x 36" high pier



31.5 Sq Ft on Pallet 24 Pcs on Pallet Pallet Weight: 2,500 lbs

6" x 21" x 10½"



Cap: 3" x 34" x 34"









## **Pier Caps**

A clean, chiseled stone edge providing a sturdy platform for additional landscape lighting.

#### **Available Sizes:**

2½" x 18" x 18"

2½" x 20" x 20"

3" x 24" x 24" 3" x 26" x 26"

3" x 27" x 27"

3" x 28" x 28"

3" x 30" x 30"











NY Bluestone

### **Nantucket Pre Built Pier**

Easy to install, makes one pier. Pier Cap sold separately.

#### **Builds Per Pallet:**

One: 24" x 24" x 35" high pier • Pallet Weight: 250 lbs One: 30" x 30" x 35" high pier • Pallet Weight: 350 lbs

#### Texture:




#### **Colors:**









Chesapeake Blend

## **Linear Cap**

Contemporary double-sided wall cap with clean lines and a slight chamfer. Perfect for pools, steps, or walls.



63 Linear Ft on Pallet 42 Pcs on Pallet Pallet Weight: 1,800 lbs

2%" x 18" x 12"







## **Stone Face Cap**

63 Linear Ft on Pallet

Double-sided rustic wall cap with natural stone texture and a slight chamfer. Perfect for pools, steps, or walls.



42 Pcs on Pallet Pallet Weight: 1,800 lbs

2%" x 18" x 12"







Charcoal



## **Multi Cap**

Features a hard-split face design on one edge. Suitable for single-sided walls but also compatible with all Nicolock Walls.



85 Linear Ft on Pallet 64 Pcs on Pallet Pallet Weight: 2,744 lbs

3" x 16" x 12"









Also available in: Adobe Blend Crab Orchard Blend Fire Island Blend Golden Brown Blend Hudson Valley Blend Oyster Blend

Adobe Blend

## **Colonial Cap**

Offered in a hard-split rock face finish on two sides. Corners can be split into trapezoid shapes suitable for Colonial Wall Systems, but also compatible with any Nicolock Wall.

#### 4-Piece









Corner Piece

108 Linear Ft on Pallet 120 Pcs on Pallet | A-40 B-40 C-20 D-20 Pallet Weight: 3,766 lbs

Chesapeake Blend\*













Also available in: Adobe Blend Cappuccino Blend\* Crab Orchard Blend Fire Island Blend Golden Brown Blend Hudson Valley Blend Oyster Blend Raven\*



Granite City Blend







Travertina

## **Coastal Cap & Coastal Cap Plus**

naver-shield

Features a smooth texture on two sides with a rounded front. Rectangular shapes and available in two depths. Can be cut for corners. Perfect for walls, steps and pool coping.



60 Linear Ft on Pallet 30 Pcs on Pallet Pallet Weight: 1,600 lbs

2%" x 24" x 12"




60 Linear Ft on Pallet 30 Pcs on Pallet Pallet Weight: 1,850 lbs

2%" x 24" x 14"











Travertina Raven

## **6x12 Fullnose**


Surround your pool or create sturdy steps. 6x12 Fullnose pavers come in a wide variety of colors. Rectangular in shape and a smooth surface gives this coping a unique look. Rounded edges add a special charm. No spacer lugs needed.



104 Linear Ft on Pallet 208 Pcs on Pallet Pallet Weight: 2,566 lbs

8x12 Fullnose is available for special order in Charcoal & Granite City Blend



















Also available in:
Adobe Blend
Autumn Blend\*
Cappuccino Blend\*
Crab Orchard Blend\*
Fire Island Blend
Golden Brown Blend
Oyster Blend\*
Red



### **Rockface Treads**

These treads have a chiseled stone edge treatment on three sides making them the perfect finishing touch to any wall, step or pool coping. A thermal finish top surface gives them a smooth texture.



2" x 51" x 14" 13 Pcs on Pallet Pallet Weight: 1,810 lbs



13 Pcs on Pallet Pallet Weight: 2,245 lbs



13 Pcs on Pallet Pallet Weight: 2,515 lbs







Bluestone



Thermal Treads in Bluestone

### **Thermal & Fullnose Treads**

These classic treads offer a flamed or rounded stone edge treatment with a thermal finish top surface. Six sizes make it easy to fit your design. Perfect for walls, steps and pool coping.



2" x 48" x 12" 15 Pcs on Pallet Pallet Weight: 1,490 lbs Thermal Only



2" x 60" x 12"

15 Pcs on Pallet
Pallet Weight:1,850 lbs
Thermal Only



2" x 72" x 12"

15 Pcs on Pallet
Pallet Weight: 2,200 lbs
Thermal Only



2" x 48" x 14" 15 Pcs on Pallet Pallet Weight: 1,815 lbs Thermal & Fullnose



2" x 60" x 14" 15 Pcs on Pallet Pallet Weight: 2,250 lbs Thermal & Fullnose



2" x 72" x 14" 15 Pcs on Pallet Pallet Weight: 2,515 lbs Thermal & Fullnose









## Belvedere Coping

Creates the rustic appearance of natural stone and complements our Belvedere Wall.

#### 3-Piece



66 Linear Ft on Pallet 72 Pcs on Pallet | 24 Pcs of Each Pallet Weight: 1,550 lbs








York Brown

## **Versailles Coping**

Flat surface with natural travertine markings. Fullnose on one side. Inside and outside corners available.



Marble Blend



## **Rockface Multi Cap & Rockface Multi Cap Grande**

Features cast stone texture on two sides. Trapezoid shapes and available in two depths. Compatible with all Nicolock walls.

#### 4-Piece



D 2" x 15" x 11½"

Corner Piece

42 Linear Ft on Pallet 46 Pcs on Pallet Pallet Weight: 1,200 lbs

#### 4-Piece (Grande)









42 Linear Ft on Pallet 46 Pcs on Pallet Pallet Weight: 1,400 lbs









Bluestone

## Dimensional Coping Note of the By Nicolock N

Features chiseled stone texture on two sides. Compatible with all Nicolock walls.

#### 3-Piece







61 Linear Ft on Pallet 34 Pcs on Pallet Pallet Weight: 1,800 lbs









Bluestone



## **Old Town Coping**

Rectangular shapes and a dimpled surface give this coping a unique look. Textured edges add a special charm. No spacer lugs needed.



Gironde

## **Rockface Steps**

Makes a 6" change in elevation with a single unit. Thermal finish top surface with chiseled stone edge treatment on three sides.



6" x 51" x 16" 6 Pcs on Pallet Weight Per Piece: 365 lbs Pallet Weight: 2,190 lbs



6" x 64" x 16" 6 Pcs on Pallet Weight Per Piece: 455 lbs Pallet Weight: 2,730 lbs



6" x 74" x 16" 6 Pcs on Pallet Weight Per Piece: 545 lbs Pallet Weight: 3,270 lbs







Bluestone




## **Irregular Steps**

By Nicolock

Our Irregular Steps will give a magnificent appearance that's indistinguishable from natural stone. They have a uniform rise that is both safe and comfortable. Irregular sizes lend a rustic sophistication to your landscape.

#### 6-Piece



Bluestone

## **Roma Step**

Smooth top with a textured finish, the Roma Step provides transition and functionality to your hardscape design.



6" x 48" x 18"



Granite City Blend



# **Stepping Stones**

Effective in protecting lawns from traffic. Create winding paths across gravel, mulch or grass.



1½" x 22" x 16½"









Autumn Cotswold

# **Log Sleepers**

Create an authentic, rustic feel with a cut-log look. Create winding paths across gravel, mulch or grass.



20 Pcs on Pallet Pallet Weight: 483 lbs

1½" x 24" x 10"



Rustic Brown

# heat up with FIRE PITS & FIREPLACES

# WOOD

If you enjoy the scent and crackling sound of logs burning in the classic style of a traditional campfire, the timeless appeal of the Standard Wood option is perfect for you.


# **SMOKE-LESS WOOD**

For a wood-burning experience with reduced smoke, select a double-wall system with a smoke-less insert. Heated air rises and escapes through small openings at the top of the insert, minimizing smoke.

# GAS

If you favor the ease of a gas-powered fire, you can choose between propane or natural gas.

Customize your fire even more with several ignition options. The packages come complete with vent kits and control panels.



							<u> </u>				
	WOOD STANDARD 1	WOOD STANDARD 2	SMOKE-LESS 1	SMOKE-LESS 2	SMOKE-LESS 3	SMOKE-LESS 4	DELUXE MATCH THROW	DELUXE SPARK TPSI	DELUXE REMOTE TFS	DELUXE BRASS MATCH THROW	DELUXE BRASS AWS
SERAFINA FIR	E PIT   1 full pa	allet of Serafina	Wall included								
Included Burner	NES Round	NES Round	LUME Black Steel	LUME Black Steel	LUME Stainless Steel	LUME Stainless Steel	MT Gas	TPSI Gas	TFS Gas w/ Remote	Deluxe Brass MT	Deluxe Brass AWS
Lava Rocks (Minimum Qty)	No	No	No	No	No	No	Yes	Yes	Yes	Yes	Yes
Rockface Coping	No	Yes	No	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes
BELVEDERE F	IRE PIT   ½ pal	let of Belvedere	Wall included								
Included Burner	NES Round		LUME Black Steel	LUME Stainless Steel			MT Gas	TPSI Gas	TFS Gas w/ Remote		
Lava Rocks (Minimum Qty)	No	-	No	No			Yes	Yes	Yes		
Belvedere Coping	Yes		Yes	Yes			Yes	Yes	Yes		
FIRE PIT WIT	H VERONA WA	LL   ½ pallet of	Verona Wall inc	luded							
Included Burner	Black Metal	Black Metal	LUME Black Steel	LUME Black Steel	LUME Stainless Steel	LUME Stainless Steel	MT Gas	TPSI Gas	TFS Gas w/ Remote		
Lava Rocks (Minimum Qty)	No	No	No	No	No	No	Yes	Yes	Yes		
Rockface Coping	No	Yes	No	Yes	No	Yes	Yes	Yes	Yes		
ENCORE FIRE	PIT   4 Panels &	& 4 Connectors i	ncluded								
Included Burner			LUME Black Steel	LUME Stainless Steel			MT Gas	TPSI Gas	TFS Gas w/ Remote		
Lava Rocks (Minimum Qty)			No	No			Yes	Yes	Yes		
Stone Face Top			Yes	Yes			Yes	Yes	Yes		
OVATION FIRE	PIT   2 Panels	& 2 Connectors	included							I	
Included Burner			LUME Black Steel	LUME Stainless Steel			MT Gas	TPSI Gas	TFS Gas w/ Remote		
Lava Rocks (Minimum Qty)			No	No			Yes	Yes	Yes		
Stone Face Top			Yes	Yes			Yes	Yes	Yes		



Granite City Blend

# **Serafina Fire Pit**

There is something magical about sitting around the fire pit. The Serafina Fire Pit provides a charming focal point for entertaining with family and friends.

# **Without Coping:**

48" Diameter x 16" H • 1,350 lbs

# With Coping:

51½" Diameter x 19" H • 1,714 lbs

INSTALLATION GUIDE











Adobe Blend
Bluestone\*
Crab Orchard Blend
Fire Island Blend
Golden Brown Blend
Oyster Blend

Copings:





**Burner Options:** 



29R NES Stainless Steel Round



24" LUME Smoke-less Black Steel \*Lid Included



24" LUME Smoke-less Stainless Steel \*Lid Included



29"Round Drop-In MT Gas



29" Round Drop-In TPSI Gas



29" Round Drop-In TFS Gas with Remote \*Must Order Gas Specific



29" Round Drop-In Deluxe Brass Match Throw



29" Round Drop-In Deluxe Brass AWS

- Coping is included for Gas kits, and can be added to Wood and Smoke-less Wood
- Vent kit included with all ignition systems
- Control panel included
- Gas options include NG to LP Piece (does not include TFS)
- Lava Rock supplied is minimum quantity needed. Must add additional or glass for finish (gas options)
- Control panel and vent must be cut in on site



# York Brown

# Belvedere Fire Pit

What better way to enjoy your outdoor living area than to gather together around this cozy Belvedere Fire Pit with your loved ones. The natural textures and colors of the Belvedere seamlessly fit together with every Nicolock stone.

55" Diameter x 141/4" H • 2,540 lbs









# **Burner Options:**



34R NES Stainless Steel Round



30" LUME Smoke-less Black Steel \*Lid Included



30" LUME Smoke-less Stainless Steel \*Lid Included



34" Round Drop-In MT Gas



34" Round Drop-In TPSI Gas



34" Round Drop-In TFS Gas with Remote \*Must Order Gas Specific

- Coping is included
- Vent kit included with all ignition systems
- Control panel included
- Gas options include NG to LP Piece (does not include TFS)
- Lava Rock supplied is minimum quantity needed. Must add additional or glass for finish (gas options)
- Control panel and vent must be cut in on site
- Brass options available



Westchester Blend

# **Fire Pit with Verona Wall**

Complement your patio with the sleek look of the Fire Pit with Verona Wall. Add warmth to your backyard in any season! An easy fire pit to install, the Fire Pit with Verona Wall will fit in with any backyard or patio design.

**Without Coping:** 43½" x 43½" x 16" H • 1,312 lbs

With Coping: 48" x 48" x 18" H • 1,600 lbs



Burner Options:



Black Square Metal Insert



24" LUME Smoke-less Black Steel



24" LUME Smoke-less Stainless Steel \*Lid Included



25" Square Drop-In



25" Square Drop-In TPSI Gas



25" Square Drop-In TFS Gas with Remote \*Must Order Gas Specific











Also available in: Adobe Blend Bluestone\* Charcoal Crab Orchard Blend Golden Brown Blend Oyster Blend









- Coping is included for Gas kits, and can be added to Wood and Smoke-less Wood
- Vent kit included with all ignition systems
- Control panel included
- Gas options include NG to LP Piece (does not include TFS)
- Lava Rock supplied is minimum quantity needed. Must add additional or glass for finish (gas options)
- Control panel and vent must be cut in on site
- Brass options available



**Encore Fire Pit** 

Stacked Stone | Biscotti Tan

Celebrate every season year after year with the Encore Fire Pit! Anywhere you install it, the Encore will quickly become the favorite place for your family and friends to gather. Choosing your package is easy. Start by selecting your burn type (Smoke-less Wood or Gas), then select from our various options.

Without Top: 40" x 40" x 18" H

With Top: 44" x 44" x 191/2" H • 400 lbs



### **Burner Options:**



24" LUME Smoke-less Black Steel



24" LUME Smoke-less Stainless Steel \*Lid Included



20" Square Drop-In MT Gas



20 Square Drop-In TPSI Gas



20" Square Drop-In TFS Gas with Remote

# **Ovation Fire Pit**



Every season is the season for the Ovation. Easily installed, the Ovation can create warmth and ambiance at your home tonight! Choosing your package is easy. Start by selecting your burn type (Smoke-less Wood or Gas), then select from our various options.

INSTALLATION GUIDE

# Without Top:

40" Diameter x 18"H

### With Top:

44" Diameter x 19½" H • 345 lbs

## **Burner Options:**



24" LUME Smoke-less Black Steel \*Lid Included



24" LUME Smoke-less Stainless Steel \*Lid Included



19" Round Drop-In MT Gas



19" Round Drop-In TPSI Gas




19" Round Drop-In TFS Gas with Remote \*Must Order Gas Specific

### Textures:











Vertical Panel Technology is the smart alternative to block and stone masonry. Reinforced concrete panels and an easy installation process make constructing outdoor living spaces quick and affordable. This technology enables you to choose the texture, profile and color palette to fit the natural landscape of any backyard or outdoor setting. Reduce material waste and environmental impact, while delivering the highest quality vertical masonry structures.

### Colors:









- Coping is included
- Vent kit included with all ignition systems
- Control panel included
- Gas options include NG to LP Piece (does not include TFS)
- Lava Rock supplied is minimum quantity needed. Must add additional or glass for finish (gas options)
- Control panel and vent must be cut in on site
- Brass options available



South Bay Blend

Granite Top:

# **SG Grande Fire Pit**

621/4" L x 40" W x 24" H • 3,500 lbs

### **FEATURES:**

- 30 SF Stonegate® Wall
- 44" x 66" Granite Top
- 1 NPS 14" x 20" Access Door w/ Vents
- 1 Paver Vent 6LNTS
- 1 TPSI-LPK #35
- 1 Paver CP-TPSI
- 1 LOF-3612HTPSI-N (12" x 36" linear burner)
- Lava Rocks



Pennsylvania Blue

# **SG Linear Fire Pit**

521/4" L x 30" W x 18" H • 3,200 lbs

### **FEATURES:**

- 30 SF Stonegate<sup>®</sup> Wall34" x 56" Granite Top
- 1 Paver Vent 6LNTS
- 1 TPSI-LPK #35
- 1 Paver CP-TMSI/TPSI
- 1 LOF-30HTPSI-N (10" x 30" linear burner)
- Lava Rocks





















Also available in: Adobe Blend Bluestone\* Charcoal Crab Orchard Blend Golden Brown Blend Oyster Blend

INSTALLATION GUIDE SG GRANDE



INSTALLATION GUIDE SG LINEAR





Brickface | Biscotti Tan

# **Triumph Fire Pit**

621/2" L x 40" W x 24" H • 750 lbs

# **FEATURES:**

- 4 GFRC Wall Panels
- 4 GFRC Corner Pieces
- 44" x 66" Granite Top
- 1 NPS 14" x 20" Access Door w/ Vents
- 1 Paver Vent 4LNTS
- 1 TPSI-LPK #35
- 1 FG-32LPHRK Propane Regulator & Hose
- 1 LOF-3612HTPSI-N (12" x 36" linear burner)
- Lava Rocks

Texture Options:













**Color Options:** 







\*Harbor Gray not available in Stacked Stone. NY Bluestone not available in Brickface.









# **Harmony Fire Pit**

Rekindle your outdoor living space with the Harmony, a fire pit that offers a simple, timeless appeal for every type of gathering. The style, structure and design can be customized to uniquely meet your outdoor living needs, style and design preferences.

42½" x 42½" x 18" H • 300 lbs

# **FEATURES:**

- Comes fully assembled
- Compatible with 11 burner styles listed below
- Compatible with any manufacturers burner suspension mount with minimum 291/2" cut out
- Stocked 2-tone color options are a Premium value
- Other 2-tone color combinations available at a Deluxe value

# Raven/Slate









Raven

Stocked 2-Tone Colors:





# Burner Options:



Black Steel \*Lid Included



24" LUME Smoke-less 24" LUME Smoke-less Stainless Steel \*Lid Included



LUME MS2

26" LUME MS2SR

With Sear



29" Round Drop-in MT Gas



29" Round Drop-in TPSI Gas



29" Round Drop-in AWS Gas \*Must Order Gas Specific



29" Round Drop-in TFS Gas w/ Remote \*Must Order Gas Specific



29" Pro Series Round Drop-in MT Gas \*Must Order Gas Specific



29" Pro Series \*Must Order Gas Specific



29" Pro Series Round Drop-in TPSI Gas Round Drop-in AWS Gas \*Must Order Gas Specific



Slate

# **LUME Surround**

### A FIREGEAR

In a class of its own, the LUME Surround encases a smoke-less, woodburning fire pit insert within a large, rounded GFRC bowl, creating a rustic yet modern aesthetic reminiscent of the Olympic flame itself. For purists who prefer the crackle and smell of logs burning, but appreciate a uniquely sleek look, this gasless fire pit is available in four fabulous colors. As its name suggests, everyone will surround this focal point in your outdoor space. Strike a match. Let the games begin.

42" x 18" H • 250 lbs

Included Burner:



LUME MS1











# **Sanctuary Series**


A FIREGEAR



**SANCTUARY 76** | 76" L x 38" W x 16" H • 440 lbs

### **FEATURES:**

- Ignition Systems: MT or TPSI
- Choose between Natural Gas (NG) and Propane (LP)
- 125,000 BTUs



# **FEATURES:**

- Ignition Systems: MT, TPSI or AWS
- Choose between Natural Gas (NG) and Propane (LP)
- 75,000 BTUs AWS and TPSI | 100,000 BTUs MT

**Burner Options:** 













H-Burner Match Throw Gas

H-Burner TPSI Gas

H-Burner AWS Gas \*Must Order Gas Specific

Pro-Series H-Burner Match Throw Gas \*Must Order Gas Specific

Pro-Series H-Burner TPSI Gas \*Must Order Gas Specific

AWS Gas \*Must Order Gas Specific









Raven



**SANCTUARY 2** | 39" Diameter x 18" H • 327 lbs

- Ignition Systems: MT, TPSI or AWS
- Choose between Natural Gas (NG) and Propane (LP)
- 75,000 BTUs



**SANCTUARY 3** | 29" Diameter x 14" H • 200 lbs

# **FEATURES:**

- Ignition Systems: MT, TPSI or AWS
- Choose between Natural Gas (NG) and Propane (LP)
- 75,000 BTUs

**Burner Options:** 













Round MT Gas

Round TPSI Gas

Round AWS Gas

Pro Series Round MT Gas Pro Series Round TPSI Gas Pro Series Round AWS Gas









Slate



# LUME-MS2

# **LUME Smoke-less**

Transform your ordinary paver fire pit into an extraordinary smoke-less sanctuary with the LUME, a metal smoke-less fire pit insert. Enjoy the mesmerizing dance of flames without the annoyance of smoke, and create unforgettable moments in your backyard oasis. Upgrade your outdoor experience with ease, style, and the ultimate comfort of a smoke-less ambiance.

# Drop-In Burner Options:



24" & 30" Diameters 24: LUME-24R-BK 30: LUME-30R-BK \*Lid Included



24" & 30" Diameters 24: LUME-24R-ss 30: LUME-30R-SS \*Lid Included



24" x 24" LUME-24SQ-BK \*Lid Included



24" x 24" LUME-24SQ-SS \*Lid Included



Next Evolution Smoke-less 29", 34" & 36" Diameters

29: NES-29R 34: NES-34R

LID-LUMF-29F LID-LUME-34R LID-LUME-36R 36: NES-36R

# Freestanding Burner Options:



21" & 26" Diameters 21: LUME-MS1 26: LUME-MS2



21" & 26" Diameters 21: LUME-MS1SR 26: LUME-MS2SR

\*Available Lids MS1 & MS2SR - LIDLUME-MS-A MS1SR - LIDLUME-MS-B MS2 - LIDLUME-MS-C

PRODUCT	FITS CUTOUT:	PRODUCT	FITS CUTOUT:	
LUME-24R	27"-33"	NES-36R	36½"-39"	
LUME-30R	32"-40"	LUME-MS1	23½"-25¼"	
LUME-24SQ	27"-33"	LUME-MS2	28½"-30¼"	
NES-29R	29½"-32"	LUME-MS1SR	23½"-27½"	
NES-34R	34½"-37"	LUME-MS2SR	28½"-32½"	

# Cowboy Cauldron COWBOY CAULDRON CO.

Introducing the Cowboy Cauldron – the ultimate fire pit and grill! Made from tough, solid steel, this handcrafted cauldron combines a fire pit, grill, and cooking vessel in one. Built to last a lifetime, it's perfect for camping, tailgating, or your backyard. Get ready for unforgettable moments with family and friends – just don't forget extra chairs!

# The Dude®

This smaller cauldron is huge on adventure. It is lightweight, convenient, mobile, and affordable with segmented legs for easier transport. Its 24", 35 lb. basin brings the heat and draws the crowds wherever it goes – camping, tailgate parties, ski hills, the beach, or on your patio. Scaled to fit almost any lifestyle. You'll wonder how you ever lived without it.

24" Diameter | 35 Lb Basin

# **FEATURES:**

- Solid Steel Construction
- Segmented, 2-Piece Legs
- Use as Fire Pit, Grill, or Cooking Vessel

## INCLUDES:

- Cauldron Basin
- Tripod Frame
- Suspension Chain
- · Charcoal Grate · Cooking Grill
- Rain Cover

# The Urban Cowboy

The most versatile cauldron. Its 30" basin provides your crew with plenty of warmth to extend your outdoor life by weeks in the fall and spring. More than a cozy heat source, this cauldron really shines as a grill and cook pot--adding a western flair, a haunting vibe, or a touch of sophistication to any gathering at home or on the road. Though slightly larger, one person can still easily transport it, so you don't have to leave home without it.



30" Diameter | 75 Lb Basin

FEATURES:

- Solid Steel Construction
- Perfectly Proportioned
- Multipurpose Fire Pit, Grill, Cooking Vessel

### **INCLUDES:**

- Cauldron Basin
- Tripod Frame
- Suspension Chain
- Charcoal Grate
- Cooking Grill
- Rain Cover

The Dude

# **Media & Jewelry**












**Broken Glass Options:** 











Lava Rock



Mined from the earth, these dark rocks contrast beautifully against a brightflame. Each rock is approximately1" to 2" in diameter. 10lb bag / 40lb bag

Lava Stone



Made from tumbled lava rock, these stones lend a casual elegance. Each stone is approximately 1" to 2" in diameter. 50lb bag

REFLECTIVE Mirror finish broken reflective. Approx. 1/2" to 3/4" in size

10lb jug

BROKEN

Large broken. Approx. ½" to ¾" in size

10lb jug

### **Concrete Twig Sets**



Birch Twig Set (5 Pc)



Birch Twig Set (6 Pc)



Driftwood Twig Set (5 Pc)



Driftwood Twig Set (6 Pc)



New Oak Twig Set (5 Pc)



New Oak Twig Set (6 Pc)



Twig Set (4 Pc)



Twig Set (5 Pc)

Concrete Log Sets



Sedona Log Set (19 Pc)



Spitfire Log Set (17 Pc)

# Ironwood Log Sets







Ironwood Steel Log Set (7 Pc) Ironwood Steel Log Set (11 Pc) Ironwood Steel Log Set (14 Pc) Ironwood Steel Log Set (14 Pc)



# **Accessories**

**Round Lids** 



Round LID-19R2 22" Diameter x 21/2"H Fits: Ovation Gas



Round LID-29R2 32" Diameter x 21/2"H Fits: Ovation Gas



Serafina Gas



Square LID-20S 22"W x 11/2"H Fits: Encore Gas



Square LID-26S 28"W x 11/2"H Fits: Encore Gas & Wood Verona Wood

# Linear Lid



Linear LID-LOF3614 38¾"L x 16¾"W Fits: Triumph

Spark Screens



Square 770 Black 30" Screen (30" x 12") Fits: Encore Verona



Round 775 Black 30" Screen (30" x 15") Fits: Ovation

Serafina



Square Lids

Round 775 Stainless Steel 30" Screen (30" x 15") Fits: Ovation Serafina



Round 781 Black 39" Screen (39" x 18") Fits: Belvedere

Round Windshield



GWS-32R (32" round) GWS-36R (36" round) GWS-38R (38" round)

Square Windshield



GWS-2020 (20" x 20") GWS-3030 (30" x 30") GWS-3838 (38" x 38")

Linear Windshield



GWS-4419 (41" x 19")



Granite City Blend

INSTALLATION GUIDE

# **Mini Fireplace with Verona Wall**

A smaller version of the Fireplace with Verona Wall but just as awesome! Enjoy the warmth all year round. Extend your outdoor living season with a toasty fire anytime!

48" L x 40" W x 82½" H • 5,860 lbs

# **INCLUDES:**

- 2 Pallets of Verona Wall
- 4' Rockface step tread
- 4" Rockface accent piece
- Top piece with 8" cut out for smoke
- · Lentil with keystone

\*7 Sq Ft of Firebrick recommended in opening (31½" W x 19¾" H x 16" D)



Granite City Blend

# **Jr Fireplace with Verona Wall**

A compact version of the Fireplace with Verona Wall with all of the fire power! Enjoy all year long!

47" L x 40" W x 70" H • 6,003 lbs Step: 48" L x 161/2" W x 6" H

### **INCLUDES:**

- 2 Pallets of Verona Wall
- Wet Cast 52" x 44"
- Wet Cast 36" x 36"
- Wet Cast 32" x 32"
- Insert, Flue Pipe & Vent Cap
- Rockface Step

### INSTALLATION GUIDE









Oyster Blend

# **Fireplace with Verona** Wall

Gather 'round the fire day or night! Complement your patio with the sleek look of the Fireplace with Verona Wall. Add warmth to your backyard in any season! Contains everything you need to construct this stunning fireplace.

91" L x 56" W x 97" H • 16,828 lbs

## **INCLUDES:**

- 6 Pallets of Verona Wall
- Cast Concrete Fireplace opening surround
- · Wood burning fireplace inset with single piece, brushed stainless face, stainless mesh screens with hidden pockets
- Round top cap with mesh screen
- Realistic textured brick liner in natural white, EZ access damper & gas log ready feature
- 4 concrete lintels
- Double wall flue pipe
- Pre-cast concrete medallion































INSTALLATION GUIDE

<sup>\*\*</sup>Does not come with flue pipe (must be supplied by others if need)



# **Kalea Bay Fireplace**

Perfect for entertaining or when you desire a place to retreat, relax and reconnect. Available in single-sided and see-through configurations.

# Without Top:

87" L x 19½" W x 42" H

# With Top:

91½" L x 24½" W x 43½" H • 750 lbs

Fireplace inserts also available for custom builds in the following sizes:

# SINGLE SIDED/DOUBLE SIDED

36" W 48" W 60" W



available with or without LED



# SINGLE SIDED KALEA BAY INCLUDES:

- 1-42" H x 84" W with cut out
- 1-42" H x 84" W panel (no cut out)
  2-42" H x 17" W side panel
- 4-42" H structural corner units, smooth
- 1- Cast Stone top (24½" x 91½")
- 1-48" Kalea Bay Fireplace insert with black crushed glass Non LED

# **DOUBLED SIDED KALEA BAY INCLUDES:**

- 2-42" H x 84" W with cut-out
- 2-42" H x 17" W side panel
- 4-42" H structural corner units, smooth
- 1- Cast Stone top (24½" x 91½")
- 1-48" Kalea Bay Fireplace insert with black crushed glass Non LED
- Must order burner see thru conversion kits separately
- Remote available, must order part #RCAF-3TX separately
- Available in LED option
- Please order gas specific LP/NG

# Texture:











Top Color Options:





# OUTDOOR dining





# **Grill Island Deluxe with Verona Wall**

Cook up a feast on the Grill Island Deluxe with Verona Wall! A granite countertop and pro grill make this the perfect addition to your backyard patio.

# Without Top:

79" L x 32" W x 36" H

# With Top:

82" x L x 36" W x 371/4" H • 6,500 lbs

# **INCLUDES:**

- 2 Pallets of Verona Wall
- 32" Sizzler Pro Grill cutout dimensions: 30%" W x 81/2" H x 203/4" D
- Double-lined roll top hood
- 740 sq in. Stainless steel cooking grates, warming rack, drip pan
- Illuminated control knobs
- 14" x 20" Single Access Door cutout dimensions: 141/4" W x 191/4" H x n/a D
- Granite counter top included, covers 12 sq. ft of area
- Concrete Lintels

\*Please order gas specific LP/NG

- \*\*Countertop is 11/4" in height
- \*\*\*Kit also available without Granite Top





# L Shaped Kitchen with Verona Wall

Nothing beats firing up that steak year-round with your "L" Shaped Kitchen with Verona Wall! These hard-wearing units include a stainless steel grill, stainless steel refrigerator, six-piece granite countertops and lintel. Customize for maximum enjoyment with the many accessories offered!

### Grill Side

Refrigerator Side:

96" L (Inside) / 128" L (Outside) x 32" W x 36" H 87" L (Inside) / 119" L (Outside) x 32" W x 40" H

• 12,000 lbs

# **INCLUDES:**

- 4 Pallets of Verona Wall
- 6 Piece Granite Tops
- 14" x 20" Single Access Door cutout dimensions: 14¼" W x 19¼" H x n/a D
- 33" Double Access Door cutout dimensions: 30¼" W x 19¾" H x n/a D
- 38" Stainless Steel TRL Grill
- 22" Standard Refrigerator cutout dimensions: 21%0" W x 33310" H x 21510" D
- 15" Sink cutout dimensions: 14%" W x n/a H x 14%" D
- Refrigerator Trim Kit
- Concrete Lintels

\*Please order gas specific LP/NG

- \*\*Countertop is 11/4" in height
- \*\*\*Kit also available without Granite Top



INSTALLATION GUIDE

Graphite Pearl Blend

















Also available in: Adobe Blend Bluestone\* Charcoal Crab Orchard Blend Golden Brown Blend Oyster Blend



# **Wood Fired Oven with Verona Wall**

Dazzle everyone with an outdoor pizza oven! Cook up delicious pizza and a whole lot more! Leave the kitchen and cook outdoors!

**Inside Oven:** 29½" x 32½" Outside Oven: 331/2" x 381/4"

**Top:** 49" x 49" Base: 44" x 44" Without Top: 99" H With Top: 103" H 7,500 lbs




# **INCLUDES:**

- 2 Pallets of Verona Wall
- 1-30" Combo (2 drawer/1 door) enclosure cutout dimensions: 301/4" W x 191/4" H x 20 3/4" D
- 3 4" Wetcast Tops
- Pizza Peel
- Cleaning Brush
- All-Weather Cover
- Cast Stone Top
- Imperial Wood Fired Oven
- Concrete Lintel







- 304 stainless steel
- Black top
- Refractory brick floor
- Removable door with wood handles
- Thermostat
- Opening: 17%"
- Fits a 16" Pizza

# **Accessories Included:**





South Bay Blend









**Optional Wood Box Available** 













Also available in: Adobe Blend Bluestone Charcoal Crab Orchard Blend Golden Brown Blend Oyster Blend







# Pizza Ovens

# Build your own kit with our Verona Wall base, or purchase one of the ovens a la carte



# **WPPO Infinity Hybrid Oven** Oven Only Option



Available in: 50" & 66" Colors: Beige, Black, Blue, Gray, Green, Red, Yellow

### **FEATURES:**

- Cook with gas, wood, or both
- · Cook three pizzas at once
- Even heat distribution
- · Can withstand temperatures up to 1300°C
- 304 stainless steel construction
- Includes WPPO Hybrid 66 Oven and Burner Protection Cap







### **FEATURES:**

- 304 stainless steel
- Fuel gas/wood
- Gas burner 38,000 BTUs when cooking with gas only
- Wood burner gas starter rated at 38,000 BTUs
- 39 Sq. In. of cooking surface
- Stainless steel wood rack & ash catch
- Temperature up to 1022°F / 550°C
- Cooking stone made from Cordierite
- Digital thermometer measures oven ambient temperature
- Material interior: 443 stainless steel
- Outside oven: 321/4" x 411/4"
- Opening: 21" x 10"



# **WPPO Karma Series** Oven Only Option



Available in: 25" 32" 42" & 55" Colors: Black, Red & Stainless Steel

# **FEATURES:**

- Wood fired
- Outer dimensions: 23" L x 47.25" W x 72.5" H
- Thermal guard insulation
- R3 Interior- radiates, reflects, and retains heat to save you fuel and make cooking easier
- Comes with a stainless steel fire separator
- Interior Materials: 201 Stainless steel, 1 1/4 high heat fire brick
- · Extra thick powder coat exterior
- Black Powder Coated Stand Included



# StonehengeUS Imperial Oven Only Option

STONE TENGE"

# **FEATURES:**

- 304 stainless steel
- Black top
- Refractory brick floor
- · Removable door with wood handles
- Thermostat
- Opening: 17%"
- Fits a 16" Pizza



# **WPPO Traditional Series** Oven Only Option



Colors: Black or Red

### **FEATURES:**

- Wood or gas powered
- Exterior dimensions: 31"l x 29.25"w x 76.25"h
- Door opening: 15.75"w x 7.75"h
- Insulation: WPPO LLC fire blanket woven fiber
- Interior: 430 stainless steel 11/4 fire brick
- · Exterior: high quality powder coat finish



# StonehengeUS Duke Oven Only Option

STONE HENCE

### **FEATURES:**

- 304 stainless steel
- Black top
- Refractory brick floor
- Removable door with wood handles
- Outside oven: 21" x 30¾" • Inside oven: 18" x 271/4"
- Opening: 15"
- Fits a 12" personal pizza



# Nantucket Kitchen Island

We are changing the way outdoor kitchens are built. Engineered stone panels make it possible to have the outdoor kitchen of your dreams in one day. This system gives you the flexibility of using our grill and door combinations or you can customize with other accessories. You can choose the design, colors and stone profile of your outdoor kitchen to perfectly fit the rest of your landscape and your home.

# Without Top:

84" L x 35" W x 41" H

### With Top:

86" L x 361/2" W x 41" H • 1,000 lbs

# INSTALLATION GUIDE

## **PACKAGE A INCLUDES:**

- 1 Back panel, 1 Front panel, 4 Corners, 2 End panels (sides), Top
- Drop cloth/sheet protector
- 32" Sizzler Pro Grill cutout dimensions: 30%" W x 8½" H x 20¾" D
- 30" Double Access Door cutout dimensions: 301/4" W x 191/4" H x n/a D
- 1 Strap
- 2 Tubes of adhesive
- \*Package A comes with cut outs

# **PACKAGE B INCLUDES:**

- 2 Horizontal panels, 4 Corners, 2 End panels (sides), Top
- Drop cloth/sheet protector
- 1 Strap
- 2 Tubes of adhesive

 ${}^{\star}\text{All cut outs for Package B will have to be done on site and can accommodate a variety of grills and accessories}$ 

\*Please order gas specific LP/NG

## Textures:

















Top Color Options:





\*Barn Wood texture available in Rustic Brown (color shown in texture swatch) and Weathered Wood colors. Stone textures available in Biscotti Tan, Mountain Slate and NY Bluestone colors.



# **Segmental Kitchen Systems**

Create your semi-custom modular outdoor dining area the way you envision it. Use our Segmental Kitchen Systems to create grill islands, kitchens, bar spaces and much more. Possibilities are endless when you choose from a variety of cabinet options and stainless appliances.


- \*Fits most major manufacturers of grills & accessories
- \*\*Must supply your own exterior finishes and countertops











# **Build Your Semi-Custom Modular Outdoor Kitchen:**
























3 Drawer Cabinet











# Or Choose From our Prearranged Modular Options:

# The Sierra



## INCLUDES:

- 3 Drawer Cabinet
- Cold Storage Cabinet
- 48" Grill Cabinet
- (2) End Panel Cabinets
- · Trash Drawer / LP Cabinet

# The Lexington



### INCLUDES:

- 3 Drawer Cabinet
- Cold Storage Cabinet • 48" Grill Cabinet
- (2) End Panel Cabinets
- Trash Drawer / LP Cabinet
- 6" Filler Cabinet
- 12" Filler Cabinet · Universal Corner Cabinet

# The Ultimate



- INCLUDES:
- 3 Drawer Cabinet · Cold Storage Cabinet
- 48" Grill Cabinet
- 48" Door / Drawer Cabinet
- (2) End Panel Cabinets • Trash Drawer / LP Cabinet
- 6" Filler Cabinet
- 12" Filler Cabinet
- · Universal Corner Cabinet



Sanibel | Shell White

Miami | Sapphire Blue


# WeatherStrong® Outdoor Cabinetry



If you want to spend more quality time outdoors, WeatherStrong Outdoor Cabinetry is perfect for you. Made in the USA, these cabinets are built with 3/4" All-Weatherboard® composite material to withstand harsh weather conditions. Cabinet doors and drawer fronts are made from High Density Polyethylene (HDPE). Whether it's pounding rain, hot summers, or cold, snowy winters, WeatherStrong cabinets are tough enough to handle it all.

- Lighter Than Traditional Masonry Kitchens
- Marine Grade Construction
- Dozens of Designs Available For Optimal Flexibility
- Installs on Existing Patios with No Masonry Work
- Proudly Made in the USA
- Made from All-Weatherboard Composite Material
- Designed to Accommodate Most Grills
- 25 Year Limited Warranty
- Easy-to-Follow Instructions
- 2 Popular Door Styles
- 4 Best Selling Colors

# \*\*Must Supply Your Own Countertops




All bases are available in both door options and all color options. All supporting units are available in all color options.


# **Build Your Modular Outdoor Kitchen:**




Single Door Base with 2 Shelves 18" W x 34½" H x 27" D



Single Door Basewith 1 Shelf &



Single Door Base with 2 Rollout Trays 18" W x 341/2" H x 27" D




Single Door Base with Trash Pullout 18" W x 341/2" H x 27" D




Single Door Base with Propane Tank Pullout 18" W x 34½" H x 27" D




18" W x 34½" H x 27" D





30" W | 42" W | 48" W x 34½" H x 27" D \*Cut Outs Are Done on Site



Corner Return Base



Refrigerator Support End



Open Shelving Unit 24"W x 341/2"H x 27"D



Refrigerator Backer Box 15" W | 22" W | 24" W x 30" H x 51%" D



Matching Base Ends - 2 Pack with Vent Grills 28½" W x 30" H x %" D




Toe Kick/Filler 48" W or 96" W x 6" H x %" D



Turn Your Backyard into a Chef's Paradise with an Exclusive Range of Stainless Steel Appliances & Accessories





# FLAVOR HASANEW FRONTIER

Hand Crafted in America

We make the grills to gather around. Hand-crafted with premier materials and boundless ambition, our outdoor products are calibrated for patio heroes, next-generation chefs, and sunsets that never quit.

AMERICANMADEGRILLS.COM

# **AMG GRILLS**





**ENCORE GRILL** ENC36 | ENC54



**ESTATE GRILL** EST30 | EST36 | EST36





**ATLAS GRILL** 

**ALTURI GRILL** ALT30T | ALT36T | ALT42T





# SIDE & POWER BURNERS







ALTURI SEAR SIDE BURNER ATLSS

ALTURI DOUBLE SIDE BURNER ALTSB2

ATLAS DOUBLE SIDE BURNER ATSSB2







ESTATE DOUBLE SIDE BURNER

**ENCORE DOUBLE SIDE BURNER** 

MUSCLE DOUBLE SIDE BURNER







ALTURI POWER BURNER ALTPB2

ATLAS POWER BURNER ATSPB2

**ENCORE POWER BURNER** ENCPB2







MUSCLE POWER BURNER

**ESTATE POWER BURNER** 

# **SIZZLER**



26" Sizzler Built-In Grill SIZ26



32" Sizzler Built-In Grill SIZ32



40" Sizzler Built-In Grill SIZ40



Sizzler Double Side Burner SIZSB2



Sizzler Cart CART-SIZ26 | CART-SIZ32 | CART-40



Sizzler Deluxe Cart CART-SIZ32-DC | CART-SIZ40-DC



# **SIZZLER PRO**



32" Sizzler Pro Built-In Grill SIZPRO32



40" Sizzler Pro Built-In Grill SIZPRO40



Sizzler Pro Double Side Burner w/LED Illumination SIZPROSB2



Sizzler Pro Power Burner SIZPROPB

# TRL



32" TRL Built-In Grill



38" TRL Built-In Grill TRL38



44" TRLD Built-In Grill TRLD44



TRL Power Burner w/LED Illumination TRLPB2



TRL Double Side Burner w/LED Illumination TRLSB2



TRL Sear Side Burner TRLSS



TRL Cart CART-TRL32 | CART-TRL38



**QUEST** 



30" Quest Built-In Grill QST30



36" Quest Built-In Grill QST36



42" Quest Built-In Grill QST42



**RESORT** 

30" Built-In Grill SBG30




Resort Pedestal SBG3-PED



Resort Cart CART-ALT30

# **GRIDDLE**



30" Gas Griddle GRID30



18" Griddle Plate SSGP-18

# **SUNFIRE**



32" SunFire Built-In Grill



38" SunFire Built-In Grill



Single Side Burner



Double Side Burner w/LED Illumination SFPB2



Power Burner



SunFire 32" Freestanding Grill CART-SF-432 AVAILABLE IN DELUXE | CART-SF432-DC



CART-SF-538 AVAILABLE IN DELUXE | CART-SF538-DC



**CUTOUT DIMENSIONS** 

# **BARS & SINKS**



19" Undermount Sink SSNK-19U



SSNK-15D



30" Lighted Beverage & Prep Station



32" Outdoor Rated Farmhouse Sink SSNK-32FH



17" 1.7C Drop-In Cooler SSIC-17



28" 2.7C Drop-In Cooler SSIC-28

# **REFRIGERATION**



15" Outdoor Rated Refrigerator with Glass Door SSRFR-15G



24" Outdoor Rated 2-Drawer Refrigerator SSRFR-24DR2



15" Outdoor Rated Refrigerator SSRFR-15S



24" Deluxe Outdoor Rated Refrigerator SSRFR-24D



15" Outdoor Rated Dual Zone Wine Cooler SSRFR-15WD



24" Outdoor Rated Refrigerator with Glass Door SSRFR-24G



15" Outdoor Rated Single Zone Wine Cooler SSRFR-15W



15" Ice Maker SSIM-15



22" Compact Refrigerator SSRFR-22S



24" Outoor Rated Dual Zone Wine Cooler SSRFR-24WD



22" Deluxe Compact Refrigerator SSRFR-22D



24" Deluxe Outdoor Rated Wine Cooler SSRFR-24W



24" Outdoor Rated Refrigerator SSRFR-24S



24" Deluxe Outdoor Rated Kegerator Single Tower SSRFR-24DK1 ALSO AVAILABLE IN DOUBLE TOWER: SSRFR-24DK2

# **STORAGE DRAWERS**



17" Single Drawer SSDR1-17



17" Double Drawer SSDR2-17



17" Triple Drawer SSDR3-17



20" Vented Liquid Propane Tank or Trash Drawer SSDR1-20LP



20" Trash Pullout Drawer SSTD1-20



20" Trash & Recycling 2-Bin Pullout Drawer



17" Paper Towel Holder SSTH-17



26" Utensil Drawer SSDR1-26U



36" Warming Drawer SSWD-36



32" Double Horiztonal Drawer SSDR2-32H

# ACCESS DOORS



33" Vented Double Access Door SSDD-33V



26" Double Access Door SSDD-26 Also Available in 30" 33" 36" 39" 45"



16" Vertical Access Door SSDV-16 Also Available in 18" 20"



22" Horizontal Access Door SSDH-22 Also Available in 27"

# por



# **DOOR & DRAWER COMBOS**



30" 2-Drawer & Access Door Combo SSDC2-30 Also Available in 33" 36" 42"



33" 3-Drawer & Access Door Combo SSDC3-33



33" 2-Drawer & Vented LP Tank Pullout Drawer Combo SSDC2-33LP



17" Vertical 2-Drawer & Paper Towel Holder Combo SSTDC-17





# **Dimplex® Heaters**

**○** Dimplex

# DLW Series Outdoor/Indoor Radiant Heater, White DLW3200W24



- Effective radiant heat that warms like the sun, heating people and objects with zero glare
- Silent, maintenance-free operation
- IP 55 rated, weather-proof construction allows year-round enjoyment
- Designed for permanent hardwired installations on a dedicated 240V circuit

# Indoor/Outdoor Electric Infrared Heater, 240V 2000W DSH20W



- IP65 rating for indoor and outdoor applications
- 1, 2 and 3 hour delay timer
- 8 hour auto shutoff safety mechanism
- 3 second maximum heat up time

# DLW Series Outdoor/Indoor Radiant Heater, Black DLW2400B24



- Effective radiant heat that warms like the sun, heating people and objects with zero glare
- Silent, maintenance-free operation
- IP 55 rated, weather-proof construction allows year-round enjoyment
- Designed for permanent hardwired installations on a dedicated 240V circuit

# DIRP Outdoor/Indoor Infrared Heater, Plug-in Model, 120V, 1500W DIRP15A10GR



- Nextrema® Schott glass ensures even heat distribution and minimizes light emissions
- Corrosion-resistant anodized aluminum and 304 stainless steel makes this product suitable for all climates.
- Three temperature settings 600W (low), 1050W (med), 1500W (high) for maximum comfort
- Produces full heat in as little as 6 second maximum

# Outdoor Portable Infrared Propane Heater, 31,500 BTU DGR32PLP



- Powerful, stylish and portable heat for outdoor areas
- Heat on demand when and where you need it
- Durable stainless steel construction
- Advanced safety features including world-class wind protection up to 9.9 Mph/16 km/hr.
- \*Must order both DGR32PLP-HEAD & DGR32PLP-STAND

# **Outdoor/Indoor Electric Infrared Heater** DIR15A10GR



- Nextrema® Schott glass ensures even heat distribution and minimizes light emissions
- Non-porous surface and attractive design
- Instant Heat: Ruby halogen bulb provides full power in under 8 seconds
- Waterproof: IP65 rated for outdoor or indoor use
- Corrosion-resistant anodized aluminum casing provides long life and suitable for all climates

# Outdoor Wall-mounted Natural Gas Infrared Heater, 31,500 BTU DGR32WNG



- Powerful, stylish and space-saving heat for outdoor areas
- Heat on demand when and where you need it
- Durable stainless steel construction
- Advanced safety features including world-class wind protection up to 9.9 Mph/`6 Kph

# Indoor/Outdoor Electric Infrared Heater, Permanent Location Floor Stand DSHSTAND



- Corrosion-resistant anodized aluminum and 304 stainless steel makes this product suitable for all climates
- All hardware included
- Quick and easy installation

# **Essenze di Luce**



Take your outdoor living space to the next level with stunning, multi-sized natural stone monoliths and LED lighting available with or without a high-fidelity sound diffusion system. From romantic moments to big bashes, Essenze di Luce has you covered with a variety of natural stone lighting and rock speaker options that are maintenance-free and designed to withstand the most adverse weather conditions-- from ice to the desert sun. Perfect for gardens, poolscapes, and outdoor living use.

# Menhir Di Luce

A series of natural stone outdoor lamps and garden lights with LED technology, available in four different styles—Soft, Sidelong, Cross, and Stonehenge. In daylight, they function as design elements but evoke emotional light in the evening.



# **FEATURES:**

- · Choose from single, double, or triple illuminated sections
- Choose from horizontal or inclined patterns
- Available in 2 standard textures
- Minimalistic and natural design complements any achitectural style
- · Ice resistant
- Stainless Steel









STONEHENGE

Menhir Sound

This natural stone outdoor sound system integrating Hi-fi sound diffusion and LED lighting brings both sights and sounds to the yard. Fill your space with soft illumination and your favorite music—all effortlessly emanating from natural stone elements. Unparalleled resistance to splashes, spray, sand, and the most adverse weather conditions.



### FEATURES:

- Aisi 316L stainless steel audio system
- Easy connect; user-friendly; control music from your device
- · Plays/streams the most popular music services
- Choose from 3 standard textures
- Ice resistant
- Wi-fi Audio Controller







SOUND

MINIMAL SOUND

SOUND PRO

# Stake

Arrange an ambience with outdoor path lighting. Sleek pillars of natural stone offer architectural and design elements by day and transform into striking and luminous scenic features by evening. Perfect for illuminating footpaths, flower beds and outdoor living areas.



# FEATURES:

- Natural stone floor lamp for outdoors
- Choose single or double vertical LED (only 4mm thick)
- Ice resistant
- Multiple color and texture options
- Fits modern, contemporary, and Mediterranean styles
- Chemical Resistant
- Stainless Steel






# **Pergolas**

- Constructed of vinyl
- Easy maintenance
- Lifetime warranty
- Two stocked sizes: 13' x 16' and 15' x 15'

**Custom Sizes Available** 

# paver-shield™ PAVERS





\*\*Deluxe Color

Note: Our products use natural materials, which may cause slight color variations, adding to their unique charm. To minimize variation, follow industry best practices, order all products at once, and install from multiple pallets and layers for even blending. This is especially imperative for solid color blends, including Brown, Charcoal, Dove Gray, Pennsylvania Blue, Pewter, Raven, Red, Sahara, and Snow.

Travertina\*

# **SPLIT-FACE TEXTURED WALLS**



# **SMOOTH WALLS**




# **NICOSTONE**



\*Premium Color



Outcropping in Mocha




Rockface Treads and Rockface Multi Cap in Bluestone

# PAVING STONE INSTALLATION

# **MATERIALS NEEDED**

- Gloves
- Tape Measure
- Stakes
- Shovel
- 3 lb. Hammer
- Levels
- Line Level
- Carpenters Square
- String Line
- Broom
- Wheelbarrow
- Pry Bar
- Wire Cutters
- Mason's Chisel
- Markers
- Screed Board
- Two 1" o.d. Screed Pipes
- Plate Compactor
- Paver Cutter
- Diamond Blade Table Saw



A. Compacted Sub-Base

B. 4" - 6" Compacted Aggregate (for Pedestrian Traffic)

C. 8" - 12" Compacted Aggregate (for Vehicular Traffic)

D. Edge Restraints

E. 1" Bedding Sand

F. Pavers

# **BEFORE YOU BEGIN**

Your dealer can assist you in obtaining the necessary materials and equipment needed to complete your paving stone installation.

\*Three color blends are not recommended for projects less than 500 sq.ft

Lay out your entire paver pattern prior to cutting any stones.

Find an area away from your installation to cut pavers. Concrete dust created by saw cutting pavers can stain the surface.

The use of an approved safety mask is recommended when cutting any concrete products.




# 1. PLAN

Determine the area to be paved. Measure for square footage and sketch a diagram of the shape & pattern of paving stone desired.



# 2. PREPARE / EXCAVATE

Before beginning excavation, make sure there are no utility lines within the area to be paved. Excavate area to the proper depth depending on the type of traffic.



# 3. GRADE

Establish the finish grade and slope or pitch of pavement to allow for drainage. Lay out the lines and corners with string line and stakes. Compact sub-base.



# 4. PREPARE / EXCAVATE

Spread aggregate base uniformly throughout the entire excavated area and 8 in. beyond perimeter lines.

Base aggregate material should be processed 3/4" minus gravel or crushed concrete blend.



# **5. BASE COMPACTION**

Compact the base aggregate evenly throughout the area with a mechanical plate compactor. Do not compact the base aggregate in more then 4" layers. The compacted base should conform to the contour of the finished paved area. The grade of the base aggregate should be 3" to 4" below the finished paving stone surface depending on the thickness of the paver.



# **6. EDGE RESTRAINTS**

Install edge restraints as required. Pavers butting against curbs or

foundations will not need an edge restraint. Various types of edging materials can be used. Nicolock recommends a Snap Edge edge restraint system since it is easy to install and will not rot or decay.



# 7. BEDDING

Spread 1" of concrete sand evenly over the compacted base. Screed the bedding sand to a level, smooth surface using a screed board. For areas wider than the width of the screed board, use 1" conduit pipe as screed guides 4' apart. Screed sand, remove screed rails & fill in depressions with fresh sand. You should end up with a complete layer of smooth sand. Do not disturb sand bed after it has been screeded.



# 8. PAVER PLACEMENT

Begin placing paving stones on the screeded sand bed in the desired pattern. Hand place the paving stones with a hand tight joint. Work from the paving stone side of the installation as they are set. To achieve the best mixture of colors and blends, remove pavers from delivered bundles section by section, not layer by layer, and work from several bundles at a time. Cut pieces as needed to fill in the pattern.


# **FINISH**

When complete, sweep surface clean. Spread a fine jointing sand over the entire surface and broom sweep to fill all joints. Leaving excess sand on the paving stone surface, tap the paving stones into the setting bed with the mechanical plate compactor with a rubber pad. Broom sweep more sand to fill any open joints. Finally, backfill over the top edge restraint and grade. Your installation is now complete and ready for use.

# RETAINING WALL INSTALLATION

# **MATERIALS NEEDED**

- Gloves
- Tape Measure
- Stakes
- Shovel
- 3 lb. Hammer
- Levels
- Line Level
- Carpenters Square
- String Line
- Broom
- Wheelbarrow
- Pry Bar
- Wire Cutters
- Mason's Chisel
- Markers
- Screed Board
- Two 1" o.d. Screed Pipes
- Plate Compactor
- Paver Cutter
- Diamond Blade Table Saw





**NOTE:** The following Installing procedures apply to all Nicolock retaining wall units constructed as a conventional gravity wall system.

**PREPARING/EXCAVATING:** Before beginning excavation, make sure there are no utility lines in the wall area. Excavate area to the proper depth. For geogrid-reinforced retaining walls or for more detailed information, consult your local distributor or contact Nicolock.

For most non-critical walls (and under favorable soil conditions) Nicolock wall units are constructed as a conventional gravity wall system. Walls up to 3 feet in height are attainable without the need for soil reinforcement (geogrid). Recommended installation procedures should be followed to ensure the life of your wall structure.

# 1. SITE PREPARATION AND EXCAVATION

Excavate a trench a minimum of 6" beyond the front and back of the wall block. Dig trench 9" to 14" deep, enough to create a 6" thick leveling pad and to bury at least one whole wall block below grade. Compact the soil at the bottom of trench. Shape the slope behind wall to allow for 12" of drainage material.

# 4. DRAINAGE SET-UP


Fill the space in front of wall with clean fill to grade to hold units from shifting. Place a perforated pipe behind wall on top of base for drainage. Fill any block cores and the drainage area with clean aggregate keeping filter fabric in place. Backfill soil on outer side of fabric and compact.

# 6. PLACE GRAVEL AND BACKFILL MATERIALS

Continue building the wall to the desired height. Backfill with clean aggregate behind each course as completed. Backfill and compact soil. Finish the wall by securing the wall cap with a suitable masonry adhesive.


# 2. INSTALL LEVELING PAD

Place filter fabric in trench and up the cut slope. Fill trench with clean, graded aggregate and compact.



# 5. STACKING UNITS

Place successive courses by fitting the keys and grooves onto the units in the row below (if applicable). Keep the tops of each course clean to maintain a level surface. Stack units one layer at a time in a running bond pattern (crossing joints). Utilize geogrid when the wall height is 3 ft or more or as required by the project engineer or approved design drawings.




\*Geotextile may be necessary when the infill soil includes fine-grained sand that have the potential to infiltrate the gravel fill

Note: Illustrations shown are not for construction purpose. Please confer with your local engineer for proper placement of geogrid.

Important: Walls higher than 36" above grade, terraced walls, weak soils, and other loading conditions require special considerations in design and construction. This should be done by a qualified engineer & a professional contractor. Check with your local building department for code requirements.

# 3. PLACE BASE COURSE (FIRST ROW)

Position a level string line at the straight face of the unit to maintain alignment. Place the wall units side by side in the center of the prepared base. Bury the first course of block below grade to a depth equal to 10% of the height of the wall or a minimum of 6", whichever is greater. Level units from side to side, and front to back.





# **STAIN REMOVAL**

The stain removal methods suggested here are merely a guide and may not work to your satisfaction in all instances. Nicolock is not responsible for any damage caused while using these methods. Nicolock recommends that you keep several pavers from your initial installation available to replace any pavers that become damaged or excessively stained or soiled.

# **ALGAE & FUNGAL GROWTHS**

Apply a fungicide according to manufacturer recommendation.

# **BEVERAGE STAINS**

Scrub the stain with hot soapy water. For stubborn stains apply a 1:10 diluted sodium hypochlorite solution (household bleach) use according to the manufacturer's recommendations.

### CHEWING GUM

Chewing gum is best removed with a suitable aerosol freezing agent before scraping it off. Use according to the manufacturer's recommendations.

# FRESH OIL STAINS

Soak the oil up with an absorbent cloth or paper towels. Do not wipe. Then cover the affected area with a 'dry' absorbent powder and leave for 24 hours. Repeat until the powder has absorbed all or as much of the oil as possible.

If a stain persists, apply a recommended cleaner according to the manufacturer's recommendations.

# PAINT /WOOD-STAIN /VARNISH

Soak up the spillage with an absorbent cloth or paper towels. Do not wipe. The stained area should be immediately scrubbed with detergent and water. Paint removers or solvents should not be used on stains that are less than a week old, as this will increase penetration into the concrete. Scrape off as far as possible. Apply an appropriate proprietary paint remover, preferably one supplied as a thick gel. Follow the manufacturer's recommendations or contact the paint manufacturer.

# **WOOD PRESERVATIVES / CREOSOTE**

Soak the stain with mineral spirits and scrub with a hot detergent and water. Finally rinse thoroughly with clean water, or contact the manufacturer of the preserver.

# **ASPHALT & EMULSIFIED ASPHALT**

Chill with ice (if warm outside), scrape away & scrub the surface with scouring or abrasive powder. Rinse with water.

# **CUTBACK ASPHALT & ROOFING TAR**

Use a soft moist putty made with talc or diatomaceous earth (available wherever pools supplies are sold.) Mix with kerosene, scrub, let dry and brush off. Repeat as needed.

# CANDY, KETCHUP, MUSTARD, GREASE DRIPPINGS FROM FOOD

For stubborn stains, apply liquid detergent full strength and allow it to penetrate for 20-30 minutes. Scrub and rinse with hot water. Removal is easier if these stains are treated immediately.

# **CAULKING**

Scrape off excess and scrub with denatured alcohol. Rinse with hot water and detergent. For acrylic latex caulk - follow guidelines for removal of latex paint.

# **CLAY SOIL**

Scrape off dry material, scrub and rinse with hot water and strong detergent.

# **CREOSOTE**

Apply a solution made with paint thinner and talc. Scrub and allow to dry. Scrape off, scrub with scouring powder and rinse with water.

# MORTAR

Let dry but not harden and carefully remove spots with a towel, putty knife or chisel.

# LEAF, WOOD ROT OR TOBACCO STAINS

Apply household bleach diluted 10:1 with water (10 parts water) and scrub with a non-metallic stiff bristled brush.

# **OIL OR GREASE THAT HAS PENETRATED**

Mop up any excess oil with rags. Cover the area with oil absorbent talc, (kitty litter). Diatomaceous earth can also be used. Leave it on the stain for a day, then sweep up.

# **PAINT**

Fresh paint should be mopped up immediately with rags or paper towels by blotting. Do not wipe as this will spread the paint and extend the job of removal. If the paint is latex and water-based, soak and then scrub area with hot water, scouring powder and a non-metallic stiff brush until no more improvement is seen. Let the remaining paint dry and remove as described below.

### DRIED PAINT

Scrape any excess oil-based paint, varnish or water-based latex paint off the surface. Apply a commercial paint remover and let sit for 20-30 minutes. Loosen with gentle scrubbing. Do not rub the loosened paint into the surface of the pavers. Instead, blot up the loosened paint and thinner. Repeat as necessary.

# TIRE SKID MARKS

Scrub black area with water, detergent and scouring powder.

# ABOUT EFFLORESCENCE:

Efflorescence is a whitish, powder-like deposit that may sometimes appear on the surface of the paving stones. It may appear immediately or within a short time after installation. Left alone, normal wear and exposure to the elements will dissipate the efflorescence. Efflorescence does not affect the structural performance or durability of concrete pavers. Efflorescence is

a normal occurrence in all cement based products, as well as many colored paving products. Because it is a natural reaction to the proper hydration of concrete, Nicolock accepts no responsibility or liability for replacement.

If there is a need to remove the efflorescence before it naturally wears away, best results are obtained by using an efflorescence remover which is available from most mason supply dealers. Do not use muriatic acid.

If a sealer is to be applied to the paving stones, it is recommended that any presence of efflorescence be removed prior to sealer being applied. For installations over a new or existing concrete base, a cementitious setting bed, or with mortared joints, the occurrence of efflorescence is more likely. Precautions for proper drainage of the paving stones system should be taken to minimize this occurrence.

# WHAT IS EFFLORESCENCE?

Efflorescence is a natural phenomenon and can occur with any cement based product, as well as other paving products. It may appear randomly and will possibly appear more pronounced on colored paving slab.

The white bloom may give the impression that the color of the paving slab is fading but, when wet, you will find that the efflorescence vanishes and the paving slab returns to its original shade. The white bloom will often return again when the paving slab dries. Be assured that efflorescence has no detrimental effect on the performance of the paving slab and will generally disappear with time.

# HOW DOES EFFLORESCENCE OCCUR?

All concrete products contain cement which produces water soluble calcium oxide (lime).

Concrete paving materials contain millions of tiny invisible pores; when moisture penetrates into these pores – either from rain, dew or condensation – it dissolves part of the lime to make calcium hydroxide.

When the slab dries out, the calcium hydroxide rises to the surface and reacts with the carbon dioxide in the air, sometimes leaving a white bloom of calcium carbonate once the water has evaporated.

# WILL EFFLORESCENCE DISAPPEAR NATURALLY?

Yes. The efflorescence action is arrested by carbon dioxide reacting with calcium oxide within the pores of the concrete. The efflorescence itself is then, over a period of time, either converted back to soluble salts and washed away by rain or simply disappears through the action of trafficking, snow or ice.

Once the efflorescence has disappeared naturally it does not usually recur. It is therefore not necessary to replace the paving or to take other measures against efflorescence.

# **HOW LONG WILL EFFLORESCENCE LAST?**

This is difficult to predict as factors such as climate, location and conditions (damp/shady or open/sunny) are variables which can affect the extent of the phenomenon. However, on average, it can take from 12 months to 24 months to disappear.

# **FAQ**

# WHY DO NICOLOCK PAVERS MAKE THE BEST PAVEMENT?

Not only are Nicolock pavers beautiful, but they provide the best pavement solution in freeze/thaw conditions, when installed over a compacted aggregate base. Installation over a compacted aggregate base results in a pavement that is strong, yet flexible enough to move as the ground shifts without breaking apart, rutting or heaving. In addition, they can be "unzipped" to allow for repairs or access to utility lines. Unlike asphalt and other surfaces, pavers are virtually maintenance-free. And, by definition, concrete pavers are about 3 times stronger than regular poured concrete.

# WHAT MAKES PAVER-SHIELD™ BETTER THAN THE COMPETITION?

paver-**shield**™ is not a thin veneer of color coating.
paver-**shield**™ pavers are guaranteed to look great year after
year, retaining their vibrant color and smooth texture. Products
without paver-**shield**™ may look worn and faded over time with
exposed aggregate on the surface.

# DOES THE COLOR GO ALL THE WAY THROUGH NICOLOCK PAVERS?

All Nicolock pavers have color throughout. Those manufactured with our exclusive paver-**shield™** process have an extra concentration of cement and pigment on the wear layer providing deep rich colors and a smooth, dense wear layer

# CAN I USE A PRESSURE WASHER TO CLEAN MY PATIO?

Yes – but, as always, follow the manufacturer's instructions carefully. Do not pressure wash your patio too strongly or too frequently as you may damage the surface of the paver.

# CAN PAVERS BE INSTALLED OVER A POURED CONCRETE BASE?

Absolutely, provided certain steps are taken. Care must be taken so that water does not pool underneath the pavers. Drainage holes should be drilled in large slabs and filled with pea gravel and covered with landscape fabric. Edge pavers must be restrained to keep joints from opening up.

# **CAN I USE A SEALER ON MY PATIO?**

Yes – check proprietary manufacturer's instructions and suitability for sealing concrete paver. Please note: applying sealant to paver may affect the color.

# HOW DO PAVERS COMPARE WITH PATTERNED CONCRETE?

Patterned concrete pavements are slabs of concrete that are embossed with a pattern. Therefore, they are prone to the same problems with freeze/thaw cycles, namely cracking and spalling. Also, unlike Nicolock pavers, patterned concrete pavements don't allow access to underground utilities or the ability to make repairs. At virtually the same price installed per square foot, Nicolock Pavers are clearly a superior choice.

# HOW DO I DETERMINE HOW MUCH STONE BASE MATERIAL AND SAND SETTING BED MATERIAL I NEED?

One half ton of modified stone or sand will cover about 100 square feet at 1" thick. Using a 10' x 10' (100 square feet) patio as an example, you would need 1/2 ton of sand for the setting bed (1" thick) and 3 tons of modified stone for the base (6" thick). You'll need about 5% more sand for the joints between the pavers. The thickness of the base material depends on the application and subgrade soil conditions (use a thicker base for poorly drained soils). As a rule of thumb, you'll need 4" to 8" of base material for walkways and patios, and 8" to 12" for driveways and parking lots.

# I HAVE WHITE DEPOSITS ON MY PAVERS/WALLS, WHAT IS IT?

You are probably referring to efflorescence, a natural and common occurrence in many concrete products. Efflorescence occurs when natural salts come to the surface and leave behind a white deposit that can normally be brushed off. This is not a product defect or harmful to pavers and walls and Nicolock accepts no liability for its occurrence. It will usually weather away with time.

# HOW CAN I REMOVE MOSS OR MOLD FROM MY PAVERS?

Try liquid bleach diluted in water (10 parts water to one part bleach). Be careful not to get it on plant material. Keep in mind that there is nothing that will keep moss and mold from reappearing in a shady, damp area.

# WHAT IS POLYMERIC SAND AND WHAT IS ITS ADVANTAGE?

Polymeric sand is a high-tech mix of graded sand and binder, specially formulated for filling joints between pavers. When installed properly, polymeric sand will remain in the paver joints and inhibit weed growth and insect infestation.

# CAN I USE NICOSTONE PAVING INSIDE MY HOUSE?


Yes – but it is preferable to seal the paving with a sealer after laying inside to protect against stains and reduce incidence of dust.

# WHY DO THE PAVING STONES HAVE DARK PATCHES?

This is due to differential weathering, where the surface of the paving has cured at different rates, causing darker color variation on the paving. Generally this is exaggerated by the presence of efflorescence which, once removed, will reduce the effect of the dark patches. As with efflorescence the dark patches will generally disappear with time.

# **HOW OFTEN SHOULD I CLEAN MY PATIO?**

Regular washing and brushing should be adequate to maintain your patio in pristine condition. However, you may wish to clean your patio using a recommended cleaner. This can enhance its appearance but it may affect long term durability and should only be used sparingly (only two or three times during the lifetime of the paving). Consult your paving supplier for advice and a suitable cleaning product.



Stone Ridge XL in Westchester Blend

# **FAQ**

Not only do Nicolock Pavers make an attractive pool deck, but they also provide a slip-resistant walking surface. Pavers actually are better than poured concrete around pools from the standpoint that the joints will take on moisture and leave the pavement cooler under foot. Like all products that are used outdoors, lighter colors will tend to stay cooler as they reflect the sunlight. Furthermore, our Fullnose and Pool Coping Pavers are ideal for the pool's edge. Make sure the base material around the pool is well compacted before installing pavers. Safety covers can also be installed over pavers with the use of special anchors.

# WHAT ARE THE BENEFITS OF SEALING MY PAVERS? HOW LONG DO I NEED TO WAIT BEFORE I APPLY A SEALER?

Sealers help resist stain and may enhance the color. Some can also bind the sand in the joints to make it difficult for weeds to germinate. As a rule of thumb we generally want you to wait at least six months to allow any efflorescence to appear. Prior to the application of any sealers, the pavers must be cleaned with an appropriate product to remove dirt and efflorescence.

# CAN NICOLOCK PAVERS BE USED FOR MY DRIVEWAY?

Absolutely! For residential driveways, 8" to 12" of compacted base material is recommended. A standard 2-3/8" thick paver can be used for light vehicular (cars & pickup trucks) applications. A herringbone pattern is most suitable in these situations. (Not applicable for Stone Ridge XL, Alpine series and Nicostone products.)

# **WILL WEEDS GROW BETWEEN MY PAVERS?**

Weeds and grass between pavers occur when seeds or spores lodge in the joints between pavers. They will not grow from underneath. This can be minimized by using polymeric sand or mixing a pre-emergent granular weed killer into the joint sand. If weeds do appear, a spot vegetation killer (such as Round-Up™) can be used and will not damage the pavers.

# CAN I SHOVEL AND PLOW MY PAVERS?

Pavers can be plowed and shoveled just like asphalt, concrete and other pavement materials. In fact, snow and ice will normally melt faster because of the joints around the pavers. A plow blade with a rubber edge is recommended when needed. Do not use sharp objects to chop ice as they can damage the pavers.

# WHAT SHOULD I USE TO MELT SNOW AND ICE ON MY PAVERS?

Nicolock recommends sand for slip resistance as it is the most environmentally friendly product for use on concrete products to make sure surfaces are skid and slip resistant.

If a de-icing product is used, Nicolock recommends using only NaCl (rock salt) and should be used sparingly, following the manufacturer's instructions. Once ice is loosened, remove immediately to avoid buildup of the de-icing agent.

De-icing agents of any kind are not recommended for our Nicostone line. We recommend using only sand for providing skid and slip resistance.

# I'VE GOT A RAILROAD TIE WALL THAT IS ROTTING AND FALLING DOWN. WHAT CAN I DO?

Our segmental retaining wall systems provide an excellent solution to this problem. They are strong and will last a lifetime. Nicolock offers several different wall systems to meet your needs.

# WHAT IS GEOGRID AND WHEN SHOULD IT BE USED?

As a rule of thumb, all walls over 3' high should be reinforced with geogrid. Geogrid is placed between the layers of block at different intervals to stabilize the soil behind the retaining wall and secure the wall face to the earth behind it. The height of the finished wall, soil characteristics, and the pressure on the wall caused by slopes, structures, and/or paved areas all affect the proper placement and lengths of geogrid.

# WHAT IS RECONSTITUTED STONE?

Reconstituted Stone – is manufactured from the highest grade materials and will last for years. It is hand crafted, with molds taken from original natural stone for an authentic appearance. Nicostone products are a consistent thickness and are therefore easy to lay.

Colors – shades are subtle and subject to slight variations, especially highlighted in the weathered shades where many products are hand made to ensure a completely random, natural look. Colors will appear different depending upon the prevailing conditions such as sunlight, heavy shade or rain.

Therefore it is advisable to check the color and appearance of the actual product samples in dry daylight conditions before purchasing. Where possible, products should also be selected from the same production batch. Reconstituted stone will weather over time in a fashion similar to natural stone.

# PAVING SLAB AND WALLSTONE COLOR

Please note that some products have a multi-color mix where the manufacturing process means that different color percentages are likely selected from multiple pallets prior to installation. Choose from three to five different packs.

Multi-colored products are produced randomly, therefore color proportions in different slabs may vary widely.

# APPLICATION/SUITABILITY

Unless otherwise stated, the Nicostone materials featured in this catalog are intended for use in residential landscape projects. Nicostone decorative slabs are not suitable for driveways. The manufacturer cannot accept any liability where products have been used for any inappropriate purpose.

In the unlikely event of products reaching you in a less than satisfactory condition, please contact your local distributor directly, allowing time for the rejected product to be replaced. If a complaint is raised after laying the product, Nicostone cannot accept responsibility for any defect.

De-icing salts should not be used on Nicostone slabs.

# **SIZES & JOINT WIDTHS**

All dimensions quoted in this catalog are nominal and are for guidance only. Actual sizes will vary, particularly on the products designed to replicate natural stone which have features such as riven profiles and fettled edges. Where space is critical, Nicostone recommends dry laying the product to check area required.

When laying random slabs and circles, and in particular Old Town Flagstone Paving Slabs with their fettled edges, joint widths will depend on the slab type & laying pattern chosen and will be variable – from approximately 1/2" to 1".

# HANDLING

Standard manual handling techniques should be adopted when handling products. Some products in the Nicostone range are heavy or an awkward shape to lift and it is recommended that suitable lifting equipment be used for these products. Always wear gloves and safety footwear when handling product.

If product is to be cut, always wear safety goggles and when using a high speed saw also wear suitable respiratory protection, such as a dust mask.

Before removing wrapping or banding, ensure that the products are on level ground or retained in some way to prevent them from tipping over. When removing, shrink wrapping and banding use the appropriate cutting tools; also it is recommended that safety goggles are worn.

Product should always be handled with care as breakages, chipping and other damage may result from mishandling. Minor scuffing can occur due to movement in transit and will generally disappear in time. If in doubt do not install the product, consult your Nicolock Territory Manager.

# **SPECIAL NOTES**

All measurements are nominal. Dimensions include the joint widths when fully installed. Dimensions/height: May vary up to ¼" due to unique manufacturing technique. Nicostone provides only general installation guidelines, climate and soil conditions may vary by region.

# **PATTERNS**

Patterns, whether simple or complex, help to define a paved area and add your own personality to your project. The following are examples of popular patterns.

# **RUNNING BOND**

# Products that can be used:

Plank Paver

Ridge Brick

Rustico 6x6

Rustico 6x9

Holland Stone

Colonial Cobble 1.5 Normal

Heritage Slab


Old Vienna with paver-shield™

The Montauk

Euro Cobble

Eco-Ridge

SF-Rima



# RANDOM 3-PIECE RECTANGULAR & STAGGERED RUNNING BOND Products that can be used:

### CI D. I

Stone Ridge

Stone Ridge Contemporary

Alpine Ridge

Alpine Contemporary

Blue Ridge


Eco-Tre

Natural Cleft Flagstone

(Individual Sizes)

Thermal Finish Flagstone (Individual Sizes)

DANDOM 2 DIECE COLLAD



# **HERRINGBONE**

# Products that can be used:

Plank Paver

Ridge Brick Rustico 6x9

Holland Stone

Colonial Cobble 1.5 Normal


Old Vienna with paver-shield™

Eco-Ridge

# RANDOM 3-PIECE SQUARE & DIAGONAL PATTERN

# Products that can be used:

Stone Ridge XL



# BASKET WEAVE Products that can be used:

# Plank Paver

Ridge Brick


Holland Stone

Old Vienna with paver-**shield™** 

Eco-Ridge


# RANDOM 6-PIECE PATIO PACK Products that can be used:

# Natural Cleft Flagstone Patio Pack Thermal Finish Flagstone Patio Pack




# RANDOM 4-PIECE Products that can be used:

# Rustico 4 Pc Combo



# FRENCH ASHLER PATTERN Products that can be used:


Versailles Travertine




# MODIFIED HERRINGBONE & '1' PATTERN

# Products that can be used:

Rustico 6x6 & 6x9



Please use patterns as a reference to get you started. The diagrams shown may require additional material if followed directly.





# **New York | Corporate Headquarters**

612 Muncy Avenue • Lindenhurst, NY 11757 P: 631.669.0700 • F: 631.669.0711

# **Nicostone by Nicolock**

200 Henry Street • Lindenhurst, NY 11757 P: 631.669.0600 • F: 631.669.8052

801 Watervliet Shaker Road • Latham, NY 12110 P: 518.888.2731 • F: 518.252.4937

# **New Jersey**

482 Houses Corner Rd • Sparta, NJ 07871 P: 551.232.6443 • F: 973.425.5188

# **New Jersey Design Center**

620 Cedar Swamp Road • Jackson, NJ 08527 P: 201.932.4500 • F: 732.960.9950

# **NPS Outdoor Living Showroom**

9 Aaron Way • Sparta, NJ 07871 P: 908.482.8483

# **New England**

99 Stoddard Avenue • North Haven, CT 06473 P: 203.234.2800 • F: 203.985.0381

# Massachusetts

168 Mendon Street • Bellingham, MA 02019 P: 508.298.2243 • F: 508.590.7678

# Maryland

8400 Progress Court • Frederick, MD 21701 P: 301.620.0100 • F: 301.620.0007

# **Delaware**

1000 South Market Street • Wilmington, DE 19801 P: 302.981.0986 • F: 302.691.4500

# Virginia

9135 Barricade Lane • Mechanicsville, VA 23116 P: 571.332.3513 • F: 571.406.1251

# **North Carolina**

5412 US 70 • Durham, NC 27705 P: 919.885.5397











nicolock.com

CAT1# 2025 01.20 50M.\$2.53 | @nicolock 2025 | all rights reserved